



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
REGION 5  
77 WEST JACKSON BOULEVARD  
CHICAGO, IL 60604-3590

SEP 21 2012

REPLY TO THE ATTENTION OF:  
WC-15J

**CERTIFIED MAIL 7009 1680 0000 7669 4025**  
**RETURN RECEIPT REQUESTED**

The Honorable David Gonzalez  
Mayor of Chicago Heights  
City of Chicago Heights, Illinois  
1601 Chicago Road  
Chicago Heights, IL 60411

Subject: City of Chicago Heights Compliance Order to 33 U.S.C. §§ 1318 (a) and 1319(a)  
Docket No. V-W-12-AO-26

Dear Mayor Gonzalez:


Protecting water quality is a high priority of the U.S. Environmental Protection Agency. Pollutants such as pathogens discharged to waterways from sanitary sewer overflows (SSOs) contribute to poor water quality and impairment of uses of those waterways. EPA is issuing this Compliance Order to the City of Chicago Heights, Illinois pursuant to Sections 308(a) and 309(a) of the Clean Water Act (CWA), 33 U.S.C. §§ 1318(a) and 1319(a).

In 2011 and 2012, a representative of EPA received information provided by the City of Chicago Heights that indicates that the City had four separate SSO overflow points where City personnel manually pumped wastewater from the City's separate sanitary sewer collection system to the City's storm sewer system during wet weather events. In addition, the City of Chicago Heights reported a high frequency of SSOs and property backups within its sanitary sewer collection system in the last 5 years. EPA finds that the City of Chicago Heights has violated Section 301(a) of the CWA, 33 U.S.C. § 1311(a) and seeks to bring the City of Chicago Heights back into compliance with the CWA.

Please send your written responses to the addresses specified in the Order. This Order requires you to immediately cease all sanitary sewer discharges and take any necessary action to comply with the CWA. Please note that within 10 days after this Order's receipt, the City of Chicago Heights may request a conference with EPA to discuss the terms of the Order or any other information you think we should consider.

If you have any questions or concerns, please contact Keith Middleton, at (312) 886-6465 or middleton.keith@epa.gov, or your legal counsel may contact Joanna Glowacki, Associate Regional Counsel, at (312) 353-3757 or glowacki.joanna@epa.gov.

Sincerely,



Tinka G. Hyde  
Director, Water Division

cc: Lisa Aprati, City of Chicago Heights  
Roger Calloway, IEPA

**UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
REGION 5**

**IN THE MATTER OF:**

City of Chicago Heights ) DOCKET NO. V-W-12-AO-26  
Chicago Heights, Illinois, ) Proceeding under Sections 308(a) and  
Respondent. ) 309(a) of the Clean Water Act, 33 U.S.C.  
                          ) § 1318(a) and § 1319(a)

**COMPLIANCE ORDER**

1. The Director of the Water Division, U.S. Environmental Protection Agency (EPA), Region 5, is issuing this administrative Compliance Order (Order) to the City of Chicago Heights (Respondent) under Sections 308(a) and 309(a) of the Clean Water Act (CWA or Act), 33 U.S.C. § 1318(a) and § 1319(a).

**STATUTORY BACKGROUND**

2. Section 301(a) of the Act, 33 U.S.C. § 1311(a), prohibits the discharge of any pollutant by any person except, among other things, in compliance with a National Pollutant Discharge Elimination System (NPDES) permit issued pursuant to Section 402 of the Act, 33 U.S.C. § 1342.
3. Section 308(a) of the Act, 33 U.S.C. § 1318(a), provides, among other things, that whenever required to carry out the objective of this chapter, the Administrator of EPA shall require the owner or operator of any point source to: establish and maintain such records, make such reports, and provide such other information as she may reasonably require.
4. Section 309(a)(3) of the CWA, 33 U.S.C. § 1319(a)(3), states that whenever the Administrator of EPA finds a person in violation of Section 301(a) of the CWA, 33 U.S.C. § 1311(a), the Administrator of EPA may issue an order requiring that person to comply with the provisions of the CWA and the requirements of the permit.

**DEFINITIONS**

5. "Backup" or Building/Property Backup" means any release of wastewater to public or private property that is caused by Blockages or other conditions in the Sanitary Sewer System. Such releases can include, but are not limited to, those that occur in basements.
6. "Blockage" means the partial or complete interruption of flow as a result of some obstruction in any portion of the Sanitary Sewer System.

7. “Bypass,” as defined by 40 C.F.R. § 122.41(m), means the intentional diversion of waste streams from any portion of a treatment facility.
8. “Collection System” means all portions of your sewer system that collect and convey sanitary and/or combined sewage for treatment to the Thorn Creek Basin Sanitary District (TCBSD) Wastewater Treatment Plant. The Collection System, for purposes of this Order, does not refer to portions designed to convey exclusively sanitary sewage.
9. “Combined Collection Sewer System(s)” or “Combined Sewer System(s)” means all portions of your sewer system designed to convey municipal sewage (domestic, commercial, and industrial wastewater) and storm water through a single-pipe system to the wastewater treatment plant or to combined sewer outfalls.
10. “Day” or “days” means a calendar day or calendar days. In computing any period of time under this Information Request, where the last day would fall on a Saturday, Sunday, or federal or state holiday, the period will run until the close of the next business day.
11. “Force Main” means any pipe that carries wastewater under pressure from the discharge side of a pump to a point of gravity flow downstream.
12. “Gravity Sewer” means a pipe that receives, contains, and conveys wastewater that is not normally under pressure and is intended to flow unassisted under the influence of gravity
13. “Infiltration” means water, other than wastewater, that enters your Separate Sanitary Sewer System (including sewer service connections) from the ground through such means as defective pipes, pipe joints, connections, or manholes.
14. “Inflow” means water, other than wastewater, that enters your Separate Sanitary Sewer System from sources such as, but not limited to, roof leaders, cellar drains, yard drains, area drains, foundation drains, drains from springs and swampy areas, manhole covers, cross connections between storm sewers and sanitary sewers, catch basins, cooling towers, storm water, surface runoff, street wash waters, or drainage.
15. “I/T” means the total quantity of water from Infiltration and Inflow without distinguishing the source.
16. “Private Lateral” means any portion of a Sanitary Sewer System, not owned by You, used to convey wastewater from a building or buildings to that portion of a Separate Sanitary Sewer System owned by You.
17. “Pump Station” means facilities comprised of pumps or other equipment that lift wastewater to a higher hydraulic elevation, including all related electrical, mechanical, and structural systems necessary to the operation of that pumping station.

18. “Record” or “records” means any recording of information in tangible form. It includes, but is not limited to, documents, memoranda, reports, letters, maps, graphs, charts, log books, notes, emails, computer files, computer printouts, and computer databases.
19. “Sanitary Sewer Overflow” or “SSO” means an overflow, spill, diversion, or release of wastewater from or caused by your Sanitary Sewer System. This term includes: (i) discharges to waters of the United States from the Sanitary Sewer System; and (ii) any release of wastewater from the Separate Sanitary Sewer System to public or private property that does not reach waters of the United States, including Backups.
20. “Sanitary Sewer overflow outfalls” or “SSO outfalls” refers to the point source from which SSOs are discharged. SSO outfalls include permanently installed overflow structures or pipes that manually or automatically allow a discharge of wastewater (permanent wet weather emergency lift/pump stations) and other discharge locations such as broken sewers or dislodged manhole covers caused by sewer surcharges.
21. Sanitary Sewer overflow outfall #1 or SSO outfall #1 refers specifically to a location at the intersection of Travers Avenue and Ranger Drive within the City of Chicago Heights where Respondent personnel manually pumps sanitary wastewater from the Separate Sanitary Sewer System to Storm Sewer System.
22. Sanitary Sewer overflow outfall #2 or SSO outfall #2 refers specifically to a location at the intersection of Ashland Avenue and Glendale Avenue within the City of Chicago Heights where Respondent personnel manually pumped sanitary wastewater from the Separate Sanitary Sewer System to Storm Sewer System.
23. Sanitary Sewer overflow outfall #3 or SSO outfall #3 refers specifically to a location at the intersection of Mildred Lane and Elmwood Drive within the City of Chicago Heights where Respondent personnel manually pumped sanitary wastewater from the Separate Sanitary Sewer System to Storm Sewer System.
24. Sanitary Sewer overflow outfall #4 or SSO outfall #4 refers specifically to a location at the intersection of Constance Lane and Normandy Drive within the City of Chicago Heights where Respondent personnel manually pumped sanitary wastewater from the Separate Sanitary Sewer System to Storm Sewer System.
25. “Separate Sanitary Sewer Collection System(s)” or “Separate Sanitary Sewer System(s)” means any portions of your sewer system (including all pipes, Force Mains, Gravity Sewer segments, overflow structures, regulators, Pump Stations, manholes, and components thereof), designed and constructed to collect and convey only sewage, and not storm water, from residences, commercial buildings, industrial plants, and institutions for treatment at the TCBSD Wastewater Treatment Plant.
26. “Storm Sewer Collection System(s)” or “Storm Sewer System(s)” means a conveyance or system of conveyances (including roads with drainage systems, municipal streets, catch basins, curbs, gutters, ditches, man-made channels, or storm drains) owned or operated

- by the City of Chicago Heights that is designed or used for collecting or conveying storm water. This term does not include a combined sewer system.
27. "Wastewater Treatment Plant(s)" or "WWTP(s)" means any wastewater treatment plants operated by the TCBSD, National Pollutant Discharge Elimination System (NPDES) Permit Number IL0027723 and located at 700 West End Avenue, Chicago Heights, Illinois and all components of such sewage treatment plants.
28. "You" for purposes of this Information Request refers to the City of Chicago Heights and to any agents, employees, contractors, or other entities that performed work or acted in any way on behalf of, or at the direction of, the City of Chicago Heights.
- FINDINGS**
29. Respondent is a municipality incorporated under the laws of the State of Illinois. Respondent maintains a Separate Sanitary Sewer System to convey sanitary sewage for treatment to the TCBSD's WWTP.
30. Respondent maintains a storm water sewer system for the areas that contain a separated sanitary sewer system. The storm water sewer system has final dispositions to Butterfield Creek and Thorn Creek. Butterfield Creek and Thorn Creek are considered waters of the United States and thus "navigable waters" pursuant to section 502(7) of the CWA, 33 U.S.C. § 1362(7).
31. On May 24, 2011, Respondent received a Section 308 Information Request which included a checklist for Respondent to complete and return to U.S. EPA. Respondent responded to this information request on July 27, 2011 by delivering to EPA Region 5's office the checklist and the majority of the requested information.
32. During discussions on July 27, 2011, Mike Sabo, Respondent's then Director of Streets and Sewer department, stated that Respondent personnel during wet weather events directly pumped sanitary wastewater in four locations to the Storm Sewer System. The Storm Sewer System eventually outlets to Thorn Creek.
33. On February 6, 2012, EPA sent a Supplemental Section 308 Information Request to the Respondent. This Supplemental Information Request included four follow-up questions for the Respondent to complete and return to U.S. EPA. These questions primarily pertained to SSOs and Property Backups that have occurred in the last 5 years. Respondent responded to this supplemental information request on February 27, 2012 with answers to the four questions.
34. On June 7, 2012, an EPA and Illinois Environmental Protection (IEPA) team conducted an on-site SSO inspection of Chicago Heights, focusing on the four Sanitary Sewer overflow locations. On August 27, 2012, EPA conducted a follow-up SSO inspection of Chicago Heights to gather photographs of SSO outfalls to Butterfield Creek and Thorn Creek.

35. On August 15, 2012, Respondent provided information that had been requested by EPA during the June 7, 2012 inspection. Included in Respondent's submittal were four exhibits that illustrated where the four Sanitary Sewer Overflow locations were in Chicago Heights and where the final disposition of the storm sewer from those four SSO locations are. These exhibits have been included as Attachment B, C, D, and E in this Order.
36. In the last five years, Respondent has used a 1,400 GPM pump at Sanitary Sewer Outfall location #1 to pump sanitary wastewater to the Storm Sewer System approximately 44 times. The Storm Sewer System in this area eventually discharges to Butterfield Creek. Butterfield Creek is a tributary to Thorn Creek and is considered a "water of the United States." Attachment B shows the direct path of the sanitary wastewater through the Storm Sewer System to Thorn Creek.
37. In the last five years, Respondent has used a 433 GPM pump at Sanitary Sewer Outfall location #2 to pump sanitary wastewater to the Storm Sewer System approximately 35 times. The Storm Sewer System in this area eventually discharges to Thorn Creek. Thorn Creek is considered a "water of the United States." Attachment C shows the direct path of the sanitary wastewater through the Storm Sewer System to Thorn Creek.
38. In the last five years, Respondent has used a 433 GPM pump at Sanitary Sewer Outfall location #3 to pump sanitary wastewater to the Storm Sewer System approximately 25 times. The Storm Sewer System in this area eventually discharges to Butterfield Creek. Butterfield Creek is a tributary to Thorn Creek and is considered a "water of the United States." Attachment D shows the direct path of the sanitary wastewater through the Storm Sewer System to Thorn Creek.
39. In the last five years, Respondent used a 433 GPM pump at Sanitary Sewer Outfall location #4 to pump sanitary wastewater to the Storm Sewer System approximately 25 times. The Storm Sewer System in this area eventually discharges to Thorn Creek. Thorn Creek is considered a "water of the United States." Attachment E shows the direct path of the sanitary wastewater through the Storm Sewer System to Thorn Creek.
40. These four SSO outfall locations and any constructed overflow point or other discrete fissure in Respondent's Separate Sanitary Sewer System from which sewage has been or may be discharged to the waters of the United States constitutes a "point source," pursuant to section 502(14) of the CWA, 33 U.S.C. § 1362(14).
41. In the Respondent's information request responses, Respondent reported 130 SSOs in the last five years with an estimate of at least 22,000,000 gallons of sanitary wastewater to Thorn Creek and Butterfield Creek.
42. Sanitary sewage is a "pollutant," pursuant to section 502(6) of the CWA, 33 U.S.C. § 1362(6).

43. Each of these discharges to Butterfield Creek and Thorn Creek are considered SSO discharges and are “discharges of a pollutant” from a “point source” to a “navigable water,” as those terms are defined at Section 502(7), (12) and (14) of the Act, 33 U.S.C. § 1362(7), (12) and (14), and 40 C.F.R. § 122.2.
44. The table attached to this Order as Attachment F provides a summary of the SSO events, including the year of the SSO and the SSO location. A more detailed table, also attached to this Order as Attachment G, provides the date of the SSO, the location of the SSO, the flow rate of each pump used (gallons per minute), the number of hours that were pumped, the volume of SSO, the cause of the SSO, and the final disposition of the SSO.
45. In the Respondent’s information request responses, Respondent has identified 1597 City-responsible wet weather Property Backups and 527 City-responsible dry weather Property Backups that occurred within Respondent’s Separate Sanitary Sewer Collection System.
46. The table attached to this Order as Attachment H provide the date of the Property Backup, the time when the Property Backup occurred, the location of the Property Backup, the type of Property Backups, the weather during the Property Backup, whether the Property Backup was the responsibility of the Respondent or private owner, and the response of Respondent to mitigate the Property Backup.
47. Respondent did not provide the number of Property Backups that occurred within the separate sanitary sewer portion or the number of Property Backups that occurred within the combined sanitary sewer portion of the Respondent’s sanitary sewer collection system.
48. Respondent does not have a NPDES permit which allows SSOs. Respondent’s discharge of sewage or other pollutants into any waters of the U.S. without a NPDES permit, as indentified in either Attachments F, G or H, is a violation of Section 301(a) of the CWA, 33 U.S.C. § 1311(a).

#### **COMPLIANCE REQUIREMENTS**

Pursuant to Sections 308(a) and 309(a)(3) of the Act, 33 U.S.C. § 1318(a) and §1319(a)(3), EPA orders that:

49. Within 5 days of the effective date of this Order, Respondent must submit a written certification of its intent to comply with this Order. Attachment A summarizes the compliance schedule for all tasks required by this Order.
50. Respondent must immediately begin forwarding copies to U.S. EPA of all SSO or CSO notifications it makes to IEPA or the Macon County Health Department. Such copies must be forwarded to U.S. EPA at the address listed in Paragraph 61 below.

51. Respondent must immediately begin forwarding all relevant correspondence with TCBSD related to the operation and maintenance of its sanitary sewer collection system to EPA. This includes but is not limited to the Inflow and Infiltration Reports it submits twice a year to TCBSD.
52. Respondent must properly manage, operate, and maintain both its combined and separate sanitary sewer collection system at all times. Proper management, operation, and maintenance will be further defined in the Respondent's Capacity, Management, Operation, and Maintenance (CMOM) Program to be developed in accordance with Paragraph 58 and will include but not be limited to the following requirements:
  - a. Providing adequate capacity to convey base flows and peak flows for all parts of its Separate Sanitary Sewer Collection System for proper treatment at TCBSD's WWTP before discharge to waters of the United States;
  - b. Eliminate SSOs in all parts of its Separate Sanitary Sewer Collection System
53. Within 30 days of the effective date of this Order, Respondent must implement the following requirements:
  - a. A procedure to report all SSOs and Property Backups from its sewage collection system.
  - b. Respondent will generate separate SSO and Property Backup summaries on a quarterly basis. Information in these summaries must include:
    - i. Dates on which the SSO/Property Backup occurred.
    - ii. Locations of the SSO/Property Backup.
    - iii. Reasons why the SSO/Property Backup occurred (i.e. wet weather rainfall event).
    - iv. Estimated volume of SSO/Property Backup water which exited the Separate Sanitary Sewer System.
    - v. Responsibility for the SSO/Property Backup (applicable for in the event of a Property Backup).
    - vi. Methods used to remove Backup water from property.
    - vii. Final disposition of SSO/Property Backup water (i.e. receiving waters of SSO/Property Backup).
    - viii. Measures used to mitigate environmental harm if SSO/Property Backup water is untreated.

ix. Actions taken to mitigate future SSO/Property Backup.

54. Respondent will submit the quarterly SSO and Property Backup logs to U.S. EPA within twenty-one (21) calendar days after the end of each quarter to the address listed in Paragraph 61 below. To the extent that any item in Paragraph 53b. is not reasonably ascertainable by Respondent when preparing the SSO/Property Backup summaries, Respondent will report its best estimate for such information and explain the basis for its estimate.
55. Within one year of the effective date of this Order, Respondent must submit to EPA a plan and schedule for elimination of SSOs from the four known SSO outfall locations and any other SSO outfall locations within the Respondent's Separate Sanitary Sewer System (SSO Outfall Elimination Plan). The SSO Outfall Elimination Plan will include the elimination of SSOs from these sewer relief points occurring no later than December 31, 2015. The four known SSO outfall locations have been further defined and detailed in Paragraphs 21-24 and 35-39 of this Order. Respondent must submit the SSO Outfall Elimination Plan for review, comment, and approval by U.S. EPA.
56. Within 30 days of EPA's review and approval of the SSO Outfall Elimination Plan from Paragraph 55, Respondent must begin implementing the SSO Outfall Elimination Plan.
57. Respondent must provide semi-annual reports on the projects recommended in the SSO Outfall Elimination Plan projects, as set forth in the Plan's implementation schedule in Paragraph 55. The reports are due on January 31 and July 31 of each year, following the commencement of the SSO Outfall Elimination Plan implementation schedule.
58. Within one year from effective date of this Order, Respondent must submit to EPA for approval a Capacity, Management, Operation, and Maintenance (CMOM) Program designed to address all parts of its Separate Sanitary Sewer System in accordance with U.S. EPA's Guide for Evaluating CMOM Programs at Sanitary Sewer Collection Systems, EPA 305-B-05-002 (January 2005), including the checklist in Chapter 3 of the guide. The guide can be found online at [http://www.epa.gov/npdes/pubs/cmom\\_guide\\_for\\_collection\\_systems.pdf](http://www.epa.gov/npdes/pubs/cmom_guide_for_collection_systems.pdf). In preparing a CMOM, the respondent may want to consider the Table of Contents (attached as Attachment I) as an outline to aid in documenting their program.
59. Respondent must implement the CMOM program no later than thirty (30) calendar days after approval by EPA in accordance with the schedules established in the approved CMOM.
60. Within one year of approval of the CMOM Program identified in Paragraph 58, Respondent must submit a CMOM report to U.S. EPA. The report will include a completed CMOM Program Self Assessment from EPA's website (<http://www.epa.gov/npdes/pubs/cmomselreview.pdf>) and must summarize steps taken to implement the approved CMOM Program including operational changes or improvements implemented as part of the approved CMOM Program, the amount of

sewers inspected or cleaned, any cross-connections detected or eliminated, and any dye testing or clear water source elimination measures implemented. The report should also identify any SSOs or City-caused Property Backups that have occurred during the implementation period and what the responses, causes, and where the final deposition of the SSOs and City-caused Property Backup was.

### **SUBMITTALS**

61. Respondent must submit all information required by this Order to EPA at this address:

Director, Water Division  
Attn: Keith Middleton  
Water Enforcement Compliance Assurance Branch (WC-15J)  
U.S. Environmental Protection Agency, Region 5  
77 West Jackson Boulevard  
Chicago, Illinois 60604

62. Respondent must submit all information required by this Order under an authorized signature containing the following certification:

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false statements and information, including the possibility of fines and imprisonment for knowing violations.

63. If the signatory finds that any portion of the submittal is false or incorrect, the signatory must notify EPA immediately. Knowing submittal of false information to EPA in response to this Order may subject Respondent to criminal prosecution under Section 309(c) of the Act, 33 U.S.C. § 1319(c), as well as 18 U.S.C. §§ 1001 and 1341.
64. Respondent may assert a claim of business confidentiality under 40 C.F.R. Part 2, Subpart B, for any portion of the information it submits to EPA. Information subject to a business confidentiality claim is available to the public only to the extent allowed by 40 C.F.R. Part 2, Subpart B. If Respondent fails to assert a business confidentiality claim, EPA may make all submitted information available, without further notice, to any member of the public who requests it. Effluent data, as defined in 40 C.F.R. § 2.302(a)(2), and information in permit applications is not entitled to confidential treatment under 40 C.F.R. Part 2, Subpart B. 40 C.F.R. § 122.7.
65. EPA may use any information submitted in response to this Order in support of an administrative, civil or criminal action against Respondent.

66. The information required to be submitted pursuant to this Order is not subject to the approval requirements of the Paperwork Reduction Act of 1995, 44 U.S.C. §§ 3501-3520, because it seeks collection of information by an agency from specific individuals or entities as part of an administrative action or investigation.

**EFFECTIVE DATE AND OPPORTUNITY TO CONFER**

67. Respondent has the opportunity to confer with and submit information to EPA concerning the validity of this Order.
68. Such information may include evidence (*i.e.*, documentation), arguments and comments regarding the legal and factual determinations on which the Order is based, its applicability to Respondent, the appropriateness of its terms or any other relevant and material issue.
69. If Respondent chooses to confer orally with EPA, it shall request a conference within 10 calendar days of the date of signature of this Order by the Water Division Director. To request a conference, contact Keith Middleton at (312) 886-6465 or Respondent's attorney may contact Joanna Glowacki, Office of Regional Counsel at (312) 353-3757.
- a. Any conference held pursuant to this Paragraph shall take place within 10 calendar days from the date of the request, unless the time period is extended by agreement of the parties. Respondent may appear in person, participate by telephone or be represented by an attorney or other representative.
  - b. Respondent is responsible for reducing all oral information it presents at the conference, including comments and arguments, to writing and submitting that document to EPA within five calendar days following the conference, unless the time period is extended by agreement of the parties.
  - c. Such a conference is not a formal evidentiary hearing and does not constitute a proceeding to challenge this Order. EPA will not make a formal transcript of the conference.
70. Regardless of whether Respondent requests a conference, Respondent may submit written information to EPA, as provided in Paragraph 68, within 10 days calendar days of the date of signature of this Order by the Water Division Director, unless the time period is extended by agreement of the parties. Respondent shall submit any written information according to the instructions in the Submittals Section of this Order.
71. EPA shall deem a failure to either request a conference or submit written information within 10 calendar days of the date of signature of this Order by the Water Division Director as a waiver of the opportunity to confer.

72. If Respondent does not request a conference or submit written information pursuant to this Section, this Order shall become final and effective 15 calendar days after its date of signature by the Water Division Director.
73. EPA shall consider all relevant and material written information submitted by Respondent pursuant to this Section and determine that: (1) this Order should become final as originally issued; (2) this Order should be modified; or (3) this Order should be withdrawn.
74. If EPA determines that this Order should become final as originally issued or should be modified, then EPA shall address the material and relevant information submitted by Respondent in a responsiveness summary.
  - a. All written information submitted by Respondent and EPA's responsiveness summary shall be included in the administrative record supporting this Order.
  - b. The administrative record shall be available for public review under the Freedom of Information Act.
75. If EPA determines that this Order should become final as originally issued, EPA will notify Respondent of that decision in writing and shall provide Respondent with a copy of the responsiveness summary.
76. If EPA determines that this Order should be modified, then EPA will modify the Order and issue a modified order to Respondent and shall provide Respondent with a copy of the responsiveness summary.
77. If EPA determines that this Order should be withdrawn, EPA will provide Respondent with written notice of the withdrawal of this Order.
78. No modification or withdrawal of this Order shall be effective unless and until it is issued in writing by EPA.
79. If EPA determines this Order should become final as originally issued, this Order shall become final and effective seven calendar days after the date of EPA's signature of the written notification to Respondent of that determination.
80. If EPA modifies this Order, the modified order shall become final and effective seven calendar days after the date of EPA's signature of the modified Order.

#### **GENERAL PROVISIONS**

81. Respondent may seek federal judicial review of the Order pursuant to Chapter 7 of the Administrative Procedure Act, 5 U.S.C §§701-706. Section 706, which is set forth at <http://uscode.house.gov/download/pls/05C7.txt>, states the scope of such review.


82. This Order is not a permit under the CWA and does not waive or modify Respondent's ongoing obligation and responsibility to ascertain and comply with all other applicable federal, State or local laws, regulations, ordinances, permits, or licenses.
83. U.S. EPA reserves all rights and remedies available, legal and equitable, to address any violation cited in this Order and any other violation of the CWA, and to enforce this Order. Neither issuance of this Order by U.S. EPA nor compliance with its terms precludes further enforcement action pursuant to Section 309 of the CWA, 33 U.S.C. § 1319, for the violations cited in this Order, for any other violations of the CWA committed by Respondent, or to enforce this Order.
84. The CWA includes provisions for administrative penalties, for civil injunctive relief and penalties, and for criminal sanctions for violations of the CWA. Specifically, U.S. EPA may:
  - a. Assess civil administrative penalties under 33 U.S.C. § 1319(g) and 40 C.F.R. Part 19 of \$11,000 per day for each violation that occurred after March 15, 2004, through January 12, 2009, and \$16,000 per day for each violation that occurred after January 12, 2009. An administrative penalty action may seek up to \$157,500 for violations occurring after March 15, 2004, through January 12, 2009, and \$177,500 for violations occurring after January 12, 2009;
  - b. Seek civil injunctive relief and penalties for violations of the CWA under 33 U.S.C. § 1319(b) and 40 C.F.R. Part 19. U.S. EPA may seek civil judicial penalties of \$32,500 per day for each violation that occurred after March 15, 2004, through January 12, 2009, and may seek civil judicial penalties of \$37,500 per day for each violation occurring after January 12, 2009; and
  - c. Seek criminal sanctions, including fines and imprisonment, for negligent or knowing violations of the CWA under 33 U.S.C. § 1319(c).

### **CERTIFICATION OF COMPLETION**


85. Within 30 days after Respondent concludes that it has complied with all requirements of this Order, Respondent must submit to EPA a written certification of completion summarizing all actions taken to comply with all requirements of this Order.
86. After review of Respondent's certification of completion, EPA will notify Respondent whether it has satisfied all requirements of this Order.
87. This Order will terminate when Respondent receives notification from EPA that it has satisfied all requirements of this Order.

IT IS SO ORDERED

By:



Tinka G. Hyde  
Director, Water Division  
U. S. Environmental Protection Agency  
Region 5



Sept. 21, 12

Date

**Attachment A: Schedule for Compliance**

Task	Task Completion Date Relative to Effective Date of Order				Task Completion Date after approval of CMOM/SSO Outfall Elimination Plan	
	5 days	30 days	1 year	December 31, 2015	Every 6 months	1 year
Submit written certification of intent to comply with the Order	X					
Implement procedure to report all SSOs and property backups to EPA and generate a property backup log for quarterly submittal.		X				
Submit SSO Outfall Elimination Plan			X			
Begin implementing the SSO Outfall Elimination Plan				X		
Provide SSO Outfall Elimination Plan reports on the recommended projects					X	
Complete SSO Outfall Elimination Plan recommended projects; cease use of SSO Outfalls				X		
Submit CMOM Program				X		
CMOM Implementation					X	
CMOM Program report						X

**Attachment F - Manually Pumped SSOs Overview**

Intersection	2006	2007	2008	2009	2010	2011	Total
Travers Ave. & Ranger Dr.	12	7	5	8	8	4	44
Ashland Ave. & Glengate Ave.	11	3	4	7	5	5	35
Constance Ln. & Normandy Dr.	7	0	4	7	3	4	25
Mildred Ln. & Elmwood Dr.	7	0	4	6	3	5	25
90 Judith Lane (main collapse)	0	0	0	1	0	0	1
<b>Total</b>	<b>37</b>	<b>10</b>	<b>17</b>	<b>29</b>	<b>19</b>	<b>18</b>	<b>130</b>

**Attachment G - Manually Pumped SSOs Detailed Overview - 2006 - Page 1 of 2**

Date of SSO	Pump Location	Pump GPM	Hours Pumped	Volume of SSO	Cause of SSO	Final Disposition
4/16/2006	Travers Ave. & Ranger Dr.	1400	8	672000	I & I	pumped to storm manhole
4/16/2006	Ashland Ave. & Glengate Ave.	433.3	6	155988	I & I	pumped to storm manhole
4/16/2006	Constance Ln. & Normandy Dr.	433.3	6	155988	I & I	pumped to storm manhole
4/16/2006	Mildred Ln. & Elmwood Dr.	433.3	6	155988	I & I	pumped to storm manhole
4/17/2006	Travers Ave. & Ranger Dr.	1400	8	672000	I & I	pumped to storm manhole
4/17/2006	Ashland Ave. & Glengate Ave.	433.3	6	155988	I & I	pumped to storm manhole
4/17/2006	Constance Ln. & Normandy Dr.	433.3	6	155988	I & I	pumped to storm manhole
4/17/2006	Mildred Ln. & Elmwood Dr.	433.3	6	155988	I & I	pumped to storm manhole
4/18/2006	Travers Ave. & Ranger Dr.	1400	8	672000	I & I	pumped to storm manhole
4/18/2006	Ashland Ave. & Glengate Ave.	433.3	6	155988	I & I	pumped to storm manhole
4/18/2006	Constance Ln. & Normandy Dr.	433.3	6	155988	I & I	pumped to storm manhole
4/18/2006	Mildred Ln. & Elmwood Dr.	433.3	6	155988	I & I	pumped to storm manhole
5/11/2006	Travers Ave. & Ranger Dr.	1400	3	252000	I & I	pumped to storm manhole
6/10/2006	Travers Ave. & Ranger Dr.	1400	5	420000	I & I	pumped to storm manhole
6/10/2006	Ashland Ave. & Glengate Ave.	433.3	4	103992	I & I	pumped to storm manhole
6/10/2006	Constance Ln. & Normandy Dr.	433.3	4	103992	I & I	pumped to storm manhole
6/10/2006	Mildred Ln. & Elmwood Dr.	433.3	4	103992	I & I	pumped to storm manhole
8/19/2006	Travers Ave. & Ranger Dr.	1400	4	336000	I & I	pumped to storm manhole
8/19/2006	Ashland Ave. & Glengate Ave.	433.3	3	77994	I & I	pumped to storm manhole
8/19/2006	Constance Ln. & Normandy Dr.	433.3	3	77994	I & I	pumped to storm manhole
8/19/2006	Mildred Ln. & Elmwood Dr.	433.3	3	77994	I & I	pumped to storm manhole
8/28/2006	Travers Ave. & Ranger Dr.	1400	3	252000	I & I	pumped to storm manhole
8/28/2006	Ashland Ave. & Glengate Ave.	433.3	2	51996	I & I	pumped to storm manhole
8/28/2006	Constance Ln. & Normandy Dr.	433.3	2	51996	I & I	pumped to storm manhole
8/28/2006	Mildred Ln. & Elmwood Dr.	433.3	2	51996	I & I	pumped to storm manhole

**Manually Pumped SSOs Detailed Overview - 2006 - Page 2 of 2**

Date of SSO	Pump Location	Pump GPM	Hours Pumped	Volume of SSO SSO	Cause of SSO	Final Disposition
9/4/2006	Travers Ave. & Ranger Dr.	1400	1	84000	I & I	pumped to storm manhole
9/4/2006	Ashland Ave. & Glengate Ave.	433.3	1	25998	I & I	pumped to storm manhole
9/5/2006	Travers Ave. & Ranger Dr.	1400	1	84000	I & I	pumped to storm manhole
9/5/2006	Ashland Ave. & Glengate Ave.	433.3	1	25998	I & I	pumped to storm manhole
10/3/2006	Travers Ave. & Ranger Dr.	1400	2	168000	I & I	pumped to storm manhole
10/3/2006	Ashland Ave. & Glengate Ave.	433.3	2	51996	I & I	pumped to storm manhole
12/1/2006	Travers Ave. & Ranger Dr.	1400	2	168000	I & I	pumped to storm manhole
N/A*	Ashland Ave. & Glengate Ave.	433.3	2	51996	I & I	pumped to storm manhole
12/22/2006	Travers Ave. & Ranger Dr.	1400	2	168000	I & I	pumped to storm manhole
12/22/2006	Ashland Ave. & Glengate Ave.	433.3	2	51996	I & I	pumped to storm manhole
12/22/2006	Constance Ln. & Normandy Dr.	N/A	N/A	N/A	N/A	pumped to storm manhole
12/22/2006	Mildred Ln. & Elmwood Dr.	N/A	N/A	N/A	N/A	pumped to storm manhole

Notes:

N/A - Information omitted in 308 response by Chicago Heights

\* - it is believed that this pumping event occurred in 2006

## Manually Pumped SSOs Detailed Overview - 2007 - Page 1 of 1

Date of SSO	Pump Location	Pump GPM	Hours Pumped	Volume of SSO	Cause of SSO	Final Disposition
1/4/2007	Travers Ave. & Ranger Dr.	1400	3	252000	I & I	pumped to storm manhole
1/4/2007	Ashland Ave. & Glengate Ave.	433.3	2	51996	I & I	pumped to storm manhole
1/14/2007	Travers Ave. & Ranger Dr.	1400	2	168000	I & I	pumped to storm manhole
2/25/2007	Travers Ave. & Ranger Dr.	1400	4	336000	I & I	pumped to storm manhole
3/1/2007	Travers Ave. & Ranger Dr.	1400	2	168000	I & I	pumped to storm manhole
4/11/2007	Travers Ave. & Ranger Dr.	1400	3	252000	I & I	pumped to storm manhole
4/25/2007	Travers Ave. & Ranger Dr.	1400	6	504000	I & I	pumped to storm manhole
4/25/2007	Ashland Ave. & Glengate Ave.	433.3	5	129990	I & I	pumped to storm manhole
8/20/2007	Travers Ave. & Ranger Dr.	1400	4	336000	I & I	pumped to storm manhole
8/20/2007	Ashland Ave. & Glengate Ave.	433.3	3	77994	I & I	pumped to storm manhole

**Manually Pumped SSOs Detailed Overview - 2008 - Page 1 of 1**

Date of SSO	Pump Location	Pump GPM	Hours Pumped	Volume of SSO	Cause of SSO	Final Disposition
1/7/2008	Travers Ave. & Ranger Dr.	1400	8	672000	I & I	pumped to storm manhole
1/7/2008	Ashland Ave. & Glengate Ave.	433.3	6	155988	I & I	pumped to storm manhole
1/7/2008	Constance Ln. & Normandy Dr.	433.3	6	155998	I & I	pumped to storm manhole
1/7/2008	Mildred Ln. & Elmwood Dr.	N/A	N/A	N/A	N/A	pumped to storm manhole
1/8/2008	Travers Ave. & Ranger Dr.	1400	8	672000	I & I	pumped to storm manhole
1/8/2008	Ashland Ave. & Glengate Ave.	433.3	6	155998	I & I	pumped to storm manhole
1/8/2008	Constance Ln. & Normandy Dr.	433.3	6	155998	I & I	pumped to storm manhole
1/8/2008	Elmwood & Mildred #80	N/A	N/A	N/A	N/A	pumped to storm manhole
8/4/2008	Travers Ave. & Ranger Dr.	1400	1	84000	I & I	pumped to storm manhole
9/13/2008	Travers Ave. & Ranger Dr.	1400	5	427000	I & I	pumped to storm manhole
9/13/2008	Ashland Ave. & Glengate Ave.	433.3	5	129990	I & I	pumped to storm manhole
9/13/2008	Constance Ln. & Normandy Dr.	433.3	5	129990	I & I	pumped to storm manhole
9/13/2008	Mildred Ln. & Elmwood Dr.	433.3	5	129990	I & I	pumped to storm manhole
9/14/2008	Travers Ave. & Ranger Dr.	1400	5	427000	I & I	pumped to storm manhole
9/14/2008	Ashland Ave. & Glengate Ave.	433.3	5	129990	I & I	pumped to storm manhole
9/14/2008	Constance Ln. & Normandy Dr.	433.3	5	129990	I & I	pumped to storm manhole
9/14/2008	Mildred Ln. & Elmwood Dr.	433.3	5	129990	I & I	pumped to storm manhole

Notes:

N/A - Information omitted in 308 response by Chicago Heights

## Manually Pumped SSOs Detailed Overview - 2009 - Page 1 of 1

Date of SSO	Pump Location	Pump GPM	Hours Pumped	Volume of SSO	Cause of SSO	Final Disposition
2/26/2009	Travers Ave. & Ranger Dr.	1400	3	252000	I & I	pumped to storm manhole
2/26/2009	Ashland Ave. & Glengate Ave.	433.3	3	77994	I & I	pumped to storm manhole
2/26/2009	Constance Ln. & Normandy Dr.	433.3	3	77994	I & I	pumped to storm manhole
3/8/2009	Travers Ave. & Ranger Dr.	1400	6	504000	I & I	pumped to storm manhole
3/8/2009	Ashland Ave. & Glengate Ave.	433.3	6	155988	I & I	pumped to storm manhole
3/8/2009	Constance Ln. & Normandy Dr.	433.3	6	155988	I & I	pumped to storm manhole
3/8/2009	Mildred Ln. & Elmwood Dr.	433.3	6	155988	I & I	pumped to storm manhole
3/10/2009	Travers Ave. & Ranger Dr.	1400	3	252000	I & I	pumped to storm manhole
3/10/2009	Ashland Ave. & Glengate Ave.	433.3	3	77994	I & I	pumped to storm manhole
3/10/2009	Constance Ln. & Normandy Dr.	433.3	3	77994	I & I	pumped to storm manhole
3/10/2009	Mildred Ln. & Elmwood Dr.	433.3	3	77994	I & I	pumped to storm manhole
4/27/2009	Travers Ave. & Ranger Dr.	1400	2	168000	I & I	pumped to storm manhole
8/28/2009	Travers Ave. & Ranger Dr.	1400	2	168000	I & I	pumped to storm manhole
8/28/2009	Ashland Ave. & Glengate Ave.	433.3	2	51996	I & I	pumped to storm manhole
8/28/2009	Constance Ln. & Normandy Dr.	433.3	2	51996	I & I	pumped to storm manhole
8/28/2009	Mildred Ln. & Elmwood Dr.	433.3	2	51996	I & I	pumped to storm manhole
10/23/2009	Travers Ave. & Ranger Dr.	1400	3	252000	I & I	pumped to storm manhole
10/23/2009	Ashland Ave. & Glengate Ave.	433.3	3	77994	I & I	pumped to storm manhole
10/23/2009	Constance Ln. & Normandy Dr.	433.3	3	77994	I & I	pumped to storm manhole
10/23/2009	Mildred Ln. & Elmwood Dr.	433.3	3	77994	I & I	pumped to storm manhole
10/30/2009	Travers Ave. & Ranger Dr.	1400	3	252000	I & I	pumped to storm manhole
10/30/2009	Ashland Ave. & Glengate Ave.	433.3	3	77994	I & I	pumped to storm manhole
10/30/2009	90 Judith Lane (main collapse)	433.3	8	207984	Collapsed	pumped to storm manhole
10/30/2009	Constance Ln. & Normandy Dr.	433.3	3	77994	I & I	pumped to storm manhole
10/30/2009	Mildred Ln. & Elmwood Dr.	433.3	3	77994	I & I	pumped to storm manhole
12/25/2009	Travers Ave. & Ranger Dr.	1400	3	252000	I & I	pumped to storm manhole
12/25/2009	Ashland Ave. & Glengate Ave.	433.3	3	77994	I & I	pumped to storm manhole
12/25/2009	Constance Ln. & Normandy Dr.	433.3	3	77994	I & I	pumped to storm manhole
12/25/2009	Mildred Ln. & Elmwood Dr.	433.3	3	77994	I & I	pumped to storm manhole

**Manually Pumped SSOs Detailed Overview - 2010 - Page 1 of 1**

Date of SSO	Pump Location	Pump GPM	Hours Pumped	Volume of SSO	Cause of SSO	Final Disposition
4/7/2010	Travers Ave. & Ranger Dr.	1400	1	84000	I & I	pumped to storm manhole
*5/21/2010	Travers Ave. & Ranger Dr.	1400	2	168000	I & I	pumped to storm manhole
*5/21/2010	Ashland Ave. & Glengate Ave.	433.3	2	51996	I & I	pumped to storm manhole
8/3/2010	Travers Ave. & Ranger Dr.	1400	5	420000	I & I	pumped to storm manhole
8/3/2010	Ashland Ave. & Glengate Ave.	433.3	5	129990	I & I	pumped to storm manhole
8/3/2010	Constance Ln. & Normandy Dr.	433.3	5	129990	I & I	pumped to storm manhole
8/3/2010	Mildred Ln. & Elmwood Dr.	433.3	5	129990	I & I	pumped to storm manhole
12/31/2010	Travers Ave. & Ranger Dr.	1400	4	335000	I & I	pumped to storm manhole
12/31/2010	Ashland Ave. & Glengate Ave.	433.3	4	103992	I & I	pumped to storm manhole
12/31/2010	Constance Ln. & Normandy Dr.	433.3	4	103992	I & I	pumped to storm manhole
12/31/2010	Mildred Ln. & Elmwood Dr.	433.3	4	103992	I & I	pumped to storm manhole

Notes:

\* - reported as 5/21/2007 - after reviewing rain records and the location that it was reported, it was determined to be 5/21/2010

**Manually Pumped SSOs Detailed Overview - 2010 - Page 1 of 1**

Date of SSO	Pump Location	Pump GPM	Hours Pumped	Volume of SSO	Cause of SSO	Final Disposition
2/20/2011	Travers Ave. & Ranger Dr.	1400	2	168000	I & I	pumped to storm manhole
2/27/2011	Travers Ave. & Ranger Dr.	1400	2	168000	I & I	pumped to storm manhole
2/27/2011	Ashland Ave. & Glengate Ave.	433.3	2	51996	I & I	pumped to storm manhole
4/19/2011	Travers Ave. & Ranger Dr.	1400	2	168000	I & I	pumped to storm manhole
*4/22/2011	Travers Ave. & Ranger Dr.	1400	3	252000	I & I	pumped to storm manhole
*4/22/2011	Ashland Ave. & Glengate Ave.	433.3	3	77994	I & I	pumped to storm manhole
*4/22/2011	Constance Ln. & Normandy Dr.	433.3	3	77994	I & I	pumped to storm manhole
*4/22/2011	Mildred Ln. & Elmwood Dr.	433.3	3	77994	I & I	pumped to storm manhole
4/26/2011	Travers Ave. & Ranger Dr.	1400	2	168000	I & I	pumped to storm manhole
4/26/2011	Ashland Ave. & Glengate Ave.	433.3	2	51996	I & I	pumped to storm manhole
4/26/2011	Constance Ln. & Normandy Dr.	433.3	2	51996	I & I	pumped to storm manhole
4/26/2011	Mildred Ln. & Elmwood Dr.	433.3	2	51996	I & I	pumped to storm manhole
4/27/2011	Travers Ave. & Ranger Dr.	1400	4	336000	I & I	pumped to storm manhole
4/27/2011	Ashland Ave. & Glengate Ave.	433.3	4	103992	I & I	pumped to storm manhole
4/27/2011	Constance Ln. & Normandy Dr.	433.3	4	103992	I & I	pumped to storm manhole
4/27/2011	Mildred Ln. & Elmwood Dr.	433.3	4	103992	I & I	pumped to storm manhole
5/26/2011	Travers Ave. & Ranger Dr.	1400	3	336000	I & I	pumped to storm manhole
5/26/2011	Ashland Ave. & Glengate Ave.	433.3	3	103992	I & I	pumped to storm manhole
5/26/2011	Constance Ln. & Normandy Dr.	433.3	3	103992	I & I	pumped to storm manhole
5/26/2011	Mildred Ln. & Elmwood Dr.	433.3	3	103992	I & I	pumped to storm manhole
6/9/2011	Travers Ave. & Ranger Dr.	1400	8	672000	I & I	pumped to storm manhole
6/9/2011	Ashland Ave. & Glengate Ave.	433.3	8	207984	I & I	pumped to storm manhole
6/9/2011	Constance Ln. & Normandy Dr.	433.3	8	207984	I & I	pumped to storm manhole
6/9/2011	Mildred Ln. & Elmwood Dr.	433.3	8	207984	I & I	pumped to storm manhole
7/24/2011	Ashland Ave. & Glengate Ave.	433.3	2	168000	I & I	pumped to storm manhole
7/24/2011	Mildred Ln. & Elmwood Dr.	433.3	2	51996	I & I	pumped to storm manhole
<b>TOTAL = 22187384</b>						

Notes:

\* - reported as 4/22/2010 - after reviewing rain records and the location that it was reported, it was determined to be 4/22/2011

**Attachment H: Property Backups that have occurred since April 2006.**

Date	Time	Location	Cause	Weather	Disposition	Actions
4/3/2006	11:13 AM	532 W 15th	P	Sewer B/U	Dry	Owners
4/3/2006	9:50 PM	1714 Campbell	Sewer B/U	Dry	Owners	N/A
4/3/2006	1:09 PM	90 Judith	Sink Hole backyard	Dry	City	Repaired
4/3/2006	4:00 PM	138 Normandy	Sewer B/U	Dry	City	Flushed Line
4/5/2006	4:10 PM	191 Joyce	Sewer B/U	Dry	City	Flushed Line
4/6/2006	4:00 PM	1950 Division	Sewer B/U	Dry	Owners	Flushed Line
4/6/2006	11:40 AM	155 Pleasant	Sewer B/U	Dry	City	Flushed Line
4/9/2006	5:30 PM	155 Pleasant	Sewer B/U.	Dry	City	Flushed Line
4/10/2006	8:17 AM	330 W 16th	St	Sewer B/U	Dry	City
4/12/2006	8:35 PM	219 Memorial	Sewer B/U	Dry	Owners	N/A
4/13/2006	7:45 PM	478 Deer Trail	Sewer B/U	Dry	City	Flushed Line
4/13/2006	2:30 PM	539 Winchester	Closed sewer lid	Dry	N/A	No action
4/14/2006	10:00 AM	429 Grovesnor	Sewer B/U	Dry	Owners	N/A
4/14/2006	11:55 AM	838 Maple	Sewer B/U	Dry	City	Flushed Line
4/15/2006	9:10 AM	396 W 15th	St	Sewer B/U	Dry	Owners
4/16/2006	7:00 PM	258 W 15th	P	Sewer B/U	Rain	City
4/16/2006	7:26 PM	400 W 15th	P	Sewer B/U	Rain	City
4/16/2006	N/A N/A	532 W 15th	P	Sewer B/U	Rain	City
4/16/2006	N/A N/A	241 Arquilla	Sewer B/U	Rain	City	Overload
4/16/2006	7:51 PM	244 Arquilla	Sewer B/U	Rain	City	Overload
4/16/2006	7:36 PM	306 Ashland Ave	Sewer B/U	Rain	City	Pumped out
4/16/2006	7:52 PM	249 Constance	Sewer B/U	Rain	City	Overload
4/16/2006	5:45 PM	143 Elder	Sewer B/U	Rain	Illegible	N/A
4/16/2006	N/A N/A	158 W Elmwood	Sewer B/U	Rain	City	Overload
4/16/2006	7:10 PM	1900 Euclid	Water in Street	Rain	City	Overload
4/16/2006	6:02 PM	162 Glengate	Sewer B/U	Rain	City	Overload
4/16/2006	N/A N/A	20 E Greenbriar	Sewer B/U	Rain	City	Overload
4/16/2006	7:20 PM	97 W Hickory	Sewer B/U	Rain	City	Overload
4/16/2006	N/A N/A	290 Holbrook	Sewer B/U	Rain	N/A	N/A
4/16/2006	7:30 PM	94 W Main	St	Sewer B/U	Rain	City
4/16/2006	N/A N/A	446 S Mayfair	P	Sewer B/U	Rain	City
4/16/2006	7:05 AM	347 Sandra	Sewer B/U	Rain	City	Overload

Date	Time	Location	Cause	Weather	Disposition	Actions
4/16/2006	7:56 AM	185	Serena	Sewer B/U	Rain	City Overload
4/16/2006	8:30 AM	237	Westgate	Sewer B/U	Rain	City Overload
4/16/2006	5:53 PM	1530	Wilson	Sewer B/U	Rain	City Flushed Line
4/17/2006	10:00 AM	187	E 7th	Pl	Water in Basement	Rain City Overload
4/17/2006	11:02 AM	185	W 10th	St	Sewer B/U	Rain City Overload
4/17/2006	7:33 AM	231	W 10th	St	Sewer B/U	Rain City Overload
4/17/2006	8:35 PM	67	W 12th	St	Sewer B/U	Rain City Overload
4/17/2006	9:40 AM	477	W 12th	St	Sewer B/U	Rain City Overload
4/17/2006	9:52 AM	490	W 12th	St	Sewer B/U	Rain City Overload
4/17/2006	10:50 AM	221	W 13th	St	Sewer B/U	Rain City Overload
4/17/2006	10:36 AM	148	E 14th	St	Water in Basement	Rain City Overload
4/17/2006	12:31 PM	152	W 14th	St	Sewer B/U	Rain City Overload
4/17/2006	9:35 AM	170	W 14th	Pl	Sewer B/U	Rain City Overload
4/17/2006	1:10 PM	216	W 14th	St	Sewer B/U	Rain City Overload
4/17/2006	9:34 AM	222	W 14th	Pl	Sewer B/U	Rain City Overload
4/17/2006	10:09 AM	227	W 14th	Pl	Sewer B/U	Rain City Overload
4/17/2006	8:13 AM	232	W 14th	St	Sewer B/U	Rain City Overload
4/17/2006	9:10 AM	235	W 14th	St	Sewer B/U	Rain City Overload
4/17/2006	9:45 AM	320	W 14th	Pl	Sewer B/U	Rain City Overload
4/17/2006	8:00 AM	394	W 14th	Pl	Sewer B/U	Rain City Overload
4/17/2006	10:32 AM	418	W 14th	Pl	Sewer B/U	Rain City Overload
4/17/2006	10:24 AM	449	W 14th	Pl	Sewer B/U	Rain City Overload
4/17/2006	12:08 PM	610	W 14th	Pl	Sewer B/U	Rain City Overload
4/17/2006	5:00 PM	203	W 14th	Pl	Sewer B/U	Rain Owners N/A
4/17/2006	10:32 AM	414	W 14th	Pl	Sewer B/U	Rain City Overload
4/17/2006	10:00 AM	209	W 15th	St	Sewer B/U	Rain City Overload
4/17/2006	9:28 AM	221	W 15th	St	Sewer B/U	Rain City Overload
4/17/2006	2:30 PM	223	E 15th	St	Sewer B/U	Rain City Overload
4/17/2006	10:45 AM	225	E 15th	St	Sewer B/U	Rain City Overload
4/17/2006	11:11 AM	245	W 15th	Pl	Water in Basement	Rain City Overload
4/17/2006	2:41 PM	252	W 15th	St	Sewer B/U	Rain City Overload
4/17/2006	11:30 AM	254	W 15th	Pl	Sewer B/U	Rain City Overload
4/17/2006	1:47 PM	258	W 15th	Pl	Sewer B/U	Rain City Overload

Date	Time	Location	Cause	Weather	Disposition	Actions
4/17/2006	6:08 PM	258 W 15th	P  Sewer B/U	Rain City		Overload
4/17/2006	9:45 AM	258 W 15th	P  Sewer B/U	Rain City		Overload
4/17/2006	10:54 AM	258 W 15th	P  Water In Basement	Rain City		Overload
4/17/2006	11:16 AM	302 W 15th	P  Sewer B/U	Rain City		Overload
4/17/2006	3:30 AM	305 W 15th	P  Sewer B/U	Rain City		Overload
4/17/2006	5:25 AM	311 W 15th	P  Sewer B/U	Rain City		Overload
4/17/2006	8:16 AM	311 W 15th	P  Sewer B/U	Rain City		Overload
4/17/2006	4:20 PM	330 W 15th	P  Sewer B/U	Rain City		Overload
4/17/2006	12:12 PM	396 W 15th	P  Water In Basement	Rain City		Overload
4/17/2006	6:07 PM	398 W 15th	P  Water In Basement	Rain City		Overload
4/17/2006	11:28 AM	398 W 15th	P  Water In Basement	Rain City		Overload
4/17/2006	10:46 AM	400 W 15th	P  Sewer B/U	Rain City		Overload
4/17/2006	7:56 AM	414 W 15th	P  Sewer B/U	Rain City		Overload
4/17/2006	10:30 AM	420 W 15th	P  Sewer B/U	Rain City		Overload
4/17/2006	12:38 PM	420 W 15th	P  Sewer B/U	Rain City		Overload
4/17/2006	10:32 AM	423 W 15th	St  Sewer B/U	Rain City		Overload
4/17/2006	9:45 AM	424 W 15th	P  Sewer B/U	Rain City		Overload
4/17/2006	12:55 PM	567 W 15th	P  Sewer B/U	Rain City		Overload
4/17/2006	12:43 PM	620 W 15th	P  Sewer B/U	Rain City		Overload
4/17/2006	2:00 PM	532 W 15th	St  Sewer B/U	Rain Owners		Flushed Line
4/17/2006	9:40 AM	532 W 15th	St  Sewer B/U	Rain Owners		Flushed Line
4/17/2006	9:05 AM	102 W 15th	St  Sewer B/U	Rain City		Overload
4/17/2006	11:32 AM	251 W 15th	P  Water In Basement	Rain City		Overload
4/17/2006	4:35 AM	258 W 15th	P  Sewer B/U	Rain City		Overload
4/17/2006	9:45 AM	212 E 16th	St  Sewer B/U	Rain City		Overload
4/17/2006	10:30 AM	227 W 16th	St  Sewer B/U	Rain City		Overload
4/17/2006	7:45 AM	235 W 16th	St  Sewer B/U	Rain City		Overload
4/17/2006	1:50 PM	285 W 16th	St  Sewer B/U	Rain City		Overload
4/17/2006	7:23 PM	330 W 16th	St  Sewer B/U	Rain City		Overload
4/17/2006	9:13 AM	330 W 16th	St  Sewer B/U	Rain City		Overload
4/17/2006	4:53 PM	331 W 16th	St  Sewer B/U	Rain City		Overload
4/17/2006	1:00 PM	339 W 16th	St  Sewer B/U	Rain City		Overload
4/17/2006	8:30 AM	358 W 16th	P  Sewer B/U	Rain City		Overload

Date	Time	Location	Cause	Weather	Disposition	Actions
4/17/2006	8:52 AM	358 W 16th	Pl Sewer B/U	Rain	City	Overload
4/17/2006	10:27 AM	358 W 15th	Pl Water in Basement	Rain	City	Overload
4/17/2006	10:22 AM	378 W 16th	Pl Water in Basement	Rain	City	Overload
4/17/2006	10:00 AM	406 W 16th	St Sewer B/U	Rain	City	Overload
4/17/2006	3:55 PM	460 W 16th	St Sewer B/U	Rain	City	Overload
4/17/2006	12:50 PM	474 W 16th	St Sewer B/U	Rain	City	Flushed Line
4/17/2006	9:07 AM	532 W 16th	St Sewer B/U	Rain	City	Overload
4/17/2006	7:00 PM	772 W 16th	St Sewer B/U	Rain	City	Overload
4/17/2006	8:34 AM	772 W 16th	St Sewer B/U	Rain	City	Overload
4/17/2006	N/A N/A	N/A 16th & Wilson	Sewer B/U	Rain	City	Flushed Line
4/17/2006	8:00 AM	398 W 17th	St Sewer B/U	Rain	City	Overload
4/17/2006	8:31 AM	400 W 17th	St Sewer B/U	Rain	City	Overload
4/17/2006	7:14 PM	763 195th	St Sewer B/U	Rain	Owners	Septic
4/17/2006	10:32 AM	56 W 19th	St Sewer B/U	Rain	City	Overload
4/17/2006	1:24 PM	330 W 202nd	St Water in Street	Rain	City	Barracades
4/17/2006	N/A N/A	26 W 21st	St Sewer B/U	Rain	City	Overload
4/17/2006	1:02 PM	102 E 22nd	St Sewer B/U	Rain	City	Flushed Line
4/17/2006	10:32 AM	214 E 22nd	St Sewer B/U	Rain	City	Overload
4/17/2006	7:40 AM	430 E 22nd	St Sewer B/U	Rain	City	Overload
4/17/2006	10:07 AM	204 E 23rd	St Sewer B/U	Rain	City	Overload
4/17/2006	11:25 AM	31 W 24th	St Sewer B/U	Rain	City	Overload
4/17/2006	12:00 PM	59 W 24th	St Sewer B/U	Rain	City	Overload
4/17/2006	5:40 AM	60 W 24th	St Sewer B/U	Rain	City	Overload
4/17/2006	11:56 AM	114 E 24th	St Sewer B/U	Rain	City	Overload
4/17/2006	3:29 PM	170 E 24th	St Sewer B/U	Rain	City	Overload
4/17/2006	7:06 AM	44 W 25th	St Sewer B/U	Rain	City	Overload
4/17/2006	10:35 AM	52 W 25th	St Water in Basement	Rain	City	Overload
4/17/2006	9:10 AM	170 E 25th	St Sewer B/U	Rain	City	Overload
4/17/2006	4:00 PM	511 W 8th	St Sewer B/U	Rain	City	Overload
4/17/2006	10:25 AM	311 Abbott	Water in Basement	Rain	Owners	Pumped out
4/17/2006	2:05 PM	627 Andover	Sewer B/U	Rain	City	N/A
4/17/2006	9:40 AM	434 Arquilla	Sewer B/U	Rain	City	Drain Rodded
4/17/2006	4:35 PM	2506 Ash	Sewer B/U	Rain	City	Overload

Date	Time	Location		Cause	Weather	Disposition	Actions
4/17/2006	1:36 PM	846	Ashland	Ave	Sewer B/U	Rain	City Overload
4/17/2006	5:25 PM	1026	Ashland	Ave	Sewer B/U	Rain	City Overload
4/17/2006	5:45 PM	267 W	Bradley		Sewer B/U	Rain	City Overload
4/17/2006	1:38 PM	108	Broadway		Sewer B/U	Rain	City Overload
4/17/2006	8:44 AM	108	Broadway		Sewer B/U	Rain	City Overload
4/17/2006	10:59 AM	220	Broadway		Sewer B/U	Rain	City Overload
4/17/2006	9:56 AM	1612	Butler		Water in Basement	Rain	City Overload
4/17/2006	10:33 AM	729	Campbell		Water in Basement	Rain	City Overload
4/17/2006	11:42 AM	734	Campbell		Water in Basement	Rain	City Overload
4/17/2006	7:45 AM	739	Campbell		Sewer B/U	Rain	City Overload
4/17/2006	8:33 PM	751	Campbell		Sewer B/U	Rain	City Overload
4/17/2006	7:06 AM	1333	Campbell		Sewer B/U	Rain	City Overload
4/17/2006	8:40 AM	1348	Campbell		Sewer B/U	Rain	City Overload
4/17/2006	11:05 AM	261	Charles		Water in Basement	Rain	City Overload
4/17/2006	10:17 AM	821	Chicago Rd		Water in Basement	Rain	City Overload
4/17/2006	1:15 AM	229	Constance		Water in Basement	Rain	City Overload
4/17/2006	7:12 AM	173	Country Club	Dr	Sewer B/U	Rain	City Overload
4/17/2006	12:15 PM	93 E	Craig		Sewer B/U	Rain	City Line Down
4/17/2006	11:14 AM	844	D'Amico		Water in Basement	Rain	City Overload
4/17/2006	8:40 AM	1235	D'Amico		Sewer B/U	Rain	City Overload
4/17/2006	2:00 AM	1924	Dartmouth		Water in Basement	Rain	City Overload
4/17/2006	9:45 AM	146	Dawn		Sewer B/U	Rain	City Overload
4/17/2006	7:14 AM	156	Dawn		Sewer B/U	Rain	City Overload
4/17/2006	7:34 AM	160	Dawn		Sewer B/U	Rain	City Overload
4/17/2006	10:33 AM	480	Deer Trail		Sewer B/U	Rain	City Overload
4/17/2006	12:57 PM	650	Dixie	Hwy	Parking Lot Flooded	Rain	N/A
4/17/2006	10:11 AM	154 W	Elmwood		Sewer B/U	Rain	City Overload
4/17/2006	7:09 AM	248 W	Elmwood		Sewer B/U	Rain	City Overload
4/17/2006	10:32 AM	268 W	Elmwood		Water in Basement	Rain	City Overload
4/17/2006	10:39 AM	154	Emelia		Water in Basement	Rain	City Overload
4/17/2006	9:49 AM	174	Emelia		Water in Basement	Rain	City Overload
4/17/2006	7:20 AM	506	Emerald		Sewer B/U	Rain	City Overload
4/17/2006	7:20 AM	516	Emerald		Sewer B/U	Rain	City Overload

Date	Time	Location	Cause	Weather	Disposition	Actions
4/17/2006	11:10 AM	520	Emerald	Sewer B/U	Rain	City
4/17/2006	9:55 AM	524	Emerald	Water in Street	Rain	City
4/17/2006	7:39 AM	532	Emerald	Sewer B/U	Rain	City
4/17/2006	7:01 AM	533	Emerald	Sewer B/U	Rain	City
4/17/2006	10:32 AM	533	Emerald	Sewer B/U	Rain	City
4/17/2006	12:14 PM	533	Emerald	Water in Basement	Rain	City
4/17/2006	10:32 AM	542	Emerald	Sewer B/U	Rain	City
4/17/2006	7:42 PM	605	Emerald	Sewer B/U	Rain	City
4/17/2006	7:25 AM	1027	Emerald	Sewer B/U	Rain	City
4/17/2006	8:58 AM	1033	Emerald	Sewer B/U	Rain	City
4/17/2006	10:21 AM	1132	Emerald	Sewer B/U	Rain	City
4/17/2006	N/A	1227	Emerald	Sewer B/U	Rain	City
4/17/2006	3:00 PM	631	Enterprise	Sewer B/U	Rain	City
4/17/2006	11:25 AM	1521	Euclid	Water in Basement	Rain	City
4/17/2006	10:33 AM	522	Fitch	Manhole Overflowing	Rain	City
4/17/2006	2:55 PM	528	Fitch	Sewer B/U	Rain	City
4/17/2006	4:16 PM	1136	Franklin	Sewer B/U	Rain	City
4/17/2006	7:19 AM	1220	Franklin	Sewer B/U	Rain	City
4/17/2006	10:05 AM	220	Fredrick	Sewer B/U	Rain	City
4/17/2006	6:14 PM	1333	Garden	Water in Basement	Rain	City
4/17/2006	5:20 PM	1343	Garden	Sewer B/U	Rain	City
4/17/2006	7:55 AM	1343	Garden	Sewer B/U	Rain	City
4/17/2006	11:45 AM	344 W	Glengate	Water in Basement	Rain	City
4/17/2006	11:11 AM	130	Grace	Lane	Water in Basement	Rain
4/17/2006	5:35 PM	130	Grace	Lane	Water in Yard	Rain
4/17/2006	9:21 AM	147	Grace	Lane	Sewer B/U	Rain
4/17/2006	7:24 AM	723	Grant	Water in Street	Rain	City
4/17/2006	10:18 AM	6 E	Greenbriar	Water in Basement	Rain	City
4/17/2006	10:49 AM	449	Halsted	Water in Basement	Rain	City
4/17/2006	2:53 PM	611	Halsted	Sewer B/U	Rain	City
4/17/2006	3:06 PM	N/A	Hamilton Woods	Lift Station Lite on	Rain	City
4/17/2006	3:06 PM	N/A	Hamilton Woods	Lift Station Lite on	Rain	City
4/17/2006	9:01 AM	404	Hamilton Woods	Sewer B/U	Rain	Owners

Date	Time	Location	Cause	Weather	Disposition	Actions
4/17/2006	9:01 AM	404	Hamilton Woods	Rain	Owners	N/A
4/17/2006	10:52 AM	1514	Hanover	Rain	City	Flushed Line
4/17/2006	4:30 PM	97 W	Hickory	Rain	City	Overload
4/17/2006	9:47 AM	334 W	Hickory	Rain	City	Overload
4/17/2006	N/A	375 W	Hickory	Sewer B/U	N/A	
4/17/2006	8:15 AM	185	Highland	Sewer B/U	Rain	N/A
4/17/2006	10:20 AM	833 N	Highland	Sewer B/U	Rain	Overload
4/17/2006	3:10 AM	836 N	Highland	Water in Basement	Rain	Overload
4/17/2006	12:26 PM	905 N	Highland	Water in Basement	Rain	Overload
4/17/2006	8:14 AM	181	Hillcrest	Sewer B/U	Rain	Overload
4/17/2006	10:34 AM	195	Hillcrest	Sewer B/U	Rain	Overload
4/17/2006	8:45 AM	290	Holbrook	Sewer B/U	Rain	N/A
4/17/2006	11:49 AM	1642	Ingrid	Sewer B/U	Rain	Overload
4/17/2006	9:14 AM	85	Isa	Sewer B/U	Rain	Overload
4/17/2006	10:32 AM	221 E	Joe Orr	Sewer B/U	Rain	Overload
4/17/2006	8:10 AM	245 E	Joe Orr	Sewer B/U	Rain	Overload
4/17/2006	9:20 AM	245 E	Joe Orr	Sewer B/U	Rain	Overload
4/17/2006	7:06 AM	249 E	Joe Orr	Sewer B/U	Rain	Overload
4/17/2006	10:01 AM	249 E	Joe Orr	Sewer B/U	Rain	Overload
4/17/2006	2:30 PM	295 W	Joe Orr	Sewer B/U	Rain	Overload
4/17/2006	11:03 AM	349 W	Joe Orr	Water in basement	Rain	Overload
4/17/2006	11:15 AM	146	Joyce	Sewer B/U	Rain	Overload
4/17/2006	1:17 PM	253	Leonard	Sewer B/U	Rain	N/A
4/17/2006	7:16 AM	1211	Lincoln	Sewer B/U	Rain	Overload
4/17/2006	10:26 AM	1216	Lincoln	Water in Basement	Rain	Overload
4/17/2006	1:07 PM	1225	Lincoln	Ave	Sewer B/U	Overload
4/17/2006	10:23 AM	1243	Lincoln	Ave	Water in Basement	Overload
4/17/2006	11:09 AM	1249	Lincoln	Ave	Water in Basement	Overload
4/17/2006	1:15 PM	1326	Lincoln	Ave	Sewer B/U	N/A
4/17/2006	7:08 AM	407	Longwood	Sewer B/U	Rain	Overload
4/17/2006	10:51 AM	526	Longwood	Water in basement	Rain	Overload
4/17/2006	9:40 AM	614	Lowe	Sewer B/U	Rain	Overload
4/17/2006	9:39 AM	614	Lowe	Water in Basement	Rain	Overload

Date	Time	Location	Cause	Weather	Disposition	Actions
4/17/2006	11:00 AM	209	Lynn	Ln	Water in Basement	Rain
4/17/2006	5:05 AM	213	Lynn	Ln	Sewer B/U	Rain
4/17/2006	4:10 AM	220	Lynn	Ln	Sewer B/U	Rain
4/17/2006	7:04 AM	220	Lynn	Ln	Sewer B/U	Rain
4/17/2006	11:40 AM	839	Mackler	Sewer B/U	Rain	City
4/17/2006	6:55 AM	94	Main W	St	Sewer B/U	Rain
4/17/2006	7:31 AM	211	Main E	St	Viaduct Flooded	Rain
4/17/2006	10:19 AM	816	Maple	Sewer B/U	Rain	City
4/17/2006	6:25 AM	185	Martin	Sewer B/U	Rain	City
4/17/2006	8:45 AM	199	Martin	Sewer B/U	Rain	City
4/17/2006	9:50 AM	143	S Mayfair	Pl	Sewer B/U	Rain
4/17/2006	8:44 AM	163	S Mayfair	Pl	Sewer B/U	Rain
4/17/2006	9:50 AM	195	N Mayfair	Pl	Sewer B/U	Rain
4/17/2006	10:44 AM	844	McArthur	Water in basement	Rain	City
4/17/2006	9:14 AM	134	Mildred	Sewer B/U	Rain	City
4/17/2006	N/A	N/A	Minette	Sewer B/U	Rain	City
4/17/2006	9:22 AM	117	N Normandy	Sewer B/U	Rain	City
4/17/2006	9:20 AM	1609	Oak	St	Sewer B/U	Rain
4/17/2006	8:56 AM	1643	Oak	St	Sewer B/U	Rain
4/17/2006	7:45 AM	1235	Orchard	Sewer B/U	Rain	City
4/17/2006	10:02 AM	1316	Otto	Blvd	Water In Street	Rain
4/17/2006	8:37 AM	1401	Otto	Blvd	Sewer B/U	Rain
4/17/2006	9:37 AM	1401	Otto	Sewer B/U	Rain	City
4/17/2006	10:24 AM	135	Pamela	Blvd	Water in basement	Rain
4/17/2006	12:27 AM	211	N Pamela	Water in basement	Rain	City
4/17/2006	9:48 AM	214	N Pamela	Water in street, basen	Rain	City
4/17/2006	8:07 AM	1216	Park	Ave	Sewer B/U	Rain
4/17/2006	9:54 AM	183	Parkside	Ave	Sewer B/U	Rain
4/17/2006	9:40 AM	31	Parkside	Ave	Sewer B/U	Rain
4/17/2006	4:00 AM	415	Parnell	Sewer B/U	Rain	City
4/17/2006	12:34 PM	1410	Parnell	Sewer B/U	Rain	City
4/17/2006	10:30 AM	241	Patricia	Sewer B/U	Rain	City
4/17/2006	8:49 AM	384	Patricia	Sewer B/U	Rain	City

Date	Time	Location	Cause	Weather	Disposition	Actions
4/17/2006	3:45 PM	1231 Peggy	Lane Sewer B/U	Rain City	Overload	
4/17/2006	3:50 AM	65 Peyton	Sewer B/U	Rain City	Overload	
4/17/2006	10:32 AM	272 Pleasant	Sewer B/U	Rain City	Overload	
4/17/2006	7:17 AM	593 Ranger	Sewer B/U	Rain City	Overload	
4/17/2006	9:31 AM	82 Rosewood	Lane Sewer B/U	Rain City	Overload	
4/17/2006	3:10 PM	575 Saratoga	Sewer B/U	Rain City	Overload	
4/17/2006	12:20 PM	580 Saratoga	Sewer B/U	Rain City	Overload	
4/17/2006	8:46 AM	1138 Scott	Sewer B/U	Rain City	Overload	
4/17/2006	7:56 AM	1334 Scott	Sewer B/U	Rain City	Overload	
4/17/2006	7:00 AM	185 Serena	Sewer B/U	Rain City	Overload	
4/17/2006	10:42 AM	555 Shelly	Lane N/A	Rain N/A	N/A	
4/17/2006	3:11 PM	125 Sherry	Lane Sewer B/U	Rain City	Overload	
4/17/2006	10:58 AM	125 Sherry	Lane Sewer B/U	Rain City	Overload	
4/17/2006	7:10 AM	150 Sherry	Lane Sewer B/U	Rain City	Overload	
4/17/2006	3:55 PM	176 Sherry	Lane Sewer B/U	Rain City	Overload	
4/17/2006	8:33 AM	176 Sherry	Lane Sewer B/U	Rain City	Overload	
4/17/2006	8:52 AM	176 Sherry	Lane Sewer B/U	Rain City	Overload	
4/17/2006	10:00 AM	336 Sherry	Lane Street Flooded	Rain City	Overload	
4/17/2006	10:35 AM	361 Sherry	Lane Sewer B/U	Rain City	Overload	
4/17/2006	9:50 AM	371 Sherry	Lane Sewer B/U	Rain City	Overload	
4/17/2006	10:30 AM	241 Spruce	Sewer B/U	Rain City	Overload	
4/17/2006	11:36 AM	1137 Sterling	Water in Basement	Rain City	Overload	
4/17/2006	10:42 AM	196 Strieff	Water in Basement	Rain City	Overload	
4/17/2006	8:35 AM	1309 Sunnyside	Sewer B/U	Rain City	Overload	
4/17/2006	11:47 AM	175 Thelma	Water in Basement	Rain City	Overload	
4/17/2006	12:25 PM	826 Thomas	Water in Basement	Rain City	Overload	
4/17/2006	7:00 AM	1638 Thorn	Sewer B/U	Rain Owners	Flushed Line	
4/17/2006	N/A N/A	648 Travers	Sewer B/U	Rain City	Overload	
4/17/2006	10:32 AM	1211 Union	Sewer B/U	Rain City	Overload	
4/17/2006	5:30 PM	1329 Vincennes	Sewer B/U	Rain City	Flushed Line	
4/17/2006	10:35 AM	1001 Washington	Sewer B/U	Rain City	Overload	
4/17/2006	3:15 AM	1308 Washington	Sewer B/U	Rain City	Overload	
4/17/2006	11:33 AM	1230 West End	Ave Water in Basement	Rain City	Overload	

Date	Time	Location	Cause	Weather	Disposition	Actions
4/17/2006	9:35 AM	237	Westgate	Sewer B/U	Rain	City Overload
4/17/2006	9:45 AM	605	Willow	Sewer B/U	Rain	City Overload
4/17/2006	9:25 AM	611	Willow	Sewer B/U	Rain	City Overload
4/17/2006	10:32 AM	611	Willow	Sewer B/U	Rain	City Overload
4/17/2006	4:35 PM	730	Willow	Sewer B/U	Rain	City Overload
4/17/2006	10:11 AM	850	Willow	Water in Basement	Rain	City Overload
4/17/2006	3:07 PM	1530	Wilson	Sewer B/U	Rain	City Flushed Line
4/17/2006	8:20 AM	1645	Wilson	Sewer B/U	Rain	City Overload
4/17/2006	1:50 PM	495	Winchester	Sewer B/U	Rain	City Overload
4/17/2006	9:46 AM	499	Winchester	Water in Basement	Rain	City Overload
4/17/2006	7:45 AM	512	Winston	Sewer B/U	Rain	City Overload
4/17/2006	10:15 AM	518	Winston	Sewer B/U	Rain	City Overload
4/17/2006	1:20 PM	450	Wood	Sewer B/U	Rain	City Overload
4/17/2006	3:08 AM	575	Yorktown	Sewer B/U	Rain	City Overload
4/17/2006	9:50 AM	583	Yorktown	Water in Basement	Rain	City Overload
4/17/2006	12:42 PM	591	Yorktown	Sewer B/U	Rain	City Overload
4/17/2006	N/A N/A	598	Yorktown	Sewer B/U	Rain	City Overload
4/18/2006	8:30 AM	131	10th	St	Sewer B/U	Rain City Overload
4/17/2006	12:05 PM	235	W	14th	St	Water in Basement Rain
4/17/2006	9:04 AM	408	W	14th	Pl	Water in Basement Rain Owners N/A
4/18/2006	3:05 PM	254	W	15th	Pl	Sewer B/U Rain City Overload
4/18/2006	11:33 AM	255	W	15th	Pl	Sewer B/U Rain City Overload
4/18/2006	7:25 AM	529	W	15th	Pl	Sewer B/U Rain City Overload
4/18/2006	9:29 AM	573	W	15th	St	Sewer B/U Rain Owners Flushed Line
4/18/2006	8:36 AM	241	W	16th	St	Sewer B/U Rain City Overload
4/18/2006	10:24 AM	264	W	16th	St	Sewer B/U Rain City Overload
4/18/2006	3:20 PM	285	W	16th	St	Sewer B/U Rain City Overload
4/18/2006	11:30 AM	285	W	16th	St	Sewer B/U Rain City Overload
4/18/2006	7:37 AM	288	W	16th	Pl	Sewer B/U Rain City Overload
4/18/2006	1:36 PM	289	W	16th	Pl	Sewer B/U Rain City Overload
4/18/2006	8:48 AM	289	W	16th	Pl	Sewer B/U Rain City Overload
4/18/2006	1:45 PM	330	W	16th	St	Sewer B/U Rain City Overload

Date	Time	Location			Cause	Weather	Disposition	Actions
4/18/2006	8:29 AM	528	W	16th	Pl	Sewer B/U	Rain	Owners
4/18/2006	12:24 AM	19th & Euclid			Catch Basin Clogged	Rain	City	Cleaned
4/18/2006	7:55 AM	102	E	22nd	St	Sewer B/U	Rain	City
4/18/2006	4:30 PM	220	E	22nd	St	Sewer B/U	Rain	Flushed Line
4/18/2006	10:52 AM	200	E	23rd	St	Sewer B/U	Rain	Overload
4/18/2006	11:39 AM	239	E	23rd	St	Water in Basement	Rain	Overload
4/18/2006	10:58 AM	170	E	24th	St	Sewer B/U	Rain	City
4/18/2006	11:56 AM	200	E	24th	St	Sewer B/U	Rain	Flushed Line
4/18/2006	12:05 PM	171	Amy		Sewer B/U	Rain	Owners	N/A
4/18/2006	12:06 PM	152	Amy		Sewer B/U	Rain	N/A	N/A
4/18/2006	7:43 AM	306	Ashland	Ave	Sewer B/U	Rain	City	Flushed Line
4/18/2006	10:24 AM	1612	Butler		Sewer B/U	Rain	City	Overload
4/18/2006	10:48 AM	1632	Butler		Sewer B/U	Rain	City	Overload
4/18/2006	1:44 PM	375	N	Coolidge	Sewer B/U	Rain	Owners	N/A
4/18/2006	N/A N/A	390	N	Coolidge	Manhole Cover	Rain	Owners	N/A
4/18/2006	9:25 AM	1235	D'Amico		Sewer B/U	Rain	Owners	N/A
4/18/2006	11:10 AM	154	W	Elmwood	Sewer B/U	Rain	City	Overload
4/18/2006	10:25 AM	506	Emerald		Sewer B/U	Rain	Owners	N/A
4/18/2006	11:43 AM	1013	Emerald		Sewer B/U	Rain	Owners	N/A
4/18/2006	9:00 AM	55	Frances	Ln	Sewer B/U	Rain	Owners	N/A
4/18/2006	12:35 PM	202	Fredrick		Sewer B/U	Rain	City	Overload
4/18/2006	12:04 AM	1140	Grant		Check Line	Rain	N/A	No Action
4/18/2006	12:30 PM	615	Halsted		Sewer B/U	Rain	City	Flushed Line
4/18/2006	7:20 AM	625	Halsted		Sewer B/U	Rain	City	Flushed Line
4/18/2006	2:17 PM	1620	Hanover		Sewer B/U	Rain	City	Flushed Line
4/18/2006	10:49 AM	832	N	Highland	Sewer B/U	Rain	City	Overload
4/18/2006	10:50 AM	925	N	Highland	Sewer B/U	Rain	City	Overload
4/18/2006	10:41 AM	330	Homewood	Ct	Sewer B/U	Rain	Owners	Line Down
4/18/2006	10:41 AM	330	Homewood	Ct	Sewer B/U	Rain	Owners	Line Down
4/18/2006	11:10 AM	351	Iris		Sewer B/U	Rain	Owners	N/A
4/18/2006	1:39 PM	295	E	Joe Orr	Sewer B/U	Rain	Owners	N/A
4/18/2006	9:10 AM	295	E	Joe Orr	Sewer B/U	Rain	Owners	N/A
4/18/2006	12:39 PM	70	Judith		Sewer B/U	Rain	City	Pumped Manhole

Date	Time	Location	Cause	Weather	Disposition	Actions
4/18/2006	10:00 AM	90	Judith	Sink Hole in Back Yard	Rain	N/A
4/18/2006	1:56 PM	1326	Lincoln Ave	Sewer B/U	Rain	N/A
4/18/2006	11:30 AM	339 S	Mayfair Pl	Storm C/B undermine	Rain	City
4/18/2006	2:52 PM	215	Morgan	Sewer B/U	Rain	Owners
4/18/2006	10:34 AM	221 N	Normandy	Sewer B/U	Rain	City
4/18/2006	11:24 AM	100 S	Pamela	Water in yard	Rain	Owners
4/18/2006	9:55 AM	31	Parkside Ave	Sewer B/U	Rain	City
4/18/2006	9:02 AM	575	Saratoga	No such address	Rain	N/A
4/18/2006	9:50 AM	1330	Sunnyside	Sewer B/U	Rain	Owners
4/18/2006	7:08 PM	1638	Thorn	Sewer B/U	Rain	Flushed Line
4/18/2006	10:23 AM	1638	Thorn	Sewer B/U	Rain	Owners
4/18/2006	12:00 PM	1638	Thorn	Sewer B/U	Rain	Owners
4/18/2006	12:39 PM	1638	Thorn	Sewer B/U	Rain	Owners
4/18/2006	12:40 PM	495	Winchester	Sewer B/U	Rain	Owners
4/18/2006	11:37 AM	450	Wood	Sewer B/U	Rain	City
4/19/2006	7:57 AM		14th Pl & Ashland	Tennis court flooded	Rain	Owners
4/19/2006	10:35 AM	580 W	16th Pl	Sewer B/U	Rain	N/A
4/19/2006	3:25 PM	404 W	17th St	Sewer B/U	Rain	Overload
4/19/2006	9:07 AM	960 W	195th St	Sewer B/U	Rain	Septic
4/19/2006	2:12 PM	220 E	22nd St	Sewer B/U	Rain	Owners
4/19/2006	11:06 AM	523 W	8th St	Sewer B/U	Rain	City
4/19/2006	7:40 AM	1530	Arnold	Sewer B/U	Rain	Owners
4/19/2006	10:30 AM	81 E	Arquilla	Sewer B/U	Rain	Owners
4/19/2006	12:02 PM	320 N	Boston	Sewer B/U	Rain	Owners
4/19/2006	9:10 AM	155 S	Floyd	Yard Flooded	Rain	City
4/19/2006	10:51 AM	97 W	Hickory	Sewer B/U	Rain	Flushed Line
4/19/2006	11:35 AM	97 W	Hickory	Sewer B/U	Rain	Overload
4/19/2006	12:15 PM	253 W	Joe Orr	Sewer B/U	Rain	City
4/19/2006	9:31 AM	156 S	Normandy	Sewer B/U	Rain	Overload
4/19/2006	2:35 PM	185 W	Normandy	Sewer B/U	Rain	Overload
4/19/2006	3:15 PM	1201	Orchard	Sewer B/U	Rain	City
4/19/2006	2:00 PM	1301	Shields	Sewer B/U	Rain	Flushed Line
4/19/2006	7:52 AM	1638	Thorn	Sewer B/U	Rain	Owners

Date	Time	Location	Cause	Weather	Disposition	Actions
4/20/2006	11:37 AM	124 W 16th	St Catch Basins	Rain City	Cleaned	
4/20/2006	8:33 AM	214 W 16th	St Sewer B/U	Rain City	Overload	
4/20/2006	11:39 AM	1546 Center	Sewer B/U	Rain Owners	N/A	
4/20/2006	9:30 AM	1037 D'Amico	Sewer B/U	Rain City	Overload	
4/20/2006	1:41 PM	1326 Lincoln	Ave Water Leak	Rain Owners	N/A	
4/20/2006	10:00 AM	98 W Main	St Sewer B/U	Rain Owners	Flushed Line	
4/20/2006	1:16 PM	Main & Halsted	Manhole Lid Missing	Rain City	Replaced	
4/20/2006	1:16 PM	Main & Halsted	Manhole Lid Missing	Rain City	Replaced	
4/20/2006	12:55 PM	816 Maple	Check line	Rain City	OK	
4/20/2006	3:28 PM	163 S Mayfair	PI Sewer B/U	Rain City	Flushed Line	
4/20/2006	2:30 PM	274 W Normandy	Sewer Gas Smell	Rain City	OK	
4/20/2006	9:45 AM	1224 Orchard	Sewer B/U	Rain Owners	N/A	
4/20/2006	10:25 AM	340 Serena	Sewer B/U	Rain City	Overload	
4/20/2006	12:06 PM	371 Sherry	Lane Sewer B/U	Rain Owners	N/A	
4/21/2006	12:49 PM	394 W 14th	St Sewer B/U	Rain City	Overload	
4/21/2006	1:03 PM	480 W 16th	St Sewer Gas Smell	Rain City	OK	
4/21/2006	9:10 AM	394 W 17th	St Check line	Rain City	OK	
4/21/2006	9:10 AM	394 W 17th	St Check line	Rain City	OK	
4/21/2006	9:05 AM	410 W 17th	St Sewer B/U	Rain City	Overload	
4/21/2006	11:15 AM	24th & East End	Catch Basin Clogged	Rain City	Cleaned	
4/21/2006	11:40 AM	146 Joyce	Check line	Rain Owners	N/A	
4/21/2006	11:10 AM	201 Martin	Catch Basin Clogged	Rain City	Cleaned	
4/21/2006	2:10 PM	211 Pamela	Check line	Rain Owners	N/A	
4/21/2006	10:15 AM	1506 Schilling	Sewer B/U	Rain Owners	N/A	
4/22/2006	5:45 PM	1614 Butler	Water in Basement	Rain Owners	N/A	
4/23/2006	3:16 PM	95 E Craig	Dr Sewer B/U	Rain City	Flushed Line	
4/24/2006	4:40 PM	326 Concord	Sewer B/U	Rain Owners	Flushed Line	
4/24/2006	8:44 AM	530 Normal	Sewer B/U	Rain	Owners	N/A
4/24/2006	7:45 AM	74 W Normandy	Sewer Gas Smell	Rain City	OK	
4/24/2006	1:47 PM	750 Willow	Request for Information	Rain	Owners	N/A
4/25/2006	1:35 PM	340 Homewood	Ct Check line	Rain	City	OK
4/25/2006	N/A	137 N Normandy	Water in Street	Rain	City	OK
4/25/2006	9:24 AM	82 Rosewood	Lane Request for Information	Rain	Owners	N/A

Date	Time	Location	Cause	Weather	Disposition	Actions
4/25/2006	1:43 PM	1342	Vincennes	Check line	Rain City	Flushed Line
4/26/2006	1:12 PM	394 W	17th	St	Rain	OK
4/26/2006	1:05 PM	1950	Beacon	Blvd	Sewer B/U	Rain City
4/26/2006	7:03 AM	1216	Sunnyside		Catch Basin Clogged	Rain N/A
4/27/2006	10:06 AM	826 N	Maple		Sewer B/U	Dry Owners
4/28/2006	4:30 PM	375 W	Hickory		Sewer B/U	Dry City
4/29/2006	10:29 PM	145	Serena		Sewer B/U	Dry City
4/29/2006	12:30 PM	116	Strieff		Sewer B/U	Dry City
4/29/2006	2:30 PM	116	Strieff		Sewer B/U	Dry City
4/30/2006	2:00 PM	212 W	14th	Pl	Sewer B/U	Dry City
4/30/2006	2:00 PM	1950	Beacon	Blvd	Sewer B/U	Dry City
4/30/2006	7:50 AM	146	Constance		Sewer B/U	Dry City
4/30/2006	10:55 AM	387 W	Hickory		Sewer B/U	Dry Owners
4/30/2006	10:25 PM	171	Serena		Sewer B/U	Dry City
4/30/2006	2:00 PM	175	Thelma		Sewer B/U	Dry Owners
5/2/2006	2:39 PM	1201	Orchard		Sewer B/U	Dry Owners
5/4/2006	7:59 AM	616	Lowe		Catch Basins	Dry City
5/4/2006	7:09 AM	616	Lowe		Sewer B/U	Dry Owners
5/4/2006	11:32 AM	1325	Orchard		Sewer B/U	Dry Owners
5/9/2006	1:00 PM	254 W	15th	Pl	Sewer B/U	Dry Owners
5/9/2006	10:05 PM	26 W	21st	St	Sewer B/U	Dry Owners
5/10/2006	9:40 AM	152 W	14th	St	Water Leak	Rain Owners
5/10/2006	6:00 PM	16 E	Greenbriar		Sewer B/U	Rain City
5/10/2006	10:10 AM	273	May	Ct	Sewer B/U	Rain City
5/10/2006	2:15 PM	1202	Placenti		Sewer B/U	Rain Owners
5/11/2006	12:40 PM	396 W	15th	St	Sewer B/U	Rain City
5/11/2006	5:00 PM	772 W	16th	St	Water in Basement	Rain City
5/11/2006	11:52 AM	1104	Emerald		Sewer B/U	Rain Owners
5/11/2006	3:55 PM	1227	Emerald		Water in Basement	Rain Owners
5/11/2006	6:30 PM	622	Enterprise		Water in Basement	Rain City
5/11/2006	9:50 AM	181	Frederick		Water in Street	Rain City
5/11/2006	5:00 PM	341 W	Hickory		Water in Street	Rain City
5/11/2006	5:45 PM	171	Serena		Water in Basement	Rain City

Date	Time	Location	Cause	Weather	Disposition	Actions
5/11/2006	7:15 PM	185 Serena	Sewer B/U	Rain City	Flushed Line	
5/11/2006	8:11 PM	1614 Thorn	Sewer B/U	Rain City	Flushed Line	
5/11/2006	4:30 PM	648 Travers	Pumps On	Rain City	OK	
5/12/2006	11:37 AM	531 Grovesnor	Sewer B/U	Rain City	Flushed Line	
5/12/2006	9:24 AM	330 Homewood	Ct	Sewer B/U	Rain Owners	Flushed Line
5/12/2006	4:00 PM	330 Homewood	Ct	Sewer B/U	Rain Owners	Flushed Line
5/12/2006	9:10 AM	215 W Normandy	Sewer B/U	Rain Owners	N/A	
5/13/2006	11:00 AM	13 Olympic Village	Duck in Manhole	Rain City	Removed	
5/15/2006	7:52 AM	313 S Mayfair	Pl	Sewer B/U	Rain City	Flushed Line
5/16/2006	10:20 AM	615 Andover	Sewer B/U	Rain City	Flushed Line	
5/16/2006	9:22 AM	134 Mildred	Water on Sidewalk	Rain Owners	N/A	
5/18/2006	1:09 PM	152 W 14th	St Checked	Rain City	OK	
5/18/2006	12:33 PM	156 Dawn	Catch Basins	Rain City	Cleaned	
5/18/2006	9:20 PM	1044 Lowe	Sewer B/U	Rain Owners	Flushed Line	
5/20/2006	3:25 PM	358 W 16th	Pl	Sewer B/U	Rain City	Flushed Line
5/21/2006	1:20 PM	342 Carey	Ct	Sewer B/U	Rain Owners	N/A
5/22/2006	11:44 AM	1954 Beacon	Blvd	Sewer B/U	Rain Owners	N/A
5/24/2006	5:45 PM	177 Sherry	Lane	Sewer B/U	Rain City	Flushed Line
5/25/2006	8:50 AM	176 E 23rd	St	Sewer B/U	Rain Owners	N/A
5/25/2006	6:10 PM	93 E Craig	Dr	Water Service Line	Rain Owners	Flushed Line
5/30/2006	2:35 PM	14th Pl & Sunnyside	Water in Street	Rain City	N/A	
5/30/2006	7:30 PM	400 W 15th	St	Sewer B/U	Rain City	Overload
5/30/2006	3:28 PM	306 Ashland	Ave	Sewer B/U	Rain City	Flushed Line
5/30/2006	7:30 PM	306 Ashland	Ave	Sewer B/U	Rain City	Overload
5/30/2006	7:30 PM	482 Fitch	Sewer B/U	Rain City	Overload	
5/30/2006	7:30 PM	181 Fredrick	Sewer B/U	Rain City	Overload	
5/30/2006	2:15 PM	50 E Greenbriar	Water in Street	Rain City	Cleaned	
5/30/2006	2:14 PM	1642 Ingrid	Water in Street	Rain City	Cleaned	
5/30/2006	7:30 PM	360 Iris	Sewer B/U	Rain City	Overload	
5/30/2006	3:04 PM	360 Iris	Water in Street	Rain City	N/A	
5/30/2006	1:47 PM	863 N Maple	Catch Basins	Rain City	Cleaned	
5/30/2006	7:30 PM	155 N Pamela	Sewer B/U	Rain City	Overload	
5/30/2006	7:30 PM	191 Pamela	Sewer B/U	Rain City	Overload	

Date	Time	Location	Cause	Weather	Disposition	Actions
5/30/2006	9:00 PM	585 Ranger	Sewer B/U	Rain	City	Overload
5/30/2006	7:30 PM	190 Raye	Dr	Sewer B/U	Rain	City
5/30/2006	7:30 PM	343 Sandra	Sewer B/U	Rain	City	Overload
5/30/2006	7:30 PM	347 Serena	Sewer B/U	Rain	City	Overload
5/31/2006	7:30 PM	451 Wood	Sewer B/U	Rain	City	Overload
5/30/2006	7:50 PM	566 Yorktown	Power out Joe Orr L/S	Rain	City	N/A
5/30/2006	8:30 PM	579 Yorktown	Power out Joe Orr L/S	Rain	City	N/A
5/31/2006	9:18 AM	1954 Beacon	Blvd Water in Street	Rain	City	N/A
5/31/2006	10:40 AM	1223 Emerald	Catch Basins	Rain	City	Cleaned
5/31/2006	8:35 AM	322 S Mayfair	Pj Sewer B/U	Rain	City	Flushed Line
6/1/2006	12:09 PM	396 W 15th	Pj Sewer B/U	Dry	Owners	N/A
6/1/2006	8:41 AM	146 Sherry	Lane Sewer B/U	Dry	Owners	N/A
6/1/2006	3:55 PM	Winston & Fitch	Odor	Dry	City	Leak in Street
6/5/2006	11:25 PM	1635 Buena Vista	Ave Water in Basement	Dry	City	Flushed Line
6/5/2006	1:06 PM	1044 Lowe	Sewer B/U	Dry	Owners	N/A
6/5/2006	8:40 AM	1235 Orchard	Sewer B/U	Dry	Owners	N/A
6/5/2006	8:15 PM	1149 Parkview	Ave Sewer B/U	Dry	Owners	N/A
6/5/2006	10:09 AM	1654 Thorn	Sewer B/U	Dry	Owners	N/A
6/8/2006	7:18 AM	1950 Beacon	Blvd Sewer B/U	Dry	Owners	N/A
6/10/2006	5:30 AM	423 W 12th	St Catch Basins	Rain	City	Cleaned
6/10/2006	12:15 PM	458 W 13th	St Sewer B/U	Rain	City	Overload
6/10/2006	10:35 AM	258 W 15th	Pj Sewer B/U	Rain	City	Overload
6/10/2006	9:15 AM	330 W 15th	Pj Sewer B/U	Rain	City	Overload
6/10/2006	5:15 AM	532 W 15th	Pj Sewer B/U	Rain	City	Overload
6/10/2006	2:10 PM	315 W 16th	St Water in Basement	Rain	City	Overload
6/10/2006	10:45 AM	400 W 17th	St Sewer B/U	Rain	City	Overload
6/10/2006	8:05 AM	202nd & Ashland	Water in Street	Rain	City	Overload
6/10/2006	2:30 PM	107 E 23rd	St Sewer B/U	Rain	City	Overload
6/10/2006	6:00 AM	615 Andover	Sewer B/U	Rain	City	Flushed Line
6/10/2006	8:15 AM	615 Andover	Sewer B/U	Rain	City	Flushed Line
6/10/2006	6:15 AM	306 Ashland	Ave Sewer B/U	Rain	City	Pumped Out
6/10/2006	4:30 AM	1934 Beacon	Blvd Sewer B/U	Rain	City	Flushed Line
6/10/2006	6:00 PM	1945 Bunker	Water in Basement	Rain	Owners	N/A

Date	Time	Location		Cause	Weather	Disposition	Actions
6/10/2006	8:25 AM	1339	Campbell	Sewer B/U	Rain	City	Overload
6/10/2006	6:20 AM	401	Carey	Ct	Water in Basement	Rain	Pumped Out
6/10/2006	8:00 AM	322	Concord	Sewer B/U	Rain	Owners	N/A
6/10/2006	5:00 PM	324	Constance	Sewer B/U	Rain	Owners	N/A
6/10/2006	9:50 AM	166	Dawn	Sewer B/U	Rain	City	Pumped Out
6/10/2006	4:40 PM	146	Dawn	Sewer B/U	Rain	Owners	N/A
6/10/2006	10:20 AM	258 W	Elmwood	Sewer B/U	Rain	City	Overload
6/10/2006	9:00 AM	278 W	Elmwood	Sewer B/U	Rain	City	Overload
6/10/2006	6:20 AM	605	Emerald	Sewer B/U	Rain	City	Overload
6/10/2006	4:40 AM	1227	Emerald	Sewer B/U	Rain	City	Overload
6/10/2006	8:55 AM	20 E	Greenbriar	Sewer B/U	Rain	City	Overload
6/10/2006	9:30 AM	625	Halsted	Sewer B/U	Rain	City	Overload
6/10/2006	10:40 AM	263	Lynn	Ln	Sewer B/U	Rain	City
6/10/2006	8:50 AM	283	Lynn	Ln	Sewer B/U	Rain	City
6/10/2006	2:15 PM	273	May	Ct	Sewer B/U	Rain	City
6/10/2006	11:00 AM	112 S	Mayfair	Pl	Sewer B/U	Rain	City
6/10/2006	11:35 AM	556	Minette	Sewer B/U	Rain	City	Overload
6/10/2006	11:30 AM	1036	Schilling	Sewer B/U	Rain	City	Overload
6/10/2006	1:30 PM	1144	Scott	Sewer B/U	Rain	City	Overload
6/10/2006	1:00 PM	403	Westgate	Sewer B/U	Rain	City	Overload
6/10/2006	9:45 AM	733	Willow	Water in Basement		Rain	City
6/10/2006	6:05 AM	750	Willow	Sewer B/U	Rain	City	Overload
6/10/2006	6:20 AM	1530	Wilson	Sewer B/U	Rain	City	Overload
6/10/2006	10:30 AM	426	Winston	Sewer B/U	Rain	City	Overload
6/10/2006	4:30 AM	594	Yorktown	Power out Joe Orr L/S		Rain	City
6/11/2006	1:55 PM	107 E	23rd	St	Sewer B/U	Dry	Owners
6/12/2006	11:00 AM	529 W	15th	Pl	Sewer B/U	Dry	Owners
6/12/2006	8:25 AM	330	Homewood	Ct	Sewer B/U	Dry	Owners
6/12/2006	8:05 AM	1008	Schilling	Sewer B/U	Dry	Owners	N/A
6/13/2006	10:37 AM	185	Serena	Sewer B/U	Dry	Owners	N/A
6/14/2006	8:10 AM	135 N	Pamela	Sewer B/U	Dry	Owners	N/A
6/15/2006	1:00 PM	549	Winchester	Sewer B/U	Dry	Owners	N/A
6/16/2006	11:03 AM	1500	Wallace	Street Sinking	Dry	Code	N/A

Date	Time	Location	Cause	Weather	Disposition	Actions
6/18/2006	8:15 AM	180	Thelma	Sewer B/U	Dry	City
6/20/2006	10:43 AM	295 E	Joe Orr	Sewer B/U	Dry	Owners
6/22/2006	2:03 PM	201 W	15th	Pl	Sewer B/U	Dry
6/23/2006	11:26 AM	330 W	16th	St	Sewer B/U	Dry
6/27/2006	12:24 PM	544	Andover	Sewer B/U	Dry	City
6/30/2006	7:34 AM	1911	Adams	Sewer B/U	Dry	Owners
7/2/2006	1:35 PM	186	Dawn	Sewer B/U	Dry	City
7/3/2006	12:00 PM	185	Dawn	Sewer B/U	Dry	Owners
7/4/2006	12:30 PM	197 E	7th	Pl	Sewer B/U	Dry
7/5/2006	10:57 AM	358 W	16th	Pl	Catch Basins	Dry
7/5/2006	8:34 AM	102 e	22ND	St	Sewer B/U	Dry
7/6/2006	6:00 PM	46 E	Greenbriar	Sewer B/U	Dry	City
7/10/2006	8:00 AM	280	Tahoe	Sewer B/U	Dry	Owners
7/11/2006	8:51 AM	1044	Lowe	Sewer B/U	Dry	City
7/11/2006	11:17 AM	1301	Shields	Catch Basins	Dry	Cleaned
7/11/2006	12:01 PM	1537	Western	Ave	Sewer B/U	Dry
7/12/2006	10:51 AM	221 W	15th	St	Sewer B/U	Dry
7/12/2006	7:26 AM	180	Thelma	Sewer B/U	Dry	City
7/14/2006	7:25 PM	95 E	Craig	Dr	Sewer B/U	Dry
7/14/2006	12:04 PM	411	Parnell	Sewer B/U	Dry	City
7/16/2006	5:00 PM	820	McArthur	Sewer B/U	Dry	City
7/16/2006	3:50 PM	820	McArthur	Sewer B/U	Dry	City
7/19/2006	3:15 PM	619 W	16th	Pl	Catch Basins	Dry
7/19/2006	8:06 AM	1025	West End	Ave	Sewer B/U	Dry
7/20/2006	10:16 AM	398 W	17th	St	Sewer B/U	Dry
7/20/2006	12:12 PM	1037	D'Amico	Sewer B/U	Dry	City
7/20/2006	9:04 AM	1530	Wilson	Checked	Dry	Owners
7/24/2006	9:00 AM	829	Willow	Sewer B/U	Dry	Owners
7/27/2006	7:25 PM	820	McArthur	Sewer B/U	Dry	Owners
7/28/2006	10:45 AM	14th & Western		Catch Basins	Dry	City
7/28/2006	9:10 AM	1630	Ashland	Ave	Catch Basins	Dry
7/28/2006	11:23 AM	573	Minette	Sewer B/U	Dry	City
7/28/2006	2:20 PM	1500	Shields	Catch Basins	Dry	Cleaned

Date	Time	Location			Cause	Weather	Disposition	Actions
		423 W	15th	St	Sewer B/U	Dry	City	Flushed Line
7/29/2006	8:55 PM	520	Concord	St	Sewer B/U	Dry	City	Flushed Line
7/29/2006	10:15 AM	68 W	24th	St	Sewer B/U	Dry	Owners	N/A
7/31/2006	9:28 AM	1639	Oak	St	Sewer B/U	Dry	Owners	N/A
7/31/2006	10:51 AM	2306	Halsted	Water in Street	Dry	City	Flushed Line	
8/3/2006	11:01 AM	829	Willow	Sewer B/U	Dry	Owners	Flushed Line	
8/3/2006	12:30 PM	529 W	15th	P1	Sewer B/U	Dry	City	Flushed Line
8/5/2006	5:50 PM	490 W	16th	P1	Sewer B/U	Dry	Owners	Flushed Line
8/8/2006	8:19 AM	102 E	22nd	St	Sewer B/U	Dry	City	Flushed Line
8/8/2006	10:29 AM	185	Dawn	Water in Street	Dry	City	Flushed Line	
8/14/2006	8:21 AM	333 W	Glengate	Ave	Sewer B/U	Dry	City	OK
8/14/2006	10:01 AM	1133	Parkview	Sewer B/U	Dry	Owners	N/A	
8/14/2006	10:14 AM	148 W	Elmwood	Sewer B/U	Dry	City	Flushed Line	
8/16/2006	6:30 PM	72 W	15th	St	Cistern Broken	Dry	Owners	N/A
8/17/2006	12:25 PM	167	Elder	Sewer B/U	Dry	Owners	N/A	
8/18/2006	12:05 PM	446 W	14th	P1	Sewer B/U	Rain	City	Overload
8/19/2006	N/A N/A	449 W	14th	P1	Sewer B/U	Rain	City	Flushed Lines
8/19/2006	8:25 PM	417 W	14th	St	Sewer B/U	Rain	Owner	N/A
8/19/2006	9:10 AM	14th & Western	Water in Street	Rain	IDOT	Overload		
8/19/2006	N/A N/A	14th & Western	Water in Street	Rain	IDOT	Overload		
8/19/2006	N/A N/A	15th & Wilson	Water in Street	Rain	City	Overload		
8/19/2006	N/A N/A	288 W	16th	P1	Sewer B/U	Rain	City	Flushed Lines
8/19/2006	N/A N/A	398 W	17th	Catch Basins	Rain	City	Cleaned	
8/19/2006	N/A N/A	246 E	21st	St	Sewer B/U	Rain	Owner	N/A
8/19/2006	N/A N/A	36 W	24th	St	Sewer B/U	Rain	City	Flushed Lines
8/19/2006	10:25 AM	109 E	24th	St	Sewer B/U	Rain	Owner	Flushed Lines
8/19/2006	N/A N/A	615	Andover	Sewer B/U	Rain	City	Overload	
8/19/2006	5:45 PM	619	Brookline	Sewer B/U	Rain	Owners	N/A	
8/19/2006	N/A N/A	342	Carey	Ct	Water in Street	Rain	City	Cleaned
8/19/2006	N/A N/A	95 E	Craig	Dr	Sewer B/U	Rain	Owner	N/A
8/19/2006	N/A N/A	146	Dawn	Sewer B/U	Rain	Owner	N/A	

Date	Time	Location	Cause	Weather	Disposition	Actions
8/19/2006	N/A N/A	1227	Emerald	Sewer B/U	Rain	City Overload
8/19/2006	N/A N/A	1210	Franklin	Water in Street	Rain	City Overload
8/19/2006	N/A N/A	181	Frederick	Water In Street	Rain	City Overload
8/19/2006	N/A N/A	366 W	Hickory	Sewer B/U	Rain	City Overload
8/19/2006	N/A N/A	1649	Hilltop	Sewer B/U	Rain	Owner N/A
8/19/2006	N/A N/A	86	Isa	Sewer B/U	Rain	City Overload
8/19/2006	N/A N/A		Longwood	Water In Street	Rain	City Cleaned
8/19/2006	N/A N/A	8:35 AM	Longwood	Water in Street	Rain	City Cleaned
8/19/2006	N/A N/A	1235	Orchard	Sewer B/U	Rain	Owner N/A
8/19/2006	N/A N/A	1312	Otto	Bvd	Water In Alley	Rain City Overload
8/19/2006	N/A N/A	1212	Peggy	Lane	Catch Basins	Rain City Cleaned
8/19/2006	N/A N/A	1039	Schilling	Bvd	Catch Basins	Rain City Cleaned
8/19/2006	9:20 AM	1653	School	Sewer B/U	Rain	Owner N/A
8/19/2006	16:14 AM	237	Westgate	Water in Basement	Rain	City Flushed Lines
8/19/2006	N/A N/A	750	Willow	Sewer B/U	Rain	City Overload
8/21/2006	11:24 AM	86	Isa	Sewer B/U	Dry	Owners N/A
8/21/2006	10:25 AM	135 N	Pamela	Sewer B/U	Dry	Owners N/A
8/21/2006	11:03 AM	1313	Washington	Pumping Water	Dry	Owners OK
8/22/2006	12:17 PM	1406	Parkview	Ave	Water In Yard	Dry Owners OK
8/22/2006	12:10 PM	1144	Wallace Court	Sewer B/U	Dry	Owners N/A
8/24/2006	10:59 AM	294 W	14TH	St	Sewer B/U	Rain Owners Flushed Line
8/24/2006	7:10 AM	1227	Emerald	Sewer B/U	Dry	City Flushed Line
8/24/2006	9:14 AM	2306	Halsted	Sewer B/U	Rain	Owners N/A
8/24/2006	7:00 AM	545	Minette	Water in Street	Rain	City OK
8/24/2006	9:55 AM	1312	Otto	Bvd	Water in Alley	Rain City Flushed Line
8/24/2006	10:25 AM	1138	Parkview	Ave	Sewer B/U	Rain Owners N/A
8/24/2006	10:04 AM	1313	Piacenti	Sewer B/U	Rain	Owners N/A
8/24/2006	10:07 AM	1011	Union	Sewer B/U	Rain	Owners N/A
8/24/2006	8:58 AM		Yale & Concord	Water in Street	Rain	City OK
8/26/2006	9:40 PM	26 W	21st	St	Sewer B/U	Rain City Flushed Lines
8/26/2006	11:40 PM	870	Maple	Sewer B/U	Rain	City Overload
8/28/2006	3:21 PM	139 W	10th	St	Sewer B/U	Rain Owners N/A
8/28/2006	1:59 PM	104 E	13th	St	Sewer B/U	Rain City Overload

Date	Time	Location		Cause	Weather	Disposition	Actions
		City	City	Rain	Rain	Overload	Flushed Line
8/28/2006	2:05 PM	13th & Garden	St	Sewer B/U	Rain	City	Overload
8/28/2006	1:52 PM	225 W	14th	Water in Street	Rain	City	Flushed Line
8/28/2006	1:44 PM	446 W	14th	St	Water in Street	City	Overload
8/28/2006	2:35 PM	378 E	14th	St	Water in Street	Rain	IDOT N/A
8/28/2006	4:25 PM	170 W	14th	St	Sewer B/U	Rain	Owners N/A
8/28/2006	12:58 PM	212 W	14th	St	Sewer B/U	Rain	Flushed Line
8/28/2006	3:00 PM	422 W	14th	St	Water in Street	Rain	Overload
8/28/2006	6:05 PM	394 W	14th	St	Sewer B/U	Rain	Owners N/A
8/28/2006	1:19 PM	438 W	14th	St	Sewer B/U	Rain	Owners N/A
8/28/2006	2:14 PM	234 W	15th	PI	Water in Street	Rain	Overload
8/28/2006	2:08 PM	254 W	15th	PI	Sewer B/U	Rain	City Overload
8/28/2006	1:03 PM	400 W	15th	St	Sewer B/U	Rain	City Overload
8/28/2006	7:50 PM	423 W	15th	St	Sewer B/U	Rain	City Overload
8/28/2006	2:15 PM	721 W	15th	St	Sewer B/U	Rain	City Overload
8/28/2006	2:07 PM	72 W	15th	St	Sewer B/U	Rain	Owners N/A
8/28/2006	N/A PM	414 W	15th	PI	Sewer B/U	Rain	Owners N/A
8/28/2006	N/A N/A	502 W	15th	PI	Sewer B/U	Rain	Owners N/A
8/28/2006	2:00 PM	288 W	16th	PI	Sewer B/U	Rain	City Overload
8/28/2006	3:00 PM	381 W	16th	PI	Sewer B/U	Rain	Owners N/A
8/28/2006	3:00 PM	532 W	16th	St	Sewer B/U	Rain	Owners N/A
8/28/2006	2:28 PM	102 W	19th	St	Sewer B/U	Rain	City Overload
8/28/2006	1:52 PM	19th & Euclid		Catch Basins	Rain	City	Cleaned
8/28/2006	2:45 PM	194 E	24th	St	Sewer B/U	Rain	Owners N/A
8/28/2006	4:55 PM	342 E	25th	St	Sewer B/U	Rain	Flushed Line N/A
8/28/2006	6:40 PM	320 E	25th	St	Sewer B/U	Rain	City Overload
8/28/2006	2:18 PM	303 W	8th	St	Water in Street	Rain	City Overload
8/28/2006	1:25 PM	611	Andover	Water in Street	Rain	City	OK
8/28/2006	11:50 AM	1101	Arnold	Water in Street	Rain	City	Overload
8/28/2006	2:52 PM	434	Arquila	Sewer B/U	Rain	Owners N/A	Place
8/28/2006	11:58 AM	306	Ashland	Ave	Request Pumps	Rain	N/A
8/28/2006	3:25 PM	852	Ashland	Ave	Sewer B/U	Rain	Owners N/A
8/28/2006	5:19 PM	1308	Ashland	Ave	Sewer B/U	Rain	Owners N/A
8/28/2006	2:33 PM	228	Avonelle	Water in Street	Rain	City	OK

Date	Time	Location	Cause	Weather	Disposition	Actions
8/28/2006	12:34 PM	1934	Beacon	Blvd	Sewer B/U	Rain City N/A
8/28/2006	2:10 PM	1946	Beacon	Blvd	Sewer B/U	Rain City N/A
8/28/2006	1:21 PM	1950	Beacon	Blvd	Sewer B/U	Rain City Flushed Line
8/28/2006	1:35 PM	855	Birch		Sewer B/U	Rain City N/A
8/28/2006	2:35 PM	313	Bradley		Sewer B/U	Rain City Pumped Out
8/28/2006	1:09 PM	591	Brookline		Sewer B/U	Rain Owners N/A
8/28/2006	12:58 PM	1654	Buena Vista	Ave	Sewer B/U	Rain Owners Flushed Line
8/28/2006	5:00 PM	742	Campbell		Sewer B/U	Rain City Overload
8/28/2006	12:25 PM	1337	Campbell		Sewer B/U	Rain City Overload
8/28/2006	12:25 PM	1338	Campbell		Sewer B/U	Rain City Overload
8/28/2006	12:25 PM	1339	Campbell		Sewer B/U	Rain City Overload
8/28/2006	2:24 PM	1308	Campbell		Sewer B/U	Rain Owners N/A
8/28/2006	1:56 PM	401	Carey	Ct	Sewer B/U	Rain City Overload
8/28/2006	12:34 N/A	322	Concord		Sewer B/U	Rain Owners N/A
8/28/2006	2:22 PM	328	Coolidge		Water in Yard	Rain City Overload
8/28/2006	2:30 PM	1924	Dartmouth		Water in Street	Rain City OK
8/28/2006	1:34 PM	156	Dawn		Sewer B/U	Rain Owners N/A
8/28/2006	2:03 PM	1901	East End	Ave	Water in Street	Rain City OK
8/28/2006	11:55 AM	1901	East End	Ave	Water in Street	Rain City OK
8/28/2006	2:21 PM	273	Eddy		Sewer B/U	Rain City Overload
8/28/2006	12:10 PM	1227	Emerald		Sewer B/U	Rain City Overload
8/28/2006	1:50 PM	605	Emerald		Sewer B/U	Rain Owners N/A
8/28/2006	2:31 PM	482	Fitch		Sewer B/U	Rain Owners N/A
8/28/2006	1:05 PM	121 S	Floyd		Sewer B/U	Rain Owners N/A
8/28/2006	7:50 PM	133 S	Floyd		Sewer B/U	Rain Owners N/A
8/28/2006	5:10 PM	69	Frances	Ln	Sewer B/U	Rain Owners N/A
8/28/2006	3:41 PM	178	Frederick		Water in Street	Rain City Overload
8/28/2006	1:41 PM	181	Frederick		Water in Street	Rain City Overload
8/28/2006	2:03 PM	70 E	Greenbriar		Water in Street	Rain City Overload
8/28/2006	5:45 PM	156 W	Greenbriar		Sewer B/U	Rain Owners N/A
8/28/2006	1:23 PM	625	Halsted		Sewer B/U	Rain Owners N/A
8/28/2006	11:23 AM	156 W	Hickory		Water in Street	Rain City Overload
8/28/2006	3:15 PM	279 W	Hickory		Sewer B/U	Rain Owners N/A

Date	Time	Location		Cause	Weather	Disposition	Actions
8/28/2006	2:34 PM	341 W	Hickory	Sewer B/U	Rain	Owners	N/A
8/28/2006	2:17 PM	Hickory & Euclid		Water in Street	Rain	City	Overload
8/28/2006	5:15 PM	195 Hillcrest		Sewer B/U	Rain	Owners	N/A
8/28/2006	5:35 PM	81 Isa		Sewer B/U	Rain	Owners	N/A
8/28/2006	7:04 PM	1314 Lincoln	Ave	Sewer B/U	Rain	Owners	N/A
8/28/2006	2:21 PM	614 Lowe		Water in Basement	Rain	Owners	Overload
8/28/2006	2:32 PM	220 Lynn	Ln	Sewer B/U	Rain	Owners	N/A
8/28/2006	2:40 PM	94 W Main	St	Sewer B/U	Rain	Owners	N/A
8/28/2006	5:58 PM	98 W Main	St	Sewer B/U	Rain	Owners	N/A
8/28/2006	2:05 PM	292 Maple		Water in Street	Rain	City	OK
8/28/2006	4:15 PM	843 Maple		Sewer B/U	Rain	City	Overload
8/28/2006	1:22 PM	185 Maple		Sewer B/U	Rain	Owners	N/A
8/28/2006	1:37 PM	191 W Maple		Sewer B/U	Rain	Owners	N/A
8/28/2006	2:01 PM	801 N Maple		Sewer B/U	Rain	Owners	N/A
8/28/2006	3:25 PM	810 N Maple		Sewer B/U	Rain	Owners	N/A
8/28/2006	2:06 PM	835 N Maple		Sewer B/U	Rain	Owners	N/A
8/28/2006	2:15 PM	133 S Mayfair	Pt	Sewer B/U	Rain	Owners	N/A
8/28/2006	3:28 PM	152 N Mayfair	Pt	Sewer B/U	Rain	Owners	N/A
8/28/2006	3:15 PM	119 Mildred		Sewer B/U	Rain	Owners	N/A
8/28/2006	1:40 PM	548 Minette		Water in Street	Rain	City	1:26
8/28/2006	1:26 PM	552 Minette		Sewer B/U	Rain	Owners	N/A
8/28/2006	3:25 PM	136 N Normady		Sewer B/U	Rain	Owners	N/A
8/28/2006	2:45 PM	137 N Normady		Sewer B/U	Rain	Owners	N/A
8/28/2006	2:21 PM	221 N Normady		Sewer B/U	Rain	Owners	N/A
8/28/2006	5:27 PM	1235 Orchard		Sewer B/U	Rain	Owners	N/A
8/28/2006	2:30 PM	1239 Orchard		Sewer B/U	Rain	Owners	N/A
8/28/2006	4:10 PM	1445 Otto Blvd		Sewer B/U	Rain	Owners	N/A
8/28/2006	4:15 PM	155 N Pamela		Sewer B/U	Rain	City	Overload
8/28/2006	2:07 PM	114 S Pamela		Sewer B/U	Rain	Owners	N/A
8/28/2006	2:20 PM	175 N Pamela		Sewer B/U	Rain	Owners	N/A
8/28/2006	2:07 PM	1436 Park	Ave	Water in Street	Rain	City	Overload
8/28/2006	2:31 PM	1243 Park	Ave	Water in Basement	Rain	Owners	N/A
8/28/2006	2:40 PM	183 Parkside	Ave	Water in Street	Rain	City	Overload

Date	Time	Location	Cause	Weather	Disposition	Actions
8/28/2006	3:00 PM	1023 Parkside	Ave Sewer B/U	Rain	Owners	N/A
8/28/2006	3:00 PM	1039 Parkview	Ave Water in Street	Rain	City	Overload
8/28/2006	2:18 PM	1212 Peggy	Lane Sewer B/U	Rain	Owners	N/A
8/28/2006	2:10 PM	89 Peyton	Sewer B/U	Rain	Owners	N/A
8/28/2006	2:01 PM	1250 Portland	Sewer B/U	Rain	Owners	N/A
8/28/2006	2:28 PM	1301 Prairie	Sewer B/U	Rain	Owners	N/A
8/28/2006	1:15 PM	347 Sandra	Sewer B/U	Rain	City	Flushed Line
8/28/2006	2:37 PM	348 Sandra	Water in Street	Rain	City	Overload
8/28/2006	1:48 PM	1029 Schilling	Sewer B/U	Rain	Owners	N/A
8/28/2006	1:56 PM	1039 Schilling	Sewer B/U	Rain	Owners	N/A
8/28/2006	2:42 PM	371 Sherry	Lane Sewer B/U	Rain	Owners	N/A
8/28/2006	3:09 PM	380 Sherry	Lane Sewer B/U	Rain	Owners	N/A
8/28/2006	11:59 AM	1301 Shields	Water in Street	Rain	City	Overload
8/28/2006	9:15 AM	117 Strieff	Water in Yard	Rain	City	Overload
8/28/2006	9:50 PM	1309 Sunnyside	Sewer B/U	Rain	Owners	N/A
8/28/2006	1:58 PM	1311 Sunnyside	Sewer B/U	Rain	Owners	N/A
8/28/2006	3:25 PM	1311 Sunnyside	Sewer B/U	Rain	Owners	N/A
8/28/2006	2:12 PM	847 Theresa	Water in Street	Rain	City	Overload
8/28/2006	2:27 PM	622 Union	Sewer B/U	Rain	Owners	N/A
8/28/2006	2:10 PM	419 Wallace	Water in Street	Rain	City	Overload
8/28/2006	2:26 PM	431 Wallace	Water in Street	Rain	City	Overload
8/28/2006	2:37 PM	432 Wallace	Water in Street	Rain	City	Overload
8/28/2006	3:40 PM	734 Willow	Sewer B/U	Rain	Owners	N/A
8/28/2006	4:00 PM	750 Willow	Sewer B/U	Rain	Owners	N/A
8/28/2006	12:33 PM	1530 Wilson	Sewer B/U	Rain	City	Overload
8/28/2006	10:02 PM	1530 Wilson	Sewer B/U	Rain	City	Overload
8/28/2006	5:35 PM	1535 Wilson	Sewer B/U	Rain	City	Overload
8/28/2006	4:25 PM	483 Winchester	Sewer B/U	Rain	Owners	N/A
8/28/2006	2:20 PM	570 Yorktown	Sewer B/U	Rain	City	Flushed Line
8/29/2006	9:37 AM	187 E 7th	Pl Sewer B/U	Rain	Owners	N/A
8/29/2006	7:05 AM	288 W 16th	Pl Sewer B/U	Rain	Owners	N/A
8/29/2006	3:35 PM	34 W 23rd	St Sewer B/U	Rain	Owners	N/A
8/29/2006	12:53 PM	59 W 24th	St Check Lines	Rain	City	OK

Date	Time	Location	Cause	Weather	Disposition	Actions
8/29/2006	8:41 AM	105 E	24th	Rain	City	Cleaned
8/29/2006	2:25 PM	405	Carey	Rain	City	OK
8/29/2006	3:13 PM	401	Carey	Rain	Owners	N/A
8/29/2006	8:50 AM	1314	Lincoln	Rain	Owners	N/A
8/29/2006	1:47 PM	608	Lowe	Check Lines	Rain	OK
8/29/2006	9:50 AM	288 W	Normady	Sewer B/U	Rain	OK
8/29/2006	10:35 AM	1322	Park	Ave	Sewer B/U	Owners
8/29/2006	12:19 PM	117	Peyton	Check Lines	Rain	OK
8/29/2006	10:40 AM	1133	Schilling	Sewer B/U	Rain	OK
8/29/2006	9:20 AM	1230	Schilling	Sewer B/U	Rain	OK
8/29/2006	2:48 PM	185	Serena	Catch Basins	Rain	OK
8/29/2006	9:15 AM	123	Strieff	Water in Yard	Rain	Overload
8/29/2006	3:25 PM	403	Westgate	Sewer B/U	Rain	OK
8/30/2006	10:53 AM	400 W	15th	PI	Sewer B/U	OK
8/30/2006	10:50 AM	55	Frances	Ln	Sewer B/U	OK
8/30/2006	10:37 AM	529	Gregory	Sewer B/U	Rain	OK
8/30/2006	12:17 PM	1630	Oak	St	Water in Street	OK
8/31/2006	9:11 AM	187 E	7th	PI	Sewer B/U	OK
8/31/2006	8:38 AM	85	Isa	Catch Basins	Dry	OK
8/31/2006	12:35 PM	1619	Thorn	Sewer B/U	Dry	OK
9/1/2006	7:00 AM	1036	Schilling	Catch Basins	Dry	OK
9/4/2006	10:40 PM		16th & East End	Catch Basins	Dry	OK
9/4/2006	10:10 PM		205 & Ashland	Water in Street	Dry	Barracades
9/4/2006	9:50 PM	545	Minette	Water in Street	Dry	Cleaned
9/5/2006	N/A	N/A	311	Abbott	Sewer B/U	Dry
9/5/2006	11:34 AM	1632	Butler	Water in Street	Dry	Overload
9/5/2006	N/A	N/A	342	Carey	Ct	Sewer B/U
9/5/2006	N/A	N/A	279	Lynn	Ln	Inquiry
9/6/2006	8:00 AM	481	Hamilton Woods	Catch Basins	Dry	City
9/6/2006	12:50 PM	85	Isa	Catch Basins	Dry	City
9/6/2006	8:19 AM	274 W	Normandy	Inquiry	Dry	City

Date	Time	Location	Cause	Weather	Disposition	Actions
9/7/2006	2:39 PM	334	Abbott	Sewer B/U	Dry	City
9/8/2006	1:35 PM	1911	Adams	Sewer B/U	Dry	Flushed Lines
9/8/2006	N/A	N/A	137 N	Normandy	Sewer B/U	Dry City
9/8/2006	N/A	N/A	1033	Scott	Sink Holes	Dry City
9/9/2006	4:00 AM	117 E	23rd	St	Sewer B/U	Dry Owners
9/11/2006	8:40 AM	434	Arquilla	Check Lines	Rain	City OK
9/11/2006	6:15 PM	1935	Bunker	Sewer B/U	Rain	City Flushed Lines
9/11/2006	N/A	N/A	1227	Emerald	Check Lines	Rain City OK
9/11/2006	N/A	N/A	221 N	Normady	Check Lines	Rain City OK
9/11/2006	N/A	N/A	1312	Otto	Blvd	Water in Alley Rain City OK
9/11/2006	N/A	N/A	89	Peyton	Check Lines	Rain City OK
9/11/2006	7:38 AM	262	Plymouth	Sewer B/U	Rain	City Owners N/A
9/11/2006	12:50 PM	1334	Scott	Water in Basement	Rain	Owners Flushed Lines
9/12/2006	11:00 AM	394 W	17th	St	Sewer B/U	Rain Owners N/A
9/12/2006	9:35 AM	810 N	Maple	Sewer B/U	Rain	City Overload
9/12/2006	3:08 PM	1201	Orchard	Sewer B/U	Rain	Owners N/A
9/12/2006	12:11 PM	140	Sherry	Lane	Odor	Rain Owners N/A
9/13/2006	2:05 PM	394 W	14th	St	Sewer B/U	Rain City Flushed Lines
9/13/2006	7:00 AM	258 W	15th	Pl	Sewer B/U	Rain Owners N/A
9/13/2006	7:13 AM	398 W	15th	St	Sewer B/U	Rain Owners N/A
9/13/2006	8:42 AM	1227	Emerald	Sewer B/U	Rain	City Overload
9/13/2006	10:40 AM	121 S	Floyd	Sewer B/U	Rain	City Overload
9/13/2006	12:03 PM	2306	Halsted	Sewer B/U	Rain	Owners N/A
9/13/2006	7:38 AM	614	Lowe	Water in Alley	Rain	City Overload
9/13/2006	10:50 AM	21 W	McEldowney	Sewer B/U	Rain	City Flushed Lines
9/13/2006	8:28 AM	185	Serena	Water in Street	Rain	City Flushed Lines
9/13/2006	9:05 AM	1530	Wilson	Sewer B/U	Rain	City Flushed Lines
9/13/2006	9:22 AM	483	Winchester	Sewer B/U	Rain	Owners N/A
9/14/2006	12:56 PM	82 E	Normandy	Check Lines	Rain	City OK
9/14/2006	1:50 PM	1624	Thorn	Catch Basins	Rain	City Cleaned
9/16/2006	12:24 PM	354	Irls	Sewer B/U	Dry	Owners N/A
9/23/2006	2:56 PM	480 W	16th	St	Sewer B/U	Dry Owners N/A
9/23/2006	1:30 PM	26 E	Greenbriar	Sewer B/U	Dry	Owners N/A

Date	Time	Location		Cause	Weather	Disposition	Actions
9/23/2006	11:20 AM	70 E	Greenbriar	Duplicate	Dry	N/A	N/A
9/24/2006	12:30 PM	1664	Buena Vista	Ave	Sewer B/U	Dry	Owners
9/28/2006	9:10 AM	70 E	Greenbriar	Sink Hole	Dry	City	Repaired
9/28/2006	1:00 PM	420	Winston	Sewer B/U	Dry	Owners	N/A
10/2/2006	11:00 PM	1037	D'Amico	Water In Street	Rain	City	Cleaned
10/2/2006	3:30 AM	483	Deer Trail	Water In Street	Rain	City	Cleaned
10/2/2006	11:00 PM	1227	Emerald	Water In Basement	Rain	City	Overload
10/2/2006	11:30 PM	180 N	Floyd	Water In Street	Rain	City	Cleaned
10/2/2006	3:22 PM	181	Frederick	Water In Street	Rain	City	Cleaned
10/2/2006	11:05 PM	202	Frederick	Water In Street	Rain	City	Cleaned
10/2/2006	3:30 PM	16	Greenbriar	Water In Street	Rain	City	Cleaned
10/2/2006	11:10 N/A		Greenbriar & Mayfair	Water In Street	Rain	City	Cleaned
10/2/2006	8:15 AM	481	Hamilton Woods	Sewer B/U	Rain	City	Flushed Lines
10/2/2006	11:30 PM	450	Longwood	Water In Street	Rain	City	Cleaned
10/2/2006	11:06 PM	221 N	Normandy	Water In Street	Rain	City	Cleaned
10/2/2006	11:15 PM	320	Patricia	Water In Street	Rain	City	Cleaned
10/2/2006	3:25 PM	190 W	Raye	Dr	Water In Street	Rain	Cleaned
10/2/2006	11:26 PM	190 W	Raye	Dr	Water In Street	Rain	Cleaned
10/2/2006	11:30 PM	575	Saratoga	Water In Street	Rain	City	Cleaned
10/2/2006	11:10 PM	1036	Schilling	Water In Street	Rain	City	Cleaned
10/2/2006	11:15 PM		Winston & Fitch	Water In Street	Rain	City	Cleaned
10/3/2006	1:03 PM	398 W	14th	St	Sewer B/U	Rain	Owners
10/3/2006	12:00 PM	525 W	14th	PI	Sewer B/U	Rain	Owners
10/3/2006	8:55 AM	289 W	16th	St	Catch Basins	Rain	Cleaned
10/3/2006	2:30 PM	56 W	19th	St	Sewer B/U	Rain	City
10/3/2006	2:05 PM	221 N	Normandy	Water In Street	Rain	City	Overload
10/3/2006	4:30 PM	211 W	Normandy	Sewer B/U	Rain	Owners	N/A
10/5/2006	7:54 AM	1224	Orchard	Odor	Dry	Owners	Flushed Lines
10/5/2006	8:30 AM	1235	Orchard	Sewer B/U	Dry	Owners	Flushed Lines
10/5/2006	8:35 AM	220	Sherry	Lane	Sewer B/U	Dry	Owners
10/5/2006	10:00 AM	1621	Shields	Sink Holes	Dry	City	Repaired
10/7/2006	9:50 AM	297 W	16th	St	Sewer B/U	Dry	Owners
10/8/2006	2:15 PM	2416	Chicago Rd	Water In Basement	Dry	City	Flushed Lines

Date	Time	Location	Cause	Weather	Disposition	Actions
10/9/2006	1:30 PM	1422 Edgewood	Sewer B/U	Dry	City	Flushed Lines
10/30/2006	10:26 AM	337 Boston	Sewer B/U	Dry	Owners	N/A
10/30/2006	8:39 AM	183 Emelia	Sewer B/U	Dry	Owners	N/A
10/30/2006	3:50 PM	183 Emelia	Sewer B/U	Dry	Owners	N/A
10/31/2006	12:55 PM	1923 Cambridge	Sewer B/U	Dry	City	Flushed Lines
10/31/2006	11:50 AM	1908 Campbell	Sewer B/U	Dry	Owners	N/A
10/31/2006	8:35 AM	183 Emelia	Sewer B/U	Dry	Owners	Flushed Lines
11/2/2006	3:00 PM	1908 Campbell	Odor	Dry	Owners	N/A
11/4/2006	9:55 AM	1950 Beacon	Blvd	Sewer B/U	Dry	Flushed Lines
11/5/2006	10:50 AM	294 W 14th	St	Sewer B/U	Dry	Flushed Lines
11/5/2006	8:15 AM	56 W 19th	St	Sewer B/U	Dry	City
11/5/2006	3:55 AM	305 Concord	Sewer B/U	Dry	City	Flushed Lines
11/6/2006	10:48 AM	828 Piacenti	Sump Running	Dry	Owners	Flushed Lines
11/9/2006	N/A N/A	1639 Buena Vista	Ave	Sewer B/U	Dry	Owners
11/9/2006	3:55 PM	530 Normal	Sewer B/U	Dry	Owners	N/A
11/10/2006	N/A N/A	14th & western	Water In Street	Rain	City	Overloaded
11/10/2006	7:10 PM	1339 Campbell	Sewer B/U	Rain	City	Overloaded
11/10/2006	9:45 PM	1227 Emerald	Sewer B/U	Rain	City	Flushed Line
11/10/2006	10:44 PM	450 Grovesnor	Sewer B/U	Rain	City	Flushed Line
11/10/2006	N/A N/A	Serena & Charles	Water In Street	Rain	City	Overloaded
11/10/2006	N/A N/A	Serena & eddy	Water In Street	Rain	City	Overloaded
11/10/2006	8:20 PM	506 Winston	Sewer B/U	Rain	City	Flushed Line
11/10/2006	N/A N/A	Winston & Fitch	Water in Street	Rain	City	Overloaded
11/10/2006	10:34 PM	594 Yorktown	Sewer B/U	Rain	City	Overloaded
11/11/2006	6:30 PM	440 W 16th	St	Sewer B/U	Rain	Owners
11/11/2006	7:45 AM	625 Halsted	Sewer B/U	Rain	City	Flushed Line
11/11/2006	7:45 AM	625 Halsted	Sewer B/U	Rain	City	Flushed Line
11/11/2006	2:20 PM	1312 Otto	Blvd	Sewer B/U	Rain	Owners
11/11/2006	8:30 AM	400 S Parnell	Sewer B/U	Rain	City	Flushed Line
11/11/2006	8:07 AM	400 S Parnell	Sewer B/U	Rain	City	Flushed Line
11/13/2006	N/A N/A	19504 Glenwood-Chicago Heil Rd	Sewer B/U	Dry	Owners	N/A
11/13/2006	N/A N/A	625 Halsted	Sewer B/U	Dry	City	Flushed Lines
11/14/2006	N/A N/A	194 W 16th	St	Sewer B/U	Dry	City

Date	Time	Location	Cause	Weather	Disposition	Actions
11/16/2006	N/A N/A	153 Emelia	Sewer B/U	Dry	City	Flushed Lines
11/16/2006	N/A N/A	411 Parnell	Sewer B/U	Dry	Owners	N/A
11/20/2006	3:30 PM	1417 Sunset	Sewer B/U	Dry	City	Flushed Line
11/21/2006	N/A N/A	531 Parnell	Sewer B/U	Dry	Owners	N/A
11/22/2006	12:40 PM	354 E 24th	St	Sewer B/U	Dry	Flushed Lines
11/27/2006	N/A N/A	121 N Floyd	St	Sewer B/U	Dry	Owners
11/29/2006	N/A N/A	396 W 15th	St	Check Line	Rain	OK
11/29/2006	4:40 PM	406 W 16th	St	Water in Basement	Rain	Flushed Line
11/29/2006	3:49 PM	1227 Emerald	Sewer B/U	Rain	City	Overload
11/29/2006	N/A N/A	121 N Floyd	Sewer B/U	Rain	Owners	N/A
11/29/2006	5:34 PM	594 Yorktown	Sewer B/U	Rain	City	Overload
11/30/2006	8:00 AM	72 W 15th	St	Water in Basement	Rain	Overload
11/30/2006	8:00 AM	72 W 15th	St	Water in Street	Rain	Cleaned
11/30/2006	11:35 AM	72 W 15th	St	Sewer B/U	Rain	Owners
11/30/2006	11:35 AM	72 W 15th	St	Water in Basement	Rain	Owners
11/30/2006	9:03 AM	98 W Main	St	Sewer B/U	Rain	Owners
11/30/2006	8:33 AM	1133 Schilling	Sewer B/U	Rain	Owners	N/A
11/30/2006	8:53 AM	329 Sherry Lane	Sewer B/U	Rain	Owners	N/A
11/30/2006	9:00 AM	330 Standish	Water in Street	Rain	City	Cleaned
12/1/2006	2:43 PM	357 W 14th	St	Sewer B/U	Rain	Owners
12/1/2006	10:10 AM	322 W 15th	Pl	Sewer B/U	Rain	City
12/1/2006	1:43 PM	72 W 15th	St	Sewer B/U	Rain	Owners
12/1/2006	11:51 PM	72 W 15th	St	Sewer B/U	Rain	Owners
12/1/2006	1:43 PM	72 W 15th	St	Sewer B/U	Rain	Owners
12/1/2006	11:51 PM	72 W 15th	St	Sewer B/U	Rain	Owners
12/1/2006	8:20 AM	542 W 15th	Pl	Sewer B/U	Rain	Owners
12/1/2006	8:45 AM	315 W 16th	St	Sewer B/U	Rain	City
12/1/2006	8:50 AM	2417 Ash	Sewer B/U	Rain	City	Flushed Line
12/1/2006	9:20 AM	1903 Ashland Ave	Sewer B/U	Rain	Owners	N/A
12/1/2006	7:12 AM	305 Bradley	Sewer B/U	Rain	City	Pumped Out
12/1/2006	9:22 AM	176 Broadway	Sewer B/U	Rain	City	Flushed Line
12/1/2006	7:40 AM	1227 Emerald	Sewer B/U	Rain	City	Flushed Line
12/1/2006	4:45 AM	1227 Emerald	Sewer B/U	Rain	City	Flushed Line

Date	Time	Location	Cause	Weather	Disposition	Actions
12/1/2006	9:18 AM	622 Enterprise	Sewer B/U	Rain	City	N/A
12/1/2006	2:43 AM	720 Enterprise	Placed Pump	Rain	City	N/A
12/1/2006	7:54 AM	625 Halsted	Sewer B/U	Rain	City	Overload
12/1/2006	1:39 PM	1518 Hanover	Sewer B/U	Rain	Owners	N/A
12/1/2006	10:45 AM	450 Longwood	Sewer B/U	Rain	City	Flushed Line
12/1/2006	12:50 PM	1044 Lowe	Sewer B/U	Rain	Owners	N/A
12/1/2006	5:44 PM	131 W Main	Sewer B/U	Rain	Owners	N/A
12/1/2006	9:00 AM	1632 Oak	Sewer B/U	Rain	City	Overload
12/1/2006	9:36 AM	586 Ranger	Sewer B/U	Rain	City	Overload
12/1/2006	6:30 AM	1311 Schilling	Sewer B/U	Rain	Owners	N/A
12/1/2006	12:17 PM	211 Serena	Water In Crawl Space	Rain	Owners	N/A
12/1/2006	8:00 AM	380 Sherry	Lane	Water in Street	Rain	City
12/1/2006	8:40 AM	334 Standish	Water in Street	Rain	City	Overload
12/1/2006	10:25 AM	1508 Wentworth	Sewer B/U	Rain	Owners	N/A
12/1/2006	1:10 AM	594 Yorktown	Sewer B/U	Rain	City	Overload
12/1/2006	4:15 AM	598 Yorktown	Sewer B/U	Rain	City	Overload
12/3/2006	4:10 PM	1534 Wallace	Water in Basement	Dry	Owners	N/A
12/4/2006	10:59 AM	326 Concord	Sewer B/U	Dry	Owners	N/A
12/6/2006	2:40 PM	1515 Western	Ave	Sewer B/U	Dry	Owners
12/8/2006	6:30 AM	110 Sherry	Lane	Sewer B/U	Dry	Owners
12/11/2006	10:15 AM	194 W 16th	St	Sewer B/U	Dry	Owners
12/12/2006	10:10 AM	1924 Dartmouth	Sewer B/U	Dry	City	Flushed Line
12/12/2006	10:00 AM	150 Mildred	Sewer B/U	Dry	Owners	N/A
12/12/2006	9:00 AM	283 W Raye	Dr	Sewer B/U	Dry	City
12/12/2006	10:00 AM	1334 Schilling	Sewer B/U	Dry	City	Flushed Line
12/13/2006	10:55 AM	1246 Scott	Catch Basins	Dry	City	Cleaned
12/18/2006	1:10 PM	170 S Normandy	Sewer B/U	Dry	Owners	N/A
12/19/2006	7:06 AM	26 W 21st	St	Sewer B/U	Dry	City
12/19/2006	12:27 AM	26 W 21st	St	Sewer B/U	Dry	Flushed Line
12/21/2006	8:42 AM	1664 Buena Vista	Ave	Sewer B/U	Rain	Owners
12/21/2006	11:23 AM	Yale & Concord	Standing Water	Dry	City	Cleaned
12/22/2006	9:30 AM	179 W 13th	St	Sewer B/U	Rain	City
12/22/2006	8:14 AM	102 W 15th	St	Sewer B/U	Rain	City

Date	Time	Location		Cause	Weather	Disposition	Actions
		Time	Address				
12/22/2006	9:50 AM	243 W	15th	P	Sewer B/U	Rain	City Overload
12/22/2006	9:32 AM	542 W	15th	P	Sewer B/U	Rain	City Overload
12/22/2006	2:15 PM	398 W	15th	P	Sewer B/U	Rain	Owner N/A
12/22/2006	7:34 AM	260 W	16th	St	Sewer B/U	Rain	City Overload
12/22/2006	4:41 PM	305 W	16th	St	Sewer B/U	Rain	City Overload
12/22/2006	9:20 AM	566 W	16th	St	Sewer B/U	Rain	City Overload
12/22/2006	10:35 PM	232 W	16th	P	Sewer B/U	Rain	Owner Overload
12/22/2006	10:35 PM	232 W	16th	P	Water in Basement	Rain	Owner N/A
12/22/2006	9:36 AM	355 W	17th	St	Sewer B/U	Rain	City Overload
12/22/2006	10:35 AM	426 @	22nd	St	Sewer B/U	Rain	City Flushed Line
12/22/2006	7:49 AM	306	Ashland Ave	P	Sewer B/U	Rain	City Overload
12/22/2006	1:14 PM	263	Bradley	P	Sewer B/U	Rain	City Overload
12/22/2006	9:38 AM	532	Emerald	P	Sewer B/U	Rain	City Overload
12/22/2006	7:27 AM	1227	Emerald	P	Sewer B/U	Rain	City Overload
12/22/2006	7:36 AM	181	Fredrick	P	Water in Street	Rain	City Overload
12/22/2006	11:50 AM	625	Halsted	P	Sewer B/U	Rain	City Overload
12/22/2006	11:00 AM	232 W	Hickory	P	Sewer B/U	Rain	City Overload
12/22/2006	10:07 AM	181	Hillcrest	P	Sewer B/U	Rain	City Flushed Line
12/22/2006	8:11 AM	195	Hillcrest	P	Sewer B/U	Rain	City Flushed Line
12/22/2006	8:41 AM	264	Holbrook	P	Water in Yard	Rain	Owner Overload
12/22/2006	9:04 AM	1642	Ingrid	P	Water in Yard	Rain	Owner Overload
12/22/2006	10:17 AM	269 E	Joe Orr	P	Sewer B/U	Rain	City Overload
12/22/2006	11:24 AM	125	Kathleen	P	Sewer B/U	Rain	City Overload
12/22/2006	1:04 PM	1221	Lincoln Ave	P	Sewer B/U	Rain	City Flushed Line
12/22/2006	8:25 AM	450	Longwood	P	Sewer B/U	Rain	City Flushed Line
12/22/2006	8:44 AM	608	Lowe	P	Sewer B/U	Rain	City Overload
12/22/2006	10:23 AM	614	Lowe	P	Sewer B/U	Rain	City Overload
12/22/2006	9:47 AM	21 W	McElldowney	P	Sewer B/U	Rain	City Flushed Line
12/22/2006	7:23 AM	146 N	Normandy	P	Sewer B/U	Rain	Owner N/A
12/22/2006	7:47 AM	411	Parnell	P	Sewer B/U	Rain	City Flushed Line
12/22/2006	8:55 AM	415	Parnell	P	Sewer B/U	Rain	Owner N/A
12/22/2006	8:40 AM	582	Ranger	P	Sewer B/U	Rain	City Overload
12/22/2006	9:05 AM	344	Sandra	P	Sewer B/U	Rain	City Overload
12/22/2006	8:51 AM	416	Sandra	P	Sewer B/U	Rain	City Overload

Date	Time	Location	Cause	Weather	Disposition	Actions
12/22/2006	8:35 AM	1530 Wilson	Sewer B/U	Rain	City	Overload
12/22/2006	8:30 AM	483 Winchester	Sewer B/U	Rain	City	Flushed Line
12/23/2006	8:25 AM	544 Andover	Sewer B/U	Rain	City	Flushed Line
12/25/2006	1:30 AM	82 Rosewood	Sewer B/U	Dry	Owner	N/A
12/27/2006	12:04 PM	358 W 16th	Pl Check lines	Dry	City	OK
12/27/2006	7:25 PM	1225 D'Amico	Water in Basement	Dry	Owner	N/A
12/27/2006	2:58 PM	1044 Lowe	Sewer B/U	Dry	Owners	N/A
12/28/2006	2:25 PM	313 S Mayfair	Pl Sewer B/U	Dry	City	Flushed Line
1/2/2007	4:30 PM	181 Frederick	Pl Sewer B/U	Dry	City	Flushed Line
1/4/2007	8:30 PM	560 W 14th	St Sewer B/U	Dry	City	Flushed Line
1/4/2007	4:30 PM	203 W 14th	Pl Sewer B/U	Rain	Owner	N/A
1/4/2007	8:45 PM	315 W 16th	St Sewer B/U	Dry	City	Overload
1/4/2007	8:34 PM	381 W 16th	Pl Sewer B/U	Dry	City	Overload
1/4/2007	9:06 PM	398 W 17th	St Sewer B/U	Dry	City	Overload
1/4/2007	10:10 N/A	60 W 24th	St Sewer B/U	Rain	City	Overload
1/4/2007	9:25 AM	627 Andover	Sewer B/U	Rain	City	Flushed Line
1/4/2007	5:56 PM	1900 Andover	Sewer B/U	Rain	City	Flushed Line
1/4/2007	8:48 AM	342 Carey	Ct Sewer B/U	Rain	City	Pumped
1/4/2007	11:24 PM	59 E Craig	Dr Sewer B/U	Rain	City	Overload
1/4/2007	9:15 PM	148 W Elmwood	Sewer B/U	Rain	Owner	N/A
1/4/2007	8:15 PM	605 Emerald	Sewer B/U	Rain	City	Overload
1/4/2007	7:00 PM	1318 Emerald	Sewer B/U	Rain	Owner	N/A
1/4/2007	6:00 PM	1318 Emerald	Sewer B/U	Rain	Owner	N/A
1/4/2007	7:30 PM	648 Enterprise	Sewer B/U	Rain	City	Overload
1/4/2007	8:21 PM	65 Frances	Ln Sewer B/U	Rain	Owner	N/A
1/4/2007	9:15 PM	20 E Greenbriar	Sewer B/U	Rain	Owner	N/A
1/4/2007	9:26 PM	334 W Hickory	Standing Water	Rain	City	Cleaned
1/4/2007	7:40 PM	279 W Hickory	Sewer B/U	Rain	Owner	N/A
1/4/2007	4:30 PM	337 Iris	Sewer B/U	Rain	Owner	N/A
1/4/2007	N/A N/A	125 Kathleen	Sewer B/U	Rain	City	Overload
1/4/2007	8:06 PM	146 Kathleen	Sewer B/U	Rain	Owner	N/A
1/4/2007	6:30 PM	450 Longwood	Sewer B/U	Rain	City	Overload
1/4/2007	9:15 PM	191 W Maple	Sewer B/U	Rain	City	Overload

Date	Time	Location		Cause	Weather	Disposition	Actions
1/4/2007	10:45 PM	109	Mildred	Sewer B/U	Rain	City	Overload
1/4/2007	8:15 PM	288	W Normandy	Sewer B/U	Rain	City	Overload
1/4/2007	8:58 PM	1235	Orchard	Sump running	Rain	City	Overload
1/4/2007	7:00 PM	586	Ranger	Sewer B/U	Rain	City	Overload
1/4/2007	10:14 PM	344	Sandra	Sewer B/U	Rain	City	Overload
1/4/2007	8:30 PM	185	Serena	Sewer B/U	Rain	City	Overload
1/4/2007	10:14 PM	185	Serena	Sewer B/U	Rain	City	Overload
1/4/2007	7:03 PM	316	Serena	Sewer B/U	Rain	City	Flushed Line
1/4/2007	9:55 PM	157	Strieff	Sewer B/U	Rain	City	Overload
1/4/2007	8:15 PM	1230	West End	Ave	Sewer B/U	Rain	City
1/4/2007	9:00 PM	1230	West End	Ave	Sewer B/U	Rain	City
1/4/2007	11:39 PM	750	Willow	Sewer B/U	Rain	City	Overload
1/4/2007	7:15 PM	1530	Wilson	Sewer B/U	Rain	City	Overload
1/4/2007	7:30 PM	483	Winchester	Sewer B/U	Rain	City	Overload
1/4/2007	4:55 PM	415	Winston	Sewer B/U	Rain	City	Flushed Line
1/4/2007	5:30 PM	415	Winston	Sewer B/U	Rain	City	Flushed Line
1/4/2007	6:00 PM	594	Yorktown	Sewer B/U	Rain	City	Overload
1/5/2007	1:30 PM	322	W 15th	PI	Sewer B/U	Rain	City
1/5/2007	12:36 PM	40	W 15th	St	Sewer B/U	Rain	Owner N/A
1/5/2007	N/A	315	W 16th	St	Sewer B/U	Rain	City Flushed Line
1/5/2007	1:33 PM	315	W 16th	St	Sewer B/U	Rain	City Overload
1/5/2007	4:30 PM	264	W 16th	St	Sewer B/U	Rain	Owner N/A
1/5/2007	9:22 AM	337	Boston	Sewer B/U	Rain	City	Flushed Line
1/5/2007	11:20 AM	570	Saratoga	Sewer B/U	Rain	City	Overload
1/5/2007	8:53 AM	220	Sherry Lane	Sewer B/U	Rain	Owner N/A	
1/5/2007	8:01 PM	334	Standish	Catch Basins	Rain	City	Cleaned
1/5/2007	9:00 AM	335	Standish	Catch Basins	Rain	City	Cleaned
1/5/2007	12:09 PM	751	Willow	Sewer B/U	Rain	City	Overload
1/5/2007	9:18 AM	506	Winston	Sewer B/U	Rain	City	Overload
1/8/2007	8:15 PM	279	W Hickory	Sewer B/U	Rain	Owner N/A	
1/8/2007	7:00 PM	1238	West End Ave	Sewer B/U	Rain	City	Overload
1/12/2007	3:18 PM	170	W 14th PI	Sewer B/U	Rain	Owner N/A	
1/13/2007	12:15 PM	1630	Ashland Ave	Sewer B/U	Rain	Owner N/A	

Date	Time	Location	Cause	Weather	Disposition	Actions
1/13/2007	10:45 AM	38 E	Normandy	Sewer B/U	Rain	City Flushed Line
1/14/2007	10:00 PM	305	Avonelle	Sewer B/U	Rain	City Overload
1/14/2007	4:00 PM	305	Concord	Sewer B/U	Rain	City Flushed Line
1/14/2007	10:10 PM	1227	Emerald	Sewer B/U	Rain	City Flushed Line
1/14/2007	N/A	N/A	594	Yorktown	Sewer B/U	Rain City Overload
1/15/2007	1:30 PM	322	Concord	Sewer B/U	Rain	City Flushed Line
1/15/2007	5:05 PM	622	Enterprise	Sewer B/U	Rain	City Overload
1/15/2007	12:45 AM	586	Ranger	Sewer B/U	Dry	City Overload
1/16/2007	9:30 PM	379 W	Hickory	Sewer B/U	Dry	City Flushed Line
1/22/2007	6:45 PM	146	Kathleen	Sewer B/U	Dry	City Flushed Line
1/25/2007	7:15 PM	185	Serena	Sewer B/U	Dry	City Flushed Line
1/26/2007	5:20 PM	159	Mildred	Sewer B/U	Dry	City N/A
2/18/2007	11:13 AM	1365	Scott	Sewer B/U	Dry	City Flushed Line
2/21/2007	8:00 PM	1324	Schilling	Sewer B/U	Dry	Owners N/A
2/22/2007	5:00 PM	593	Shelly	Lane	Sewer B/U	Dry City Flushed Line
2/24/2007	3:13 PM	1411	Shields	Manhole Cover Missir	Dry	City Replaced
2/25/2007	11:40 AM	40 W	15th	St	Sewer B/U	Rain City Flushed Line
2/25/2007	8:40 AM	26 W	21st	St	Sewer B/U	Rain Owners Flushed Line
2/25/2007	12:35 PM	1639	Buena Vista	Ave	Sewer B/U	Rain City Flushed Line
2/25/2007	11:00 AM	528	Fitch	Sewer B/U	Rain	Owners Flushed Line
2/25/2007	5:10 PM		Greenbriar & Arquilla	Manhole Overflowing	Rain	City Flushed Line
2/25/2007	11:40 AM	625	Halsted	Sewer B/U	Rain	City Flushed Line
2/25/2007	9:00 AM	510 W	Hickory	Water in Yard	Rain	Owners N/A
2/25/2007	8:55 AM	156 N	Pamela	Sewer B/U	Rain	Owners Flushed Line
2/25/2007	12:40 PM	2400	Union	Manhole Cover Missir	Rain	City Replaced
2/25/2007	12:15 PM	631	Union	Sewer B/U	Rain	Owners Flushed Line
2/25/2007	3:00 PM	1129	Union	Sewer B/U	Rain	Owners Flushed Line
2/26/2007	4:10 PM	1237	Otto	Blvd	Sewer B/U	Dry Owners N/A
3/1/2007	1:35 PM	2018	Halsted	Catch Basin Broken	Dry	City Repaired
3/1/2007	6:00 PM	136	Sherry	Lane	Sewer B/U	Dry City Flushed Line
3/9/2007	4:00 PM	398 W	17th	St	Sewer B/U	Dry City Flushed Line
3/10/2007	7:30 AM	381 W	16th	Pl	Sewer B/U	Dry City Flushed Line
3/11/2007	11:35 AM	254	Sherry	Lane	Sewer B/U	Dry City Flushed Line

Date	Time	Location		Cause		Weather	Disposition	Actions
		Ave	Sewer B/U	Rain	City	Rain	Flushed Line	Flushed Line
3/22/2007	3:30 PM	306	Ashland	Sewer B/U		Rain		
3/22/2007	6:30 PM	148 W	Elmwood	Sewer B/U	Rain	City	Flushed Line	Flushed Line
3/23/2007	4:00 PM	264 W	16th	St	Sewer B/U	Rain	City	Overload
3/23/2007	6:20 PM	365	Sherry	Lane	Sewer B/U	Rain	Owners	N/A
3/25/2007	5:40 PM	288 W	16th	Pl	Sewer B/U	Rain	City	Flushed Line
3/25/2007	10:10 AM	450	Grovesnor		Sewer B/U	Dry	Owners	Flushed Line
4/6/2007	11:15 PM	188 W	Normandy		Sewer B/U	Dry	Owners	N/A
4/10/2007	1:39 AM	1212	Peggy	Lane	Sewer B/U	Dry	City	Flushed Line
4/11/2007	4:00 PM	264 W	16th	St	Sewer B/U	Rain	City	Overload
4/11/2007	4:00 PM	1664	Buena Vista	Ave	Sewer B/U	Rain	City	Flushed Line
4/11/2007	6:00 PM	68	Holbrook		Water In Basement	Rain	Owners	N/A
4/11/2007	4:00 PM	807	McArthur		Water In Basement	Rain	Owners	N/A
4/14/2007	3:30 PM	1911	Adams		Sewer B/U	Dry	City	Flushed Line
4/25/2007	6:49 AM				Water In Street	Rain	City	Overload
4/25/2007	6:00 AM				Water In Street	Rain	City	Overload
4/25/2007	2:01 PM				Catch Basins	Rain	City	Cleaned
4/25/2007	1:15 PM	102 W	15th	St	Water In Basement	Rain	City	Overload
4/25/2007	9:15 AM	243 W	15th	Pl	Sewer B/U	Rain	City	Overload
4/25/2007	9:10 AM	311 W	15th	Pl	Sewer B/U	Rain	City	Overload
4/25/2007	8:00 AM	322 W	15th	Pl	Sewer B/U	Rain	City	Overload
4/25/2007	6:58 AM	258 W	15th	Pl	Sewer B/U	Rain	City	Overload
4/25/2007	8:30 AM	194 W	16th	St	Water In Basement	Rain	City	Overload
4/25/2007	3:40 PM	285 W	16th	St	Sewer B/U	Rain	City	Overload
4/25/2007	9:00 AM	289 W	16th	Pl	Water In Basement	Rain	City	Overload
4/25/2007	11:40 AM	414 W	16th	St	Water In Basement	Rain	City	Overload
4/25/2007	3:21 PM	521 W	16th	St	Sewer B/U	Rain	City	Overload
4/25/2007	1:19 PM	521 W	16th	St	Inquiry	Rain	N/A	N/A
4/25/2007	9:18 AM	480 W	16th	St	Sewer B/U	Rain	City	Overload
4/25/2007	2:45 PM	480 W	16th	St	Water In Basement	Rain	City	Overload
4/25/2007	7:10 AM	398 W	17th	St	Water In Basement	Rain	City	Overload
4/25/2007	9:45 PM	123 E	23rd	St	Sewer B/U	Rain	City	Overload
4/25/2007	7:18 AM	36 W	24th	St	Sewer B/U	Rain	City	Overload
4/25/2007	1:40 PM	187 E	24th	St	Water In Basement	Rain	City	Overload

Date	Time	Location	Cause	Weather	Disposition	Actions
4/25/2007	12:30 PM	189 E 24th	Sewer B/U	Rain	City	Overload
4/25/2007	11:50 AM	198 E 24th	St	Water In Basement	Rain	City
4/25/2007	9:22 AM	328 E 25th	St	Sewer B/U	Rain	Overload
4/25/2007	6:15 AM	1900 Andover	St	Sewer B/U	Rain	Flushed Line
4/25/2007	5:30 AM	306 Ashland Ave	Sewer B/U	Rain	City	Overload
4/25/2007	9:32 AM	729 Ashland Ave	Sewer B/U	Rain	City	Overload
4/25/2007	7:15 AM	264 Bradley	Sewer B/U	Rain	City	Overload
4/25/2007	8:33 AM	1714 Campbell	Sewer B/U	Rain	City	Overload
4/25/2007	7:44 AM	305 Concord	Sewer B/U	Rain	City	Overload
4/25/2007	4:45 AM	95 E Craig Dr	Sewer B/U	Rain	Owners	N/A
4/25/2007	6:59 AM	126 Doris	Sewer B/U	Rain	City	Overload
4/25/2007	6:40 AM	148 W Elmwood	Water In Crawl Space	Rain	Owners	Overload
4/25/2007	1:38 PM	605 Emerald	Sewer B/U	Rain	City	Overload
4/25/2007	5:30 AM	1227 Emerald	Sewer B/U	Rain	City	Flushed Line
4/25/2007	10:25 AM	652 Enterprise	Water In Basement	Rain	City	Overload
4/25/2007	9:00 AM	55 Frances Ln	Sewer B/U	Rain	City	Overload
4/25/2007	7:01 AM	65 Frances	Sewer B/U	Rain	City	Overload
4/25/2007	8:11 AM	Frederick	Water In Street	Rain	City	Overload
4/25/2007	9:03 AM	1309 Garden	Sewer B/U	Rain	Owners	Flushed Line
4/25/2007	6:48 AM	20 E Greenbriar	Catch Basin Full	Rain	City	Overload
4/25/2007	12:48 PM	20 E Greenbriar	Check C/B	Rain	City	Overload
4/25/2007	5:30 PM	615 Halsted	Sewer B/U	Rain	City	Overload
4/25/2007	1:10 PM	615 Halsted	Water In Basement	Rain	City	Overload
4/25/2007	8:20 AM	625 Halsted	Water In Basement	Rain	City	Overload
4/25/2007	9:20 AM	279 W Hickory	Sewer B/U	Rain	Owners	Flushed Line
4/25/2007	2:30 PM	146 Joyce	Sewer B/U	Rain	City	Overload
4/25/2007	10:30 AM	450 Longwood	Sewer B/U	Rain	City	Overload
4/25/2007	6:15 AM	450 Longwood	Water In Street	Rain	City	Overload
4/25/2007	7:45 PM	443 Longwood	Yard Flooded	Rain	Owners	Unfounded
4/25/2007	9:05 AM	602 Lowe	Sewer B/U	Rain	City	Overload
4/25/2007	10:05 AM	614 Lowe	Water In Basement	Rain	City	Overload
4/25/2007	9:15 AM	203 Lynn	Water In Basement	Rain	City	Overload
4/25/2007	7:45 AM	213 Lynn	Sewer B/U	Rain	City	Overload

Date	Time	Location	Cause	Weather	Disposition	Actions
				Rain	City	Overload
4/25/2007	8:25 AM	283 Lynn	Ln Water In Basement	Rain	Owners	Overload
4/25/2007	8:52 AM	231 Lynn	Ln Water in Yard	Rain	City	Barracades
4/25/2007	6:56 AM	Main & Halsted	Water in Street	Rain	City	Barracades
4/25/2007	6:56 AM	Main & Halsted	Water in Street	Rain	City	
4/25/2007	2:00 PM	72 Manchester	Water In Basement	Rain	City	Overload
4/25/2007	7:55 AM	133 S Mayfair	Pl Water In Basement	Rain	City	Overload
4/25/2007	7:50 AM	109 Mildred	Sewer B/U	Rain	City	Overload
4/25/2007	9:20 AM	109 Mildred	Water In Basement	Rain	City	Overload
4/25/2007	3:00 PM	221 W Normandy	Water In Basement	Rain	City	Overload
4/25/2007	7:35 AM	288 W Normandy	Water in Street	Rain	City	Overload
4/25/2007	7:02 AM	1235 Orchard	Sewer B/U	Rain	City	Overload
4/25/2007	9:41 AM	183 Parkside	Ave Sewer B/U	Rain	City	Overload
4/25/2007	10:49 AM	282 Pleasant	Water in Street	Rain	City	Overload
4/25/2007	6:50 AM	347 Sandra	Sewer B/U	Rain	City	Overload
4/25/2007	7:03 AM	408 Sandra	Water in Yard	Rain	City	Overload
4/25/2007	1:44 PM	576 Saratoga	Sewer B/U	Rain	City	Overload
4/25/2007	4:45 AM	184 Serena	Sewer B/U	Rain	City	Overload
4/25/2007	6:45 AM	185 Serena	Sewer B/U	Rain	City	Overload
4/25/2007	8:35 AM	331 Standish	Water In Basement	Rain	City	Overload
4/25/2007	8:50 AM	622 Union	Sewer B/U	Rain	City	Overload
4/25/2007	11:19 AM	1230 West End	Ave Sewer B/U	Rain	City	Flushed Line
4/25/2007	2:40 PM	1230 West End	Ave Sewer B/U	Rain	City	Flushed Line
4/25/2007	6:30 PM	1230 West End	Ave Sewer B/U	Rain	City	Flushed Line
4/25/2007	9:30 AM	1230 West End	Ave Water In Basement	Rain	City	Flushed Line
4/25/2007	4:35 PM	1234 West End	Ave Sewer B/U	Rain	City	Flushed Line
4/25/2007	8:05 AM	1234 West End	Ave Sewer B/U	Rain	City	Flushed Line
4/25/2007	8:19 AM	738 Willow	Sewer B/U	Rain	City	Overload
4/25/2007	7:20 AM	750 Willow	Sewer B/U	Rain	City	Overload
4/25/2007	6:30 PM	750 Willow	Sewer B/U	Rain	City	Overload
4/25/2007	9:18 AM	1530 Wilson	Sewer B/U	Rain	City	Flushed Line
4/25/2007	3:00 AM	1530 Wilson	Sewer B/U	Rain	City	Overload
4/25/2007	4:45 AM	594 Yorktown	Sewer B/U	Dry	City	Flushed Line
4/28/2007	9:25 PM	16 E Greenbriar	Sewer B/U	Dry	City	Flushed Line

Date	Time	Location	Cause	Weather	Disposition	Actions
5/28/2007	10:30 AM	437 W 16th	St Sewer B/U	Dry	Owners	N/A
5/28/2007	5:00 PM	437 W 16th	St Sewer B/U	Dry	Owners	N/A
5/28/2007	10:30 PM	63 Frances	Ln Sewer B/U	Dry	City	Flushed Line
6/5/2007	4:45 PM	69 Peyton	Sewer B/U	Dry	Owners	Flushed Line
6/6/2007	12:15 AM	1950 Beacon	Blvd Sewer B/U	Dry	City	Flushed Line
6/13/2007	11:00 PM	726 Willow	Sewer B/U	Dry	City	Flushed Line
6/15/2007	2:41 PM	481 Hamilton Woods	Leaking into Creek	Dry	City	Flushed Line
6/19/2007	3:29 AM	185 Serena	Sewer B/U	Dry	Owners	N/A
6/30/2007	10:30 AM	180 Thelma	Sewer B/U	Dry	City	Flushed Line
7/13/2007	5:53 PM	1648 Buena Vista	Ave Sewer B/U	Dry	City	Flushed Line
7/18/2007	10:35 PM	556 Minette	Catch Basins	Dry	City	Cleaned
7/21/2007	9:20 AM	1945 Bunker	Sewer B/U	Dry	City	Flushed Line
7/21/2007	1:20 PM	1314 Lincoln	Ave Sewer B/U	Dry	City	Flushed Line
7/21/2007	10:50 AM	507 Shelly Lane	Sewer B/U	Dry	City	Flushed Line
7/22/2007	12:55 PM	1314 Lincoln	Ave Sewer B/U	Dry	City	Flushed Line
7/29/2007	10:35 AM	544 Andover	Sewer B/U	Dry	City	Flushed Line
8/1/2007	3:30 PM	Rosewood Heights	Line Blocked	Dry	City	Flushed Line
8/5/2007	9:15 PM	199 Martin	Sewer B/U	Dry	City	Flushed Line
8/8/2007	2:44 AM	398 W 17th	St Sewer B/U	Dry	City	Flushed Line
8/19/2007	12:55 PM	306 Ashland	Ave Pump Request	Rain	City	OK
8/19/2007	5:50 PM	1664 Buena Vista	Ave Sewer B/U	Rain	City	Flushed Line
8/19/2007	1:15 PM	648 Travers	Pump Request	Rain	City	OK
8/20/2007	4:10 PM	316 W 14th	St Sewer B/U	Rain	Owners	N/A
8/20/2007	5:25 PM	127 Doris	Sewer B/U	Rain	City	Flushed Line
8/20/2007	10:30 PM	523 Lowe	Sewer B/U	Rain	Owners	N/A
8/20/2007	7:30 PM	1530 Lowe	Sewer B/U	Rain	Owners	N/A
8/20/2007	4:35 PM	631 Ranger	Dye in water	Rain	Owners	Unknown
8/20/2007	5:00 PM	1902 Revere	Sewer B/U	Rain	City	Overload
8/20/2007	4:40 PM	185 Serena	Check Sewer in Backyard	Rain	City	OK
8/20/2007	4:30 PM	1232 Sunnyside	Sewer B/U	Rain	Owners	N/A
8/23/2007	N/A N/A	311 W 15th	Pl Sewer B/U	Rain	City	Overload
8/23/2007	5:15 AM	396 W 15th	St Sewer B/U	Rain	City	Overload
8/23/2007	N/A N/A	1233 Emerald	Sewer B/U	Rain	City	Flushed Line

Date	Time	Location		Cause	Weather	Disposition	Actions
		Sewer B/U	Rain	City			
8/23/2007	N/A	N/A	185	Serena			Overload
8/24/2007	N/A	N/A	414 W	15th	P1	Sewer B/U	Rain City Overload
8/24/2007	N/A	N/A	322	Concord		Sewer B/U	Rain City Overload
8/24/2007	N/A	N/A	146	Kathleen		Sewer B/U	Rain City Overload
8/24/2007	N/A	N/A	450	Longwood		Sewer B/U	Rain Com Ed Power Out
8/24/2007	N/A	N/A	331	Standish		Sewer B/U	Rain City Overload
8/24/2007	8:45 AM		482	Winchester		Sewer B/U	Rain Com Ed Power Out
8/25/2007	11:30 AM		1225	Peggy	Lane	Sewer B/U	Rain Owners Flushed Line
8/27/2007	5:33 PM		179	Martin		Man Hole Lid Missing	Rain City Replaced
8/29/2007	3:30 PM		490 W	16th	P1	Sewer B/U	Dry City Flushed Line
8/30/2007	3:30 PM		147 W	10th	St	Sewer B/U	Dry City Flushed Line
9/1/2007	4:35 PM		508 W	17th	St	Sewer B/U	Dry City Flushed Line
9/8/2007	1:00 PM		626	DeAngelis	Court	Sewer B/U	Dry Owners Flushed Line
9/15/2007	3:45 PM		521 W	16th	St	Sewer B/U	Dry City Flushed Line
10/9/2007	12:26 AM		185 W	Elmwood		Sewer B/U	Dry City Flushed Line
10/13/2007	2:15 PM		311 W	15th	P1	Sewer B/U	Dry City Flushed Line
10/13/2007	8:16 PM		162 W	Glengate		Sewer B/U	Dry City Flushed Line
10/14/2007	4:28 PM		199 E	7th	P1	Sewer B/U	Dry City Flushed Line
10/19/2007	8:35 PM		1419	Schilling		Man Hole Lid Missing	Dry City Replaced
10/23/2007	5:00 PM		267 W	15th	P1	Sewer B/U	Dry City Flushed Line
10/23/2007	4:42 PM		330 W	16th	St	Sewer B/U	Dry City Flushed Line
10/26/2007	6:57 PM		532	Winston		Sewer B/U	Dry City Flushed Line
10/27/2007	1:16 PM		1616	Thorn		Sewer B/U	Dry City Flushed Line
11/17/2007	8:10 AM		331	Westgate		Water Main Break	Dry City TOT Water Dept
11/18/2007	3:55 PM		305	Concord		Sewer B/U	Dry City Flushed Line
11/25/2007	10:05 AM		1950	Beacon	Blvd	Sewer B/U	Dry City Flushed Line
11/27/2007	10:30 PM		146	Kathleen		Sewer B/U	Dry City Flushed Line
11/28/2007	5:30 PM		1202	Piacenti		Sewer B/U	Dry Owners N/A
12/2/2007	9:45 PM		1235	Orchard		Sewer B/U	Dry City Flushed Line
12/7/2007	4:00 PM		521 w	16TH	St	Sewer B/U	Dry City Flushed Line
12/8/2007	5:00 PM		414 W	15th	P1	Sewer B/U	Dry City Flushed Line
12/11/2007	4:00 PM		414 W	15th	P1	Sewer B/U	Dry Owners N/A
12/11/2007	N/A	N/A	426 E	22nd	St	Sewer B/U	Dry City Flushed Line

Date	Time	Location	Cause	Weather	Disposition	Actions
12/11/2007	N/A N/A	430 E 22nd	St	Sewer B/U	Dry	City
12/11/2007	7:42 PM	144 Emelia	Sewer B/U	Dry	City	Flushed Line
12/11/2007	N/A N/A	1233 Emerald	Sewer B/U	Dry	City	Flushed Line
12/11/2007	4:00 PM	1216 Sunnyside	Sewer B/U	Dry	Owners	Flushed Line
12/12/2007	5:30 AM	1333 West End Ave	Sewer B/U	Dry	City	Flushed Line
12/21/2007	4:35 PM	750 Willow	Sewer B/U	Dry	City	Flushed Line
12/22/2007	1:30 PM	331 Westgate	Sewer B/U	Dry	Owners	Flushed Line
12/23/2007	9:30 AM	288 W Normandy	Sewer B/U	Dry	City	Flushed Line
12/27/2007	3:35 PM	181 Hillcrest	Sewer B/U	Dry	City	Flushed Line
12/27/2007	2:51 PM	531 Parnell	Hole over sewer	Dry	City	Repaired
1/7/2008	8:20 PM	106 E 13th	Water in basement	Rain	City	Flushed Line
1/7/2008	7:00 PM	199 W 14th	Water in basement	Rain	City	Overload
1/7/2008	8:40 PM	222 W 14th	Sewer B/U	Rain	City	Overload
1/7/2008	9:05 PM	423 W 15th	St	Sewer B/U	Rain	City
1/7/2008	N/A N/A	15th & Chicago Rd	Water In Street	Rain	City	Overload
1/7/2008	N/A N/A	521 W 16th	St	Sewer B/U	Rain	City
1/7/2008	N/A N/A	35 W 24th	St	Sewer B/U	Rain	City
1/7/2008	8:15 PM	Abbott & Bradley	Water in Street	Rain	City	Overload
1/7/2008	7:15 PM	65 Arquilla	Water in Street	Rain	City	Overload
1/7/2008	N/A N/A	64 Bradley	Water in Street	Rain	City	Overload
1/7/2008	N/A N/A	591 Brookline	Water In Street	Rain	City	Overload
1/7/2008	8:15 PM	342 Carey Ct	Water In Street	Rain	City	Overload
1/7/2008	N/A N/A	322 Concord	Sewer B/U	Rain	City	Overload
1/7/2008	9:39 AM	170 Country Club	Sewer B/U	Rain	Owners	N/A
1/7/2008	7:05 PM	1924 Dartmouth	Water In Street	Rain	City	Overload
1/7/2008	10:50 PM	47 E Elmwood	Sewer B/U	Rain	City	Overload
1/7/2008	8:25 PM	135 W Elmwood	Sewer B/U	Rain	City	Overload
1/7/2008	N/A N/A	1233 Emerald	Water In Street	Rain	City	Overload
1/7/2008	N/A N/A	622 Enterprise	Water In Street	Rain	City	Overload
1/7/2008	7:10 PM	Fitch & Winston	Water In Street	Rain	City	Overload
1/7/2008	10:40 PM	63 Frances Ln	Sewer B/U	Rain	City	Overload
1/7/2008	N/A N/A	168 Fredrick	Water In Street	Rain	City	Overload
1/7/2008	N/A N/A	20 E Greenbriar	Water in Street	Rain	City	Overload

Date	Time	Location	Cause	Weather	Disposition	Actions
1/7/2008	8:21 PM	26 E Greenbriar	Water in basement	Rain City		Flushed Line
1/7/2008	9:30 PM	531 Grovesnor	Sewer B/U	Rain	Owners	Flushed Line
1/7/2008	9:25 PM	615 Halsted	Water in Basement	Rain City		Overload
1/7/2008	7:30 PM	146 Kathleen	Sewer B/U	Rain		Overload
1/7/2008	7:05 PM	443 Longwood	Water In Street	Rain City		Overload
1/7/2008	N/A N/A	501 Longwood	Water In Street	Rain City		Overload
1/7/2008	9:30 PM	504 N Manchester	Sewer B/U	Rain		Flushed Line
1/7/2008	8:25 PM	133 S Mayfair	Pi	Water in Basement	Rain City	Overload
1/7/2008	7:15 PM	157 Mayfair	Pi	Water In Street	Rain City	Overload
1/7/2008	6:45 PM	545 Minette	Water In Street	Rain		Overload
1/7/2008	N/A N/A	320 Patricia	Water In Street	Rain City		Overload
1/7/2008	5:55 PM	631 Ranger	Request Pump	Rain		Placed
1/7/2008	7:15 PM	213 N Raye	Dr	Water In Street	Rain	Overload
1/7/2008	6:30 PM	185 Serena	Sewer B/U	Rain		Overload
1/7/2008	N/A N/A	296 Sherry	Lane Water In Street	Rain		Overload
1/7/2008	7:15 PM	375 Sherry	Lane Water In Street	Rain		Overload
1/7/2008	8:00 PM	375 Sherry	Lane Water In Street	Rain		Overload
1/7/2008	9:05 PM	175 Thelma	Water in Basement	Rain		Overload
1/7/2008	8:10 PM	180 Thelma	Water in Basement	Rain		Overload
1/7/2008	8:00 PM	648 Travers	Sewer B/U	Rain		Overload
1/7/2008	9:26 PM	1226 West End	Ave	Sewer B/U	Rain	Flushed Line
1/7/2008	8:33 PM	1234 West End	Ave	Sewer B/U	Rain	Flushed Line
1/7/2008	9:26 PM	738 Willow	Sewer B/U	Rain		Overload
1/7/2008	8:50 PM	750 Willow	Sewer B/U	Rain		Overload
1/7/2008	9:45 PM	1530 Wilson	Sewer B/U	Rain		Overload
1/7/2008	7:10 PM	1530 Wilson	Water in basement	Rain		Overload
1/7/2008	8:50 PM	1937 Yale	Sewer B/U	Rain	Owners	N/A
1/7/2008	N/A N/A	Yortown & Enterprise	Water In Street	Rain		Overload
1/8/2008	8:10 PM	294 W 10th	St	Sewer B/U	Rain	Owners
1/8/2008	9:11 AM	86 E 12th	St	Sewer B/U	Rain	Overload
1/8/2008	8:33 AM	222 W 12th & Wentworth	Water In Street	Rain		Overload
1/8/2008	11:28 AM	222 W 14th	St	Sewer B/U	Rain	Flushed Line
1/8/2008	4:35 AM	222 W 14th	St	Sewer B/U	Rain	Overload

Date	Time	Location	Cause	Weather	Disposition	Actions
1/8/2008	8:26 AM	225 W 14th	Pl Sewer B/U	Rain City	Overload	
1/8/2008	4:45 PM	225 W 14th	Pl Sewer B/U	Rain City	Overload	
1/8/2008	12:45 PM	227 W 14th	Pl Sewer B/U	Rain City	Overload	
1/8/2008	11:50 AM	227 W 14th	Pl Sewer B/U	Rain City	Overload	
1/8/2008	8:45 AM	294 W 14th	St Sewer B/U	Rain City	Overload	
1/8/2008	1:11 PM	243 W 15th	Pl Sewer B/U	Rain City	Overload	
1/8/2008	2:38 PM	245 W 15th	Pl Sewer B/U	Rain City	Overload	
1/8/2008	10:20 AM	245 W 15th	Pl Sewer B/U	Rain City	Overload	
1/8/2008	7:25 AM	252 W 15th	Pl Sewer B/U	Rain City	Overload	
1/8/2008	12:21 PM	255 W 15th	Pl Sewer B/U	Rain City	Overload	
1/8/2008	12:56 PM	255 W 15th	Pl Sewer B/U	Rain City	Overload	
1/8/2008	11:40 AM	267 W 15th	Pl Sewer B/U	Rain City	Overload	
1/8/2008	2:47 AM	267 W 15th	Pl Sewer B/U	Rain City	Overload	
1/8/2008	9:37 AM	270 W 15th	Pl Sewer B/U	Rain City	Overload	
1/8/2008	4:05 PM	322 W 15th	Pl Sewer B/U	Rain City	Overload	
1/8/2008	2:40 PM	398 W 15th	Pl Sewer B/U	Rain City	Overload	
1/8/2008	1:22 PM	398 W 15th	Pl Sewer B/U	Rain City	Overload	
1/8/2008	11:20 AM	398 W 15th	Pl Sewer B/U	Rain City	Overload	
1/8/2008	8:15 AM	414 W 15th	Pl Sewer B/U	Rain City	Overload	
1/8/2008	6:59 AM	423 W 15th	St Sewer B/U	Rain City	Overload	
1/8/2008	7:00 PM	414 W 15th	Pl Sewer B/U	Rain Owners	N/A	
1/8/2008	4:40 PM	423 W 15th	St Sewer B/U	Rain Owners	N/A	
1/8/2008	8:50 AM	529 W 15th	Pl Sewer B/U	Rain Owners	Flushed Line	
1/8/2008	12:41 PM	260 W 16th	St Sewer B/U	Rain City	Overload	
1/8/2008	8:23 AM	264 W 16th	St Sewer B/U	Rain City	Overload	
1/8/2008	9:05 AM	312 W 16th	St Sewer B/U	Rain City	Overload	
1/8/2008	12:19 PM	330 W 16th	St Sewer B/U	Rain City	Overload	
1/8/2008	2:20 PM	376 W 16th	Pl Sewer B/U	Rain City	Overload	
1/8/2008	3:50 AM	376 W 16th	Pl Sewer B/U	Rain City	Overload	
1/8/2008	4:50 AM	480 W 16th	St Sewer B/U	Rain City	Overload	
1/8/2008	1:07 PM	521 W 16th	St Sewer B/U	Rain City	Overload	
1/8/2008	2:15 PM	400 W 17th	St Sewer B/U	Rain City	Overload	
1/8/2008	6:52 AM	346 E 22nd	St Sewer B/U	Rain Owners	N/A	

Date	Time	Location	Cause	Weather	Disposition	Actions
1/8/2008	8:28 AM	426 E 22nd	Sewer B/U	Rain	Owners	N/A
1/8/2008	11:15 AM	426 E 22nd	Sewer B/U	Rain	Owners	N/A
1/8/2008	8:28 AM	430 E 22nd	Sewer B/U	Rain	Owners	N/A
1/8/2008	10:23 AM	89 W 23rd	Water In Street	Rain	City	Overload
1/8/2008	8:22 AM	40 W 23rd	Sewer B/U	Rain	Owners	N/A
1/8/2008	1:20 PM	223 E 23rd	Sewer B/U	Rain	Owners	N/A
1/8/2008	10:18 AM	59 W 24th	Sewer B/U	Rain	Owners	N/A
1/8/2008	10:11 AM	191 E 24th	Sewer B/U	Rain	Owners	N/A
1/8/2008	11:02 AM	144 E 24th	Sewer B/U	Rain	Owners	N/A
1/8/2008	11:44 AM	328 E 25th	Sewer B/U	Rain	Owners	N/A
1/8/2008	7:44 AM	342 E 25th	Sewer B/U	Rain	Owners	N/A
1/8/2008	9:47 AM	401 N Arquilla	Sewer B/U	Rain	Owners	N/A
1/8/2008	11:59 PM	401 N Arquilla	Sewer B/U	Rain	Owners	N/A
1/8/2008	8:25 AM	434 Arquilla	Sewer B/U	Rain	Owners	N/A
1/8/2008	9:47 AM	401 N Arquilla	Sewer B/U	Rain	Owners	N/A
1/8/2008	11:59 PM	401 N Arquilla	Sewer B/U	Rain	Owners	N/A
1/8/2008	8:25 AM	434 Arquilla	Sewer B/U	Rain	Owners	N/A
1/8/2008	9:00 AM	1224 Ashland Ave	Sewer B/U	Rain	Owners	N/A
1/8/2008	7:33 AM	352 N Boston	Sewer B/U	Rain	City	Overload
1/8/2008	2:11 PM	313 Bradley	Sewer B/U	Rain	City	N/A
1/8/2008	9:25 AM	734 Campbell	Sewer B/U	Rain	City	Overload
1/8/2008	12:14 PM	743 Campbell	Sewer B/U	Rain	City	Overload
1/8/2008	2:58 PM	1330 Campbell	Sewer B/U	Rain	City	Overload
1/8/2008	9:05 N/A	1714 Campbell	Sewer B/U	Rain	City	Overload
1/8/2008	7:43 AM	Carey Ct	Sewer B/U	Rain	City	Overload
1/8/2008	4:21 AM	1244 Center	Sewer B/U	Rain	City	Overload
1/8/2008	10:25 AM	19508 Chicago Heights-Glenwood Rd	Sewer B/U	Rain	City	Overload
1/8/2008	8:34 AM	305 Concord	Sewer B/U	Rain	City	Overload
1/8/2008	12:55 PM	322 Concord	Sewer B/U	Rain	City	Overload
1/8/2008	2:04 PM	174 Country Club	Sewer B/U	Rain	City	Overload
1/8/2008	5:00 PM	1225 D'Amico	Sewer B/U	Rain	City	Overload
1/8/2008	7:40 AM	156 Dawn	Sewer B/U	Rain	City	Overload
1/8/2008	12:46 PM	165 Dawn	Sewer B/U	Rain	City	Overload

Date	Time	Location	Cause	Weather	Disposition	Actions
1/8/2008	12:13 PM	181	Dawn	Sewer B/U	Rain	City Overload
1/8/2008	9:57 AM	185	Dawn	Sewer B/U	Rain	City Overload
1/8/2008	2:16 PM	611	DeAngelis Court	Sewer B/U	Rain	City Overload
1/8/2008	4:10 PM	1137	Division	Sewer B/U	Rain	City Overload
1/8/2008	6:47 AM	1410	Edgewood	Sewer B/U	Rain	City Overload
1/8/2008	9:29 AM	47	Elmwood	Sewer B/U	Rain	City Overload
1/8/2008	8:47 AM	87	Elmwood	Sewer B/U	Rain	City Overload
1/8/2008	9:00 AM	148	Elmwood	Sewer B/U	Rain	City Overload
1/8/2008	1:35 PM	239	W Elmwood	Sewer B/U	Rain	City Overload
1/8/2008	11:02 AM	278	W Elmwood	Sewer B/U	Rain	City Overload
1/8/2008	9:09 AM	434	Emerald	Sewer B/U	Rain	City Overload
1/8/2008	9:55 AM	533	Emerald	Sewer B/U	Rain	City Overload
1/8/2008	7:05 AM	482	Fitch	Water In Street	Rain	City Overload
1/8/2008	7:55 AM	121	S Floyd	Sewer B/U	Rain	City Overload
1/8/2008	12:25 PM	63	Frances Ln	Sewer B/U	Rain	City Overload
1/8/2008	7:28 AM	220	W Glengate	Sewer B/U	Rain	City Flushed Line
1/8/2008	11:14 AM	333	W Glengate	Sewer B/U	Rain	City Overload
1/8/2008	8:28 AM	156	W Greenbriar	Sewer B/U	Rain	City Overload
1/8/2008	12:00 PM	531	Grovesnor	Sewer B/U	Rain	City Owners N/A
1/8/2008	10:41 AM	501	Halsted	Sewer B/U	Rain	City Overload
1/8/2008	8:44 AM	629	Halsted	Sewer B/U	Rain	City Overload
1/8/2008	8:28 AM	629	Halsted	Sewer B/U	Rain	City Overload
1/8/2008	12:01 PM	1508	Hanover	Sewer B/U	Rain	City Pumped Out
1/8/2008	4:50 AM	365	W Hickory	Sewer B/U	Rain	City Flushed Line
1/8/2008	7:45 AM	155	Hillcrest	Sewer B/U	Rain	City Overload
1/8/2008	8:50 AM	264	Holbrook	Sewer B/U	Rain	City Overload
1/8/2008	12:28 PM	300	Holbrook	Sewer B/U	Rain	City Overload
1/8/2008	8:45 AM	351	Iris	Sewer B/U	Rain	City Overload
1/8/2008	6:34 AM	358	Iris	Sewer B/U	Rain	City Overload
1/8/2008	10:01 AM	360	Iris	Sewer B/U	Rain	City Overload
1/8/2008	8:36 AM	71	E Joe Orr	Sewer B/U	Rain	City Overload
1/8/2008	10:36 AM	271	E Joe Orr	Sewer B/U	Rain	City Overload
1/8/2008	10:48 AM	233	W Joe Orr	Water in Lot	Rain	Owners Overload

Date	Time	Location	Cause	Weather	Disposition	Actions
1/8/2008	12:16 PM	146 Kathleen	Sewer B/U	Rain	City	Flushed Line
1/8/2008	7:09 AM	175 Kathleen	Sewer B/U	Rain	City	Flushed Line
1/8/2008	5:55 PM	175 Kathleen	Sewer B/U	Rain	City	Flushed Line
1/8/2008	2:05 PM	1211 Lincoln	Sewer B/U	Rain	City	Overload
1/8/2008	8:21 AM	1216 Lincoln	Sewer B/U	Rain	City	Overload
1/8/2008	8:36 AM	450 Longwood	Sewer B/U	Rain	City	Overload
1/8/2008	10:36 AM	209 Lynn	Sewer B/U	Rain	City	Overload
1/8/2008	9:46 AM	213 Lynn	Sewer B/U	Rain	City	Overload
1/8/2008	6:55 AM	213 Lynn	Sewer B/U	Rain	City	Overload
1/8/2008	7:33 AM	220 Lynn	Sewer B/U	Rain	City	Overload
1/8/2008	11:35 AM	269 Lynn	Sewer B/U	Rain	City	Overload
1/8/2008	11:00 AM	401 Manchester	Sewer B/U	Rain	City	Flushed Line
1/8/2008	9:15 AM	199 W Maple	Sewer B/U	Rain	City	Overload
1/8/2008	4:41 PM	816 W Maple	Catch Basins	Rain	City	Running
1/8/2008	12:17 PM	199 Martin	Sewer B/U	Rain	City	Overload
1/8/2008	8:56 AM	126 S Mayfair	PI	Sewer B/U	Rain	Overload
1/8/2008	7:48 AM	133 S Mayfair	PI	Sewer B/U	Rain	Overload
1/8/2008	11:58 PM	133 S Mayfair	PI	Sewer B/U	Rain	Overload
1/8/2008	12:05 AM	168 N. Mayfair	PI	Sewer B/U	Rain	Overload
1/8/2008	9:58 AM	99 Mildred	Sewer B/U	Rain	City	Overload
1/8/2008	9:01 AM	125 Mildred	Sewer B/U	Rain	City	Overload
1/8/2008	9:01 AM	130 Mildred	Sewer B/U	Rain	City	Overload
1/8/2008	4:30 PM	130 Mildred	Sewer B/U	Rain	City	Overload
1/8/2008	11:34 AM	135 Mildred	Manhole Overload	Rain	City	Overload
1/8/2008	9:23 AM	208 Morgan	Sewer B/U	Rain	City	Overload
1/8/2008	9:08 AM	401 Normal	Water In Street	Rain	City	Overload
1/8/2008	8:57 AM	204 W Normandy	Sewer B/U	Rain	City	Overload
1/8/2008	10:46 AM	264 N Normandy	Sewer B/U	Rain	City	Overload
1/8/2008	4:12 PM	288 W Normandy	Sewer B/U	Rain	City	Overload
1/8/2008	7:05 AM	1235 Orchard	Blvd	Sewer B/U	Owners	N/A
1/8/2008	11:35 AM	1313 Otto	Standing Water	Rain	City	Overload
1/8/2008	12:41 PM	Pamela & Peyton	Standing Water	Rain	Owners	N/A
1/8/2008	7:43 AM	129 Parkside Ave	Standing Water	Rain	Owners	N/A

Date	Time	Location	Cause	Weather	Disposition	Actions
1/8/2008	7:24 AM	411	Parnell	Catch Basins	Rain	City Cleaned
1/8/2008	7:26 AM	94	Peyton	Sewer B/U	Rain	City Overload
1/8/2008	9:35 AM		Pleasant	Catch Basins	Rain	City Cleaned
1/8/2008	8:06 AM	1653	School	Water in Basement	Rain	Owners N/A
1/8/2008	9:55 AM	1301	Scott	Sewer B/U	Rain	City Overload
1/8/2008	8:23 AM	1529	Scott	Sewer B/U	Rain	City Overload
1/8/2008	7:28 AM	185	Serena	Sewer B/U	Rain	City Overload
1/8/2008	7:17 AM	357	Serena	Sewer B/U	Rain	City Overload
1/8/2008	12:24 PM	555	Shelly	Lane	Sewer B/U	Rain City Overload
1/8/2008	12:36 PM	125	Sherry	Lane	Sewer B/U	Rain City Overload
1/8/2008	9:33 AM	186	Sherry	Lane	Sewer B/U	Rain City Overload
1/8/2008	9:20 AM	296	Sherry	Lane	Water In Street	Rain City Overload
1/8/2008	7:08 AM	380	Sherry	Lane	Water In Street	Rain City Overload
1/8/2008	10:31 AM	258	Southgate	Sewer B/U	Rain	City Overload
1/8/2008	8:30 AM	335	Standish	Water In Street	Rain	City Overload
1/8/2008	9:40 AM	343	Standish	Water In Street	Rain	City Overload
1/8/2008	10:26 AM	140	Thelma	Sewer B/U	Rain	City Overload
1/8/2008	8:09 AM	166	Thelma	Sewer B/U	Rain	City Overload
1/8/2008	8:22 AM	166	Thelma	Sewer B/U	Rain	City Overload
1/8/2008	8:41 AM	909	Thomas	Sewer B/U	Rain	Owners N/A
1/8/2008	4:00 AM	1230	West End	Ave	Sewer B/U	Rain City Flushed Line
1/8/2008	4:51 AM	440	Westgate	N/A	Rain	N/A
1/8/2008	9:52 AM	605	Willow	Sewer B/U	Rain	City Overload
1/8/2008	7:30 AM	738	Willow	Sewer B/U	Rain	City Overload
1/8/2008	7:43 AM	850	Willow	Sewer B/U	Rain	City Overload
1/9/2008	7:21 AM	264	W 16th	St	Sewer B/U	Rain Owners N/A
1/9/2008	11:53 AM	358	W 16th	Pl	Sewer B/U	Rain Owners N/A
1/9/2008	11:58 AM	161	Mayfair	Pl	Sewer B/U	Rain Owners N/A
1/9/2008	12:35 AM	204	Normandy	Water in Basement	Sewer B/U	Rain Owners N/A
1/9/2008	10:25 AM	555	Shelly	Lane	Sewer B/U	Rain Owners N/A
1/9/2008	10:55 AM	1526	Thorn	Sewer B/U	Rain Owners N/A	
1/9/2008	9:11 AM	1508	Wentworth	Sewer B/U	Rain Owners N/A	

Date	Time	Location			Cause	Weather	Disposition	Actions
		258 W	15th	Pl	Sewer B/U	Rain	City	Flushed Line
1/11/2008	1:25 PM	358 W	16th	Pl	Bubbling sounds	Dry	Owners	OK
2/1/2008	8:35 AM	56 W	Main	St	Sewer B/U	Dry	City	Flushed Line
2/2/2008	7:50 PM	521 W	16th	St	Sewer B/U	Dry	City	Flushed Line
2/4/2008	8:05 PM	351	Iris		Sewer B/U	Dry	Owners	N/A
2/4/2008	8:38 AM	1947	Yale		Sewer B/U	Dry	City	Flushed Line
2/4/2008	7:20 PM	1639	Buena Vista	Ave	Sewer B/U	Dry	City	Flushed Line
2/5/2008	8:20 AM	146	Constance		Sewer B/U	Dry	Owners	N/A
2/5/2008	9:30 AM	351	Iris		Sewer B/U	Dry	Owners	N/A
2/5/2008	7:15 AM	220	Lynn	Ln	Sewer B/U	Dry	Owners	N/A
2/5/2008	4:30 PM	283 W	Raye	Dr	Sewer B/U	Dry	Owners	N/A
2/5/2008	9:00 AM	583	Yorktown		Sewer B/U	Dry	City	Flushed Line
2/5/2008	10:15 AM	579	Yorktown		Sewer B/U	Dry	City	Flushed Line
2/6/2008	9:06 AM	43 E	Elmwood		Sewer B/U	Dry	Owners	Flushed Line
2/6/2008	8:45 AM	1653	Thorn		Sewer B/U	Dry	Owners	N/A
2/9/2008	10:00 PM	1950	Beacon	Blvd	Sewer B/U	Dry	City	Flushed Line
2/9/2008	1:00 PM	1608	Hanover		Sewer B/U	Dry	City	Flushed Line
2/11/2008	8:30 PM	1657	Sunnyside		Sewer B/U	Dry	Owners	N/A
2/12/2008	7:25 AM	1657	Sunnyside		Sewer B/U	Dry	Owners	N/A
2/12/2008	5:30 PM	644	Travers		Sewer B/U	Dry	Owners	N/A
2/12/2008	4:55 PM	644	Travers		Sewer B/U	Dry	Owners	N/A
2/13/2008	12:57 PM	268 W	Normandy		Sewer B/U	Dry	Owners	N/A
2/16/2008	4:00 PM	243 W	15th	Pl	Sewer B/U	Dry	City	Flushed Line
2/17/2008	1:05 PM	187 E	7th	Pl	Sewer B/U	Rain	City	Flushed Line
2/17/2008	6:08 PM	334	Abbott		Sewer B/U	Rain	Owners	N/A
2/17/2008	2:10 PM	1639	Buena Vista	Ave	Sewer B/U	Rain	City	Flushed Line
2/17/2008	6:50 AM	1923	Cambridge		Sewer B/U	Rain	City	Flushed Line
2/17/2008	7:16 AM	322	Concord		Sewer B/U	Rain	City	Flushed Line
2/17/2008	4:50 PM	519	Emerald		Sewer B/U	Rain	Owners	N/A
2/17/2008	3:20 PM	586	Ranger		Sewer B/U	Rain	City	Overload
2/17/2008	6:52 PM	456	Ranger & Travers		Sewer B/U	Rain	City	Overload
2/17/2008	6:45 PM	343	Sandra		Sewer B/U	Rain	City	Overload
2/17/2008	11:40 AM		Standish	Water In Street		Rain	City	OK

Date	Time	Location	Cause	Weather	Disposition	Actions
2/17/2008	2:15 PM	598	Yorktown	Request Pump	Rain	Owners
2/18/2008	7:20 AM	519	Emerald	Sewer B/U	Rain	Owners
2/18/2008	2:30 AM	623	Saratoga	Sewer B/U	Rain	Owners
2/19/2008	4:00 PM	271	Plymouth	Sewer B/U	Dry	Owners
2/20/2008	1:22 PM	334	Abbott	Sewer B/U	Dry	City
2/21/2008	2:10 PM	623	Saratoga	Check Sewer	Dry	City
2/22/2008	10:55 AM	519	Emerald	Inquiry	Dry	Owners
2/25/2008	7:50 AM	1145	Parkview	Ave	Main Break	Dry
2/28/2008	6:22 PM	305	Concord	Sewer B/U	Dry	City
2/29/2008	11:30 PM	398	W 17th	St	Sewer B/U	Dry
2/29/2008	5:10 PM	398	W 17th	St	Sewer B/U	Dry
2/29/2008	5:00 PM	387	W Hickory	Sewer B/U	Dry	City
2/29/2008	4:30 PM	1132	Union	Sewer B/U	Dry	Owners
2/29/2008	10:50 AM	1101	Washington	Sewer B/U	Dry	Owners
3/1/2008	4:45 PM	147	W 10th	St	Sewer B/U	Dry
3/1/2008	9:05 PM		Joe Orr Lift Station	Power Out	Dry	Com Ed
3/3/2008	9:12 AM		14th Pl & Sunnyside	Catch Basins	Dry	City
3/3/2008	12:23 PM	615	Andover	Sewer B/U	Dry	City
3/3/2008	6:30 AM	184	Elder	Sewer B/U	Dry	Owners
3/3/2008	11:35 AM	135	Mildred	Check Sewer	Dry	City Down
3/4/2008	12:20 PM	1608	Hanover	Sewer B/U	Dry	Flushed Line
3/5/2008	11:40 AM	1313	Otto	Blvd	Sewer B/U	Dry
3/6/2008	1:06 PM	147	W 10th	St	Sewer B/U	Dry
3/8/2008	2:50 PM	306	Ashland	Ave	Sewer B/U	Dry
3/13/2008	7:30 PM	271	Plymouth	Sewer B/U	Dry	Owners
3/14/2008	1:34 PM	623	Saratoga	Sewer B/U	Dry	Owners
3/17/2008	12:00 PM	291	Boston	Sewer B/U	Dry	Owners
3/18/2008	4:47 PM	279	W Hickory	Sewer B/U	Dry	City
3/18/2008	12:25 PM	364	N Sherry	Lane	Sewer B/U	Dry
3/18/2008	N/A	N/A	Sherry & Lynn	Inquiry	Dry	Owners
3/19/2008	8:39 AM	291	N Boston	Sewer B/U	Dry	Owners
3/20/2008	11:44 AM	846	Willow	Sewer B/U	Dry	Owners
3/21/2008	7:00 PM	102	Peyton	Sewer B/U	Dry	City

Date	Time	Location	Cause	Weather	Disposition	Actions
3/21/2008	6:30 PM	1334 Scott	Sewer B/U	Dry	City	Flushed Line
3/24/2008	9:40 PM	1334 Scott	Sewer B/U	Dry	City	Flushed Line
3/25/2008	7:55 PM	1644 School	Sewer B/U	Dry	Owners	Flushed Line
3/26/2008	6:30 PM	Main & East End	Collapsed Sewer	Dry	City	Repaired
3/27/2008	8:19 AM	Main & Birmingham	Collapsed Sewer	Dry	City	Repaired
3/28/2008	9:33 AM	160 Thelma Iris	Sewer B/U	Dry	Owners	N/A
4/1/2008	8:55 AM	360 Iris	Catch Basins	Dry	City	Cleaned
4/1/2008	8:11 AM	118 W Normandy	Sewer B/U	Dry	City	Flushed Line
4/1/2008	8:57 AM	598 Saratoga	Sewer B/U	Dry	Owners	N/A
4/3/2008	8:59 AM	266 Plymouth	Sewer B/U	Dry	Owners	N/A
4/9/2008	6:37 AM	414 W 15th	Pl	Sewer B/U	Dry	City
4/9/2008	9:16 AM	358 W 16th	Pl	Sewer B/U	Dry	Owners
4/9/2008	9:01 AM	266 Plymouth	Sewer B/U	Dry	City	Flushed Line
4/10/2008	3:50 PM	354 E 24th	St	Sewer B/U	Dry	City
4/10/2008	6:59 AM	434 Arquilla	Sewer B/U	Dry	City	Flushed Line
4/10/2008	1:29 PM	473 Deer Trail	Water In Street	Dry	City	Cleaned
4/10/2008	9:12 AM	185 Serena	Sewer B/U	Dry	Owners	N/A
4/10/2008	5:20 PM	1536 Vincennes	Man Hole Covers	Dry	City	Barracades
4/10/2008	8:25 PM	1234 West End Ave	Sewer B/U	Dry	City	Flushed Line
4/12/2008	1:25 PM	21 Forest	Sewer B/U	Dry	City	Flushed Line
4/13/2008	7:00 AM	1714 Campbell	Sewer B/U	Dry	City	Flushed Line
4/14/2008	4:30 PM	21 Forest	Sewer B/U	Dry	Owners	N/A
4/16/2008	7:45 AM	158 W Elmwood	Sewer B/U	Dry	City	Flushed Line
4/17/2008	9:30 AM	330 W 16th	Water in basement	Dry	Owners	Flushed Line
4/17/2008	7:35 AM	133 Emelia	Inside Sump Running	Dry	Owners	Flushed Line
4/17/2008	4:20 PM	701 Union	Sewer B/U	Dry	Owners	N/A
4/18/2008	9:14 AM	227 W 14th	Pl	Sewer B/U	Dry	Flushed Line
4/18/2008	7:10 PM	701 Union	Sewer B/U	Dry	Owners	Flushed Line
4/19/2008	5:05 PM	197 E 7th	Pl	Sewer B/U	Dry	City
4/20/2008	1:35 PM	822 N Maple	Sewer B/U	Dry	Owners	Flushed Line
4/21/2008	6:35 PM	21 Forest	Sewer B/U	Dry	Owners	N/A
4/22/2008	6:15 PM	616 Lowe	Catch Basins	Dry	City	Cleaned
4/25/2008	9:25 AM	56 W 19th	St	Sewer B/U	Dry	City

Date	Time	Location	Cause	Weather	Disposition	Actions
4/25/2008	1:27 PM	354 E 24th	St	Sewer B/U	Dry	City Flushed Line
4/25/2008	9:30 PM	148 W Elmwood	Sewer B/U	Dry	City	Flushed Line
4/25/2008	9:28 AM	Longwood & Longwood Ct	Catch Basins	Dry	City	Cleaned
4/26/2008	12:30 PM	620 W 16th	St	Sewer B/U	Dry	Owners Flushed Line
4/27/2008	11:00 AM	193 Emelia	Sewer B/U	Dry	City	Flushed Line
4/27/2008	11:30 AM	822 Maple	Sewer B/U	Dry	City	Flushed Line
4/28/2008	10:52 AM	197 E 7th	Pl	Sewer B/U	Dry	City Flushed Line
4/29/2008	6:50 PM	193 Emelia	Sewer B/U	Dry	City	Flushed Line
4/29/2008	7:20 PM	1642 Ingrid	Sewer B/U	Dry	City	Flushed Line
4/29/2008	10:50 AM	593 Shelly	Lane	Sewer B/U	Dry	Owners Flushed Line
4/29/2008	10:44 AM	1228 Vincennes	Sewer B/U	Dry	Owners	N/A
4/30/2008	9:50 AM	187 E 7th	Pl	Sewer B/U	Dry	Owners N/A
4/30/2008	2:55 AM	1135 Grant	Sewer B/U	Dry	Owners	Flushed Line
5/1/2008	3:55 PM	202 Fredrick	Sewer B/U	Dry	American Pk Under Repair	
5/2/2008	9:10 AM	56 W 19th	St	Catch Basins	Dry	Cleaned
5/2/2008	2:08 PM	1911 Adams	Sewer B/U	Dry	City	Flushed Line
5/6/2008	8:25 AM	1639 Buena Vista Ave	Sewer B/U	Dry	Owners	Flushed Line
5/6/2008	10:49 AM	527 Normal	Sewer B/U	Dry	Owners	N/A
5/6/2008	10:30 AM	142 Striefff	Sewer B/U	Dry	Owners	Flushed Line
5/7/2008	4:15 PM	396 W 15th	St	Sewer B/U	Dry	Owners N/A
5/7/2008	8:35 AM	350 Iris	Sewer B/U	Dry	Owners	N/A
5/7/2008	3:18 PM	224 W Raye	Dr	Sewer B/U	Dry	American Pk Under Repair
5/7/2008	2:52 PM	371 Sherry	Lane	Sewer B/U	Dry	American Pk Under Repair
5/7/2008	6:00 PM	371 Sherry	Lane	Sewer B/U	Dry	In situform Under Repair
5/8/2008	8:28 AM	1639 Buena Vista Ave	Sewer B/U	Dry	Owners	N/A
5/8/2008	9:36 AM	1510 Shields	Sewer B/U	Dry	Owners	N/A
5/9/2008	3:30 PM	165 Pamela & Peyton	Sewer B/U	Dry	City	Flushed Line
5/9/2008	10:46 AM	701 Union	Sewer B/U	Dry	Owners	N/A
5/10/2008	8:30 PM	370 W Glengate	Man Hole Covers	Dry	City	Replaced
5/11/2008	7:41 AM	294 W 14th	St	Sewer B/U	Rain	City Flushed Line
5/11/2008	11:13 AM	423 W 15th	St	Sewer B/U	Rain	City Flushed Line
5/11/2008	8:25 AM	264 W 16th	St	Sewer B/U	Rain	City Flushed Line
5/11/2008	10:50 AM	156 Dawn	Sewer B/U	Rain	City	Flushed Line

Date	Time	Location		Cause	Weather	Disposition	Actions
5/11/2008	1:20 PM	288	W Normandy	Sewer B/U	Rain	City	Flushed Line
5/11/2008	3:30 PM	411	Parnell	Sewer B/U	Rain	City	Flushed Line
5/11/2008	11:10 AM	89	Peyton	Sewer B/U	Rain	City	Flushed Line
5/11/2008	7:55 AM	166	Sherry	Lane	Sewer B/U	Rain	Flushed Line
5/11/2008	9:40 AM	175	Thelma	Sewer B/U	Rain	Owner	Flushed Line
5/11/2008	10:15 AM	1226	West End	Ave	Sewer B/U	Rain	Flushed Line
5/11/2008	11:10 AM	738	Willow	Sewer B/U	Dry	Owner	N/A
5/11/2008	8:05 AM	1530	Wilson	Sewer B/U	Rain	City	Flushed Line
5/12/2008	2:06 PM	358	W 16th	PI	Check Sewer	Dry	OK
5/12/2008	9:22 AM	223	E 22nd	St	Sewer B/U	Dry	City
5/13/2008	N/A	N/A	227 W 14th	PI	Sewer B/U	Dry	Flushed Line
5/13/2008	6:57 AM	351	Iris	Sewer B/U	Dry	Owners	N/A
5/13/2008	1:41 PM	167	Strieff	Sewer B/U	Dry	City	Flushed Line
5/13/2008	3:21 PM	701	Union	Sewer B/U	Dry	Owners	N/A
5/16/2008	10:42 AM	11	W McElldowney	Sewer B/U	Dry	City	Flushed Line
5/16/2008	10:42 AM	15	W McElldowney	Sewer B/U	Dry	City	Flushed Line
5/17/2008	4:55 PM	238	W 15th	PI	Sewer B/U	Dry	City
5/23/2008	7:30 PM	62	Rosewood	Lane	Sewer B/U	Dry	City
5/25/2008	2:00 PM	350	Concord	Sewer B/U	Dry	Owners	N/A
5/28/2008	12:50 PM	194	W 16th	St	Sewer B/U	Dry	Owners
5/28/2008	9:17 AM	615	Andover	Man Hole Covers	Dry	City	Unfounded
6/3/2008	12:19 PM	1037	D'Amico	Catch Basins	Dry	City	Cleaned
6/5/2008	2:30 PM	227	W 14th	PI	Sewer B/U	Rain	City
6/5/2008	10:22 AM	239	W Elmwood	Sewer B/U	Rain	Owner	N/A
6/5/2008	9:21 AM	279	W Hickory	Sewer B/U	Rain	Owner	Flushed line
6/5/2008	8:35 AM	66	W Main	St	Sewer B/U	Rain	Owner
6/6/2008	2:42 PM	241	Westgate	Water in Street	Rain	City	Repaired
6/6/2008	2:42 PM	247	Westgate	Water in Street	Rain	City	Repaired
6/6/2008	10:44 PM	536	Winston	Power off Lift Station	Rain	Com Ed	Restored
6/7/2008	N/A	N/A	371	Sherry	Lane	Water in Street	Overload
6/7/2008	N/A	N/A	888	Theresa	Water in Street	Rain	Overload
6/8/2008	1:45 PM	291	Boston	Sewer B/U	Rain	Owners	N/A
6/9/2008	3:00 AM	529	W 15th	PI	Sewer B/U	Rain	Flush Line

Date	Time	Location	Cause	Weather	Disposition	Actions
6/9/2008	1:31 PM	1664 Buena Vista	Ave Sewer B/U	Rain	City	Flush Line
6/9/2008	7:34 AM	GlenGate & Arguilla	Water in Street	Rain	City	Overload
6/9/2008	5:55 PM	1334 Scott	Sewer B/U	Rain	City	Flush Line
6/17/2008	10:37 PM	560 W 14th	Sewer B/U	Dry	City	Flush Line
6/19/2008	2:41 PM	2000 East End	Sewer B/U	Dry	Owners	N/A
6/20/2008	11:49 AM	480 W 16th	Sewer B/U	Dry	City	Flush Line
6/23/2008	8:40 AM	1221 Lincoln	Sewer B/U	Dry	City	Flush Line
6/25/2008	11:32 AM	529 Minette	Sewer B/U	Dry	City	TOT Water Dept
6/27/2008	1:35 PM	726 Willow	Pump running	Dry	Owners	N/A
7/1/2008	1:47 PM	1214 Otto	Sewer B/U	Dry	Owner	N/A
7/5/2008	12:35 PM	1935 Bunker	Sewer B/U	Dry	City	Flushed Line
7/6/2008	5:10 PM	143 Elder	Sewer B/U	Dry	City	Flushed Line
7/7/2008	11:03 AM	185 W Elmwood	Sewer B/U	Dry	City	Flushed Line
7/7/2008	11:50 AM	199 Martin	Sewer B/U	Dry	City	Flushed Line
7/8/2008	6:15 PM	1664 Buena Vista	Ave Sewer B/U	Dry	City	Flushed Line
7/8/2008	10:15 PM	146 Kathleen	Sewer B/U	Dry	City	Flushed Line
7/11/2008	6:35 PM	176 Sherry	Lane Sewer B/U	Dry	City	Flushed Line
7/12/2008	11:50 PM	147 W 10th	St Sewer B/U	Dry	City	Flushed Line
7/15/2008	7:57 AM	147 W 10th	St Sewer B/U	Dry	Owner	N/A
7/15/2008	2:01 PM	1935 Bunker	Sewer B/U	Dry	City	Flushed Line
7/15/2008	2:51 PM	1304 Schilling	Sewer B/U	Dry	Owner	Flushed Line
7/19/2008	6:30 PM	203 W 14th	Pl Sewer B/U	Dry	City	Flushed Line
7/21/2008	1:50 PM	629 Haisted	Sewer B/U	Dry	Owner	Flushed Line
7/21/2008	1:13 PM	582 Ranger	Sewer B/U	Dry	Owner	N/A
7/22/2008	12:00 PM	Sherry & Lynn Main Break	Dry	City	TOT Water	
7/23/2008	7:45 PM	331 Strandish	Sewer B/U	Dry	City	Flushed Line
7/25/2008	6:17 PM	77 E Normandy	Sewer B/U	Dry	City	Flushed Line
7/31/2008	3:13 PM	1228 Vincennes	Sewer B/U	Dry	Owner	N/A
8/2/2008	12:05 PM	Otto & Vincennes	Man Hole Cover Missi	Dry	City	Barracade
8/4/2008	8:50 PM	Main St at UP RR	Standing Water	Rain	City	Overload
8/4/2008	7:11 AM	180 W Raye	Dr Sewer B/U	Rain	Owner	N/A
8/5/2008	6:30 AM	221 W 15th	St Sewer B/U	Rain	Owner	Flushed Line
8/5/2008	12:45 PM	1134 Wallace Court	Sewer B/U	Rain	Owner	N/A

Date	Time	Location	Cause	Weather	Disposition	Actions
8/6/2008	9:03 AM	107 E 23rd	Sewer B/U	Rain	Owner	N/A
8/12/2008	7:49 AM	187 E 7th	P1 Sewer B/U	Dry	Owner	Flushed Line
8/12/2008	10:33 AM	358 W 16th	P1 Check Lines	Dry	City	OK
8/13/2008	10:54 AM	1954 Beacon	Ct Hydrant Leak	Dry	City	TOT Water
8/19/2008	11:29 AM	325 W Glengate	Sink Hole	Dry	Owner	N/A
8/19/2008	11:33 AM	81 E Normandy	Sewer B/U	Dry	Owner	N/A
8/26/2008	1:13 PM	2000 East End	Ave Sewer B/U	Dry	Owner	N/A
8/28/2008	8:00 AM	2000 East End	Ave Sewer B/U	Dry	Owner	Dye Tested
8/29/2008	1:39 PM	1651 Halsted	Pipe in House Leaking	Dry	Owner	N/A
8/29/2008	1:29 PM	66 W Main	St Sewer B/U	Dry	Owner	N/A
9/12/2008	8:50 PM	406 W 16th	St Sewer B/U	Dry	Owners	Flushed Line
9/13/2008	1:00 PM	267 W 15th	P1 Sewer B/U	Rain	City	Overload
9/13/2008	9:40 PM	423 W 15th	St Water in Basement	Rain	Owners	Flushed Line
9/13/2008	7:50 AM	246 E 21st	St Sewer B/U	Rain	City	Overload
9/13/2008	11:50 AM	187 E 25th	St Sewer B/U	Rain	Owners	Overload
9/13/2008	10:40 AM	1639 Buena Vista	Ave Sewer B/U	Rain	Owners	Overload
9/13/2008	12:55 PM	1640 Butler	Sewer B/U	Rain.	City	Overload
9/13/2008	1:50 PM	719 Campbell	Sewer B/U	Rain	City	Overload
9/13/2008	1:45 PM	725 Campbell	Sewer B/U	Rain	City	Overload
9/13/2008	6:00 PM	751 Campbell	Water in Basement	Rain	City	Overload
9/13/2008	10:10 AM	1339 Campbell	Sewer B/U	Rain	City	Overload
9/13/2008	9:35 PM	322 Concord	Water in Basement	Rain	Owners	Overload
9/13/2008	10:00 AM	156 Dawn	Sewer B/U	Rain	City	Overload
9/13/2008	1:55 AM	East End & 14th St	Water in Street	Rain	City	Overload
9/13/2008	5:10 PM	148 W Elmwood	Water in Basement	Rain	Owners	Overload
9/13/2008	4:26 PM	158 W Elmwood	Water in Basement	Rain	Owners	Overload
9/13/2008	4:00 PM	145 Grace Lane	Sewer B/U	Rain	Owners	Overload
9/13/2008	9:55 PM	529 Gregory	Water in Basement	Rain	Owners	Flushed Line
9/13/2008	4:00 PM	1504 Hanover	Water in Basement	Rain	Owners	Overload
9/13/2008	11:45 AM	290 Holbrook	Sewer B/U	Rain	City	Overload
9/13/2008	8:40 PM	269 E Joe Orr	Water in Basement	Rain	Owners	Overload
9/13/2008	9:10 PM	146 Kathleen	Water in Basement	Rain	Owners	Overload
9/13/2008	1:30 PM	608 Lowe	Sewer B/U	Rain	City	Overload

Date	Time	Location	Cause	Weather	Disposition	Actions
9/13/2008	1:30 PM	612	Lowe	Sewer B/U	Rain	City Overload
9/13/2008	7:55 AM	213	Lynn	Ln	Sewer B/U	Rain City
9/13/2008	10:35 AM	89	Peyton		Sewer B/U	Rain Owners
9/13/2008	1:10 PM	1520	Schilling		Sewer B/U	Rain City Flushed Line
9/13/2008	10:45 AM	1653	School		Sewer B/U	Rain Owners Overload
9/13/2008	9:45 AM	163	Strieff		Sewer B/U	Rain Owners Overload
9/13/2008	5:45 PM	1342	Vincennes		Water in Basement	Rain City
9/13/2008	3:50 PM	1234	West End	Ave	Water in Basement	Rain Owners
9/13/2008	8:15 PM	738	Willow		Sewer B/U	Rain City
9/14/2008	11:00 AM	102	W	14th	St	Sewer B/U Rain
9/14/2008	1:15 PM	221	W	15th	St	Sewer B/U Rain
9/14/2008	N/A	276	W	14th	Pl	Water in Basement Rain
9/14/2008	N/A	276	W	14th	Pl	Water in Basement Rain
9/14/2008	8:15 PM	267	W	15th	Pl	Sewer B/U Rain
9/14/2008	1:35 PM	270	W	15th	Pl	Sewer B/U Rain
9/14/2008	12:55 PM	267	W	15th	Pl	Sewer B/U Rain
9/14/2008	8:15 PM	267	W	15th	Pl	Sewer B/U Rain
9/14/2008	4:30 PM	414	W	15th	Pl	Water in Basement Rain
9/14/2008	5:45 PM	259	W	15th	Pl	Water in Basement Rain
9/14/2008	3:15 PM	529	W	15th	Pl	Water in Basement Rain
9/14/2008	10:20 AM	521	W	16th	St	Sewer B/U Rain
9/14/2008	12:30 PM	194	W	16th	St	Sewer B/U Rain
9/14/2008	N/A	194	E	16th	St	Sewer B/U Rain
9/14/2008	1:55 PM	400	W	17th	St	Sewer B/U Rain
9/14/2008	2:10 PM	948		195th	St	Water in Street Rain
9/14/2008	4:20 PM	246	E	21st	St	Sewer B/U Rain
9/14/2008	11:45 AM	334	E	22nd	St	Sewer B/U Rain
9/14/2008	12:25 PM	346	E	22nd	St	Sewer B/U Rain
9/14/2008	3:20 PM	169	E	25th	St	Sewer B/U Rain
9/14/2008	11:45 AM	241	Arquilla		Sewer B/U	Rain Owners N/A
9/14/2008	8:30 PM	1640	Butler		Water in Basement	Rain Owners Overload
9/14/2008	11:30 AM	713	Campbell		Sewer B/U	Rain City Overload
9/14/2008	9:00 AM	751	Campbell		Sewer B/U	Rain City Overload
9/14/2008	1:00 AM	721	Coales Rd		Ditch Full	Rain Township Overload

Date	Time	Location	Cause	Weather	Disposition	Actions
9/14/2008	12:10 PM	322 Concord	Sewer B/U	Rain	Owners	Overload
9/14/2008	1:00 PM	322 Concord	Sewer B/U	Rain	Owners	Overload
9/14/2008	2:20 PM	181 Country Club	Water in Basement	Rain	Owners	Overload
9/14/2008	12:45 PM	271 Crescent	Water in Basement	Rain	Owners	Overload
9/14/2008	1:45 PM	1924 Dartmouth	Water in Basement	Rain	Owners	Overload
9/14/2008	2:30 PM	478 Deer Trail	Sewer B/U	Rain	City	Overload
9/14/2008	2:30 PM	143 Elder	Sewer B/U	Rain	City	Overload
9/14/2008	1:50 PM	284 W Elmwood	Sewer B/U	Rain	City	Overload
9/14/2008	1:30 PM	506 Emerald	Sewer B/U	Rain	City	Overload
9/14/2008	8:45 AM	533 Emerald	Sewer B/U	Rain	City	Overload
9/14/2008	5:05 PM	1616 Fifth	Water in Basement	Rain	Owners	N/A
9/14/2008	11:55 AM	528 Fitch	Sewer B/U	Rain	City	Overload
9/14/2008	11:10 AM	62 Frances	Ln	Sewer B/U	Rain	City
9/14/2008	N/A N/A	81 Frances	Ln	Sewer B/U	Rain	City
9/14/2008	2:50 PM	Frances	Ln Catch Basins	Rain	City	Cleaned
9/14/2008	3:25 PM	1303 Garden	Sewer B/U	Rain	City	Overload
9/14/2008	10:30 AM	1608 Hanover	Sewer B/U	Rain	City	Overload
9/14/2008	3:15 PM	1608 Hanover	Water in Basement	Rain	City	Overload
9/14/2008	1:30 PM	185 Hillcrest	Water in Basement	Rain	City	Overload
9/14/2008	2:10 PM	221 Hillcrest	Water in Basement	Rain	City	Overload
9/14/2008	2:30 PM	290 Holbrook	Sewer B/U	Rain	City	Overload
9/14/2008	3:30 PM	85 Iris	Sewer B/U	Rain	City	Overload
9/14/2008	12:20 PM	355 Iris	Sewer B/U	Rain	City	Overload
9/14/2008	3:20 PM	245 E Joe Orr	Water in Basement	Rain	Owners	Overload
9/14/2008	11:25 AM	245 E Joe Orr	Water in Basement	Rain	Owners	Overload
9/14/2008	5:00 PM	253 E Joe Orr	Sewer B/U	Rain	Owners	Overload
9/14/2008	3:10 PM	259 E Joe Orr	Water in Basement	Rain	Owners	Overload
9/14/2008	6:30 PM	269 E Joe Orr	Water in Basement	Rain	Owners	Overload
9/14/2008	11:00 AM	146 Kathleen	Sewer B/U	Rain	City	Overload
9/14/2008	1:40 PM	220 Lynn	Ln	Sewer B/U	Rain	City
9/14/2008	10:25 AM	263 Lynn	Ln	Sewer B/U	Rain	City
9/14/2008	9:00 AM	816 N Maple	Sewer B/U	Rain	City	Overload
9/14/2008	6:35 PM	823 Maple	Water in Basement	Rain	City	Overload

Date	Time	Location	Cause	Weather	Disposition	Actions
9/14/2008	1:35 PM	178 Martin	Sewer B/U	Rain	City	Overload
9/14/2008	1:25 PM	552 Minette	Water in Basement	Rain	City	Overload
9/14/2008	10:45 AM	1306 Prairie	Sewer B/U	Rain	City	Overload
9/14/2008	11:40 AM	1133 Schillling	Sewer B/U	Rain	City	Overload
9/14/2008	12:35 PM	1238 Schillling	Sewer B/U	Rain	City	Overload
9/14/2008	12:30 PM	Schilling	Water in Street	Rain	City	Overload
9/14/2008	10:00 AM	185 Serena	Sewer B/U	Rain	City	Overload
9/14/2008	1:10 PM	163 Strieff	Water in Basement	Rain	Owners	Overload
9/14/2008	4:00 PM	614 Union	Water in Basement	Rain	Owners	Overload
9/14/2008	4:30 PM	605 Willow	Sewer B/U	Rain	City	Overload
9/14/2008	5:55 PM	738 Willow	Sewer B/U	Rain	City	Overload
9/14/2008	1:20 PM	755 Willow	Sewer B/U	Rain	City	Overload
9/14/2008	5:20 PM	75 Willow	Water in Basement	Rain	Owners	Overload
9/14/2008	1:55 PM	726 Willow	Water in Basement	Rain	Owners	Overload
9/14/2008	9:35 AM	1530 Wilson	Sewer B/U	Rain	City	Overload
9/14/2008	1:57 PM	1530 Wilson	Sewer B/U	Rain	City	Overload
9/14/2008	8:15 AM	526 Winston	Power Out	Rain	Owners	N/A
9/15/2008	6:50 AM	529 Gregory	Sewer B/U	Rain	Owners	Flushed Line
9/15/2008	6:10 AM	529 Gregory	Sewer B/U	Rain	Owners	Flushed Line
9/15/2008	10:15 AM	2018 Halsted	Sewer B/U	Rain	City	Overload
10/1/2008	2:12 PM	199 Martin	Sewer B/U	Dry	Owners	Flushed Line
10/2/2008	N/A N/A	199 Martin	Sewer B/U	Dry	Owners	Flushed Line
10/5/2008	7:12 PM	490 W 16th	Pl	Sewer B/U	Dry	Owners
10/5/2008	4:07 PM	1202 Piacenti	Sewer B/U	Dry	Owners	Flushed Line
10/6/2008	6:10 PM	23 W Main	St	Sewer B/U	Dry	City
10/6/2008	8:00 AM	154 W Normandy	St	Sewer B/U	Dry	Flushed Line
10/7/2008	2:54 AM	84 Peyton	Sewer B/U	Dry	Owners	Flushed Line
10/10/2008	8:37 AM	735 Enterprise	Sewer B/U	Dry	Owners	N/A
10/15/2008	12:37 PM	490 W 16th	Pl	Sewer B/U	Dry	Owners
10/19/2008	1:00 PM	267 W 15th	Pl	Sewer B/U	Dry	Owners
10/20/2008	8:04 AM	40 W 24th	St	Odor	Dry	City
10/20/2008	8:24 AM	60 W 24th	St	Sewer B/U	Dry	Owners
10/21/2008	2:20 PM	113 Rosewood Lane	Sewer B/U	Dry	Owners	N/A

Date	Time	Location		Cause	Weather	Disposition	Actions
				Sewer B/U	Dry	City	Flushed Line
10/31/2008	8:43 AM	822	Maple	Sewer B/U	Dry	City	Flushed Line
11/1/2008	10:00 PM	180	Thelma	Sewer B/U	Dry	City	Flushed Line
11/2/2008	12:30 PM	117	Theima	Sewer B/U	Dry	City	Flushed Line
11/4/2008	9:22 AM	1227	Emerald	Odor	Dry	City	Flushed Line
11/4/2008	1:06 PM	822	Maple	Sewer B/U	Dry	City	Flushed Line
11/4/2008	1:06 PM	826	Maple	Sewer B/U	Dry	City	Flushed Line
11/7/2008	12:19 PM	234 W	14th	St	Sewer B/U	Dry	City
11/7/2008	4:25 PM	246 E	21st	St	Sewer B/U	Dry	City
11/12/2008	N/A	355	Iris	Sewer B/U	Dry	Owners	N/A
11/12/2008	N/A	723	Willow	Sewer B/U	Dry	Owners	N/A
11/13/2008	8:30 AM	234 W	14th	St	Sewer B/U	Dry	Owners
11/16/2008	1:45 PM	145	Serena	Sewer B/U	Dry	City	Flushed Line
11/17/2008	1:10 PM	234 W	14th	St	Sewer B/U	Dry	Owners
11/17/2008	1:45 PM	525	Dixie	Hwy	Sewer B/U	Dry	Owners
11/21/2008	12:00 PM	595	Yorktown	Sewer B/U	Dry	Owners	N/A
11/24/2008	11:35 AM	135 W	Elmwood	Sewer B/U	Dry	City	Flushed Line
11/26/2008	12:31 PM	125	Kathleen	Odor	Dry	City	Flushed Line
12/2/2008	9:27 AM	234 W	14th	St	Sewer B/U	Dry	Owners
12/3/2008	5:00 AM	185	Serena	Sewer B/U	Dry	City	Flushed Line
12/9/2008	2:30 PM	508 W	17th	St	Sewer B/U	Dry	Owners
12/9/2008	10:38 AM	143	Elder	Sewer B/U	Dry	City	Flushed Line
12/9/2008	9:07 AM	89	Peyton	Sewer B/U	Dry	Owners	N/A
12/9/2008	11:43 AM	1945	Yale	Sewer B/U	Dry	City	Flushed Line
12/10/2008	3:30 PM	437 W	16th	St	Sewer B/U	Dry	City
12/10/2008	4:25 PM	122 S	Normandy	Main Break	Dry	City	N/A
12/10/2008	12:40 PM	361	Sherry	Lane	Sewer B/U	Dry	Owners
12/11/2008	8:17 AM	261	Tahoe	Sewer B/U	Dry	City	Flushed Line
12/11/2008	1:30 PM	265	Tahoe	Sewer B/U	Dry	City	Flushed Line
12/15/2008	12:57 PM	819	Maple	Sewer B/U	Dry	Owners	N/A
12/16/2008	7:29 AM	411	Parnell	Sewer B/U	Dry	Owners	N/A
12/18/2008	6:10 PM	508 W	17th	St	Sewer B/U	Dry	City
12/20/2008	1:15 PM	1425	Wilson	Sewer B/U	Dry	City	Flushed Line
12/22/2008	8:35 AM	598	Andover	Sewer B/U	Dry	City	Flushed Line

Date	Time	Location	Cause	Weather	Disposition	Actions
12/22/2008	3:10 AM	598 Andover	Sewer B/U	Dry	City	Flushed Line
12/26/2008	11:17 PM	264 W 16th	Sewer B/U	Dry	City	Flushed Line
12/26/2008	3:21 PM	1923 Cambridge	Sewer B/U	Dry	City	Flushed Line
12/26/2008	11:30 AM	1205 Scott	Sewer B/U	Dry	City	Flushed Line
12/26/2008	1:50 PM	185 Serena	Sewer B/U	Dry	Owners	N/A
12/27/2008	7:21 AM	529 Gregory	Sewer B/U	Dry	City	Flushed Line
12/30/2008	7:34 AM	235 Tahoe	Sewer B/U	Dry	Owners	N/A
1/3/2009	11:10 PM	165 W Normandy	Sewer B/U	Dry	City	Flushed Line
1/5/2009	12:06 PM	525 Dixie	Hwy	Sewer B/U	Dry	City
1/5/2009	11:31 AM	156 S Normandy	Sewer B/U	Dry	Owners	N/A
1/11/2009	8:20 PM	508 W 17th	St	Sewer B/U	Dry	City
1/12/2009	7:39 AM	165 W Normandy	Sewer B/U	Dry	City	Flushed Line
1/13/2009	2:30 PM	77 E Normandy	Sewer B/U	Dry	Owners	N/A
1/21/2009	7:28 AM	331 Westgate	Sewer B/U	Dry	Owners	N/A
1/28/2009	12:05 PM	186 Dawn	Pump Running	Dry	Owners	Flushed Line
1/30/2009	9:05 AM	1237 Otto Blvd	Sewer B/U	Dry	Owners	N/A
1/31/2009	10:40 AM	508 Fitch	Sewer B/U	Dry	City	Flushed Line
2/2/2009	12:30 PM	508 Fitch	Sewer B/U	Dry	Owners	Flushed Line
2/2/2009	7:58 AM	555 Minette	Sewer B/U	Dry	Owners	N/A
2/5/2009	1:34 PM	437 W 16th	St	Sewer B/U	Dry	Owners
2/5/2009	8:54 AM	1238 Park	Ave	Sewer B/U	Dry	Owners
2/7/2009	11:15 AM	40 W 15th	St	Sewer B/U	Dry	Owners
2/10/2009	8:25 AM	358 W 16th	Pl	Check Sewer	Dry	City OK
2/10/2009	10:05 PM	342 Carey	Ct	Sewer B/U	Dry	Owners
2/11/2009	10:05 AM	222 W 14th	St	Sewer B/U	Rain	City
2/11/2009	4:45 PM	394 W 14th	St	Sewer B/U	Rain	Owners N/A
2/11/2009	5:00 PM	521 W 16th	St	Sewer B/U	Rain	City Flushed Line
2/11/2009	2:14 PM	264 W 16th	St	Sewer B/U	Rain	Owners N/A
2/11/2009	10:25 AM	69 W 25th	St	Water in Basement	Rain	Owners N/A
2/11/2009	3:30 PM	306 Ashland Ave	Water in Basement	Rain	Owners N/A	
2/11/2009	5:10 PM	148 W Elmwood	Sewer B/U	Rain	City Overload	
2/11/2009	7:00 PM	2306 Halsted	Sewer B/U	Rain	Owners N/A	
2/11/2009	4:45 PM	259 E Joe Orr	Sewer B/U	Rain	City Overload	

Date	Time	Location		Cause	Weather	Disposition	Actions
2/11/2009	7:50 PM	269	E	Joe Orr	Rain	City	Overload
2/11/2009	11:34 AM	269	E	Joe Orr	Rain	City	Flushed Line
2/11/2009	6:15 PM	146		Kathleen	Sewer B/U	City	Overload
2/11/2009	6:45 PM	450		Longwood	Sewer B/U	City	Overload
2/11/2009	4:30 PM	608		Lowe	Sewer B/U	Rain	Overload
2/11/2009	6:10 PM	261	W	Maple	Sewer B/U	Rain	Overload
2/11/2009	6:00 PM	133	S	Mayfair	PI	Sewer B/U	Overload
2/11/2009	2:50 PM	318	S	Mayfair	PI	Sewer B/U	Flushed Line
2/11/2009	10:00 PM	1325		Schilling	Water in Basement	Rain	Owners
2/11/2009	3:07 PM	1329		Scott	Sewer B/U	Rain	N/A
2/11/2009	3:23 PM	185		Serena	Check Sewer	Rain	Overload
2/11/2009	7:05 PM			Serena & Eddy	Water in Street	Rain	City
2/11/2009	8:41 AM			Serena & Normandy	Catch Basin	Rain	Cleaned
2/11/2009	4:35 PM	296		Sherry	Lane Water in Street	Rain	Cleaned
2/11/2009	4:15 PM			Sherry & Lynn	Water in Street	Rain	Overload
2/11/2009	4:55 PM			Travers & Joe Orr	Water in Street	Rain	Overload
2/11/2009	6:35 PM	738		Willow	Water in Back Yard	Rain	Owners
2/11/2009	12:53 PM			Yorktown & Enterprise	Catch Basins	Rain	Cleaned
2/12/2009	9:16 AM	394	W	14th	St	Sewer B/U	N/A
2/12/2009	8:26 PM	69	W	25th	St	Sewer B/U	Rain
2/12/2009	9:10 AM	614		Lowe	Sewer B/U	Rain	Flushed Line
2/12/2009	8:40 AM	1621		Oak	St	Sewer B/U	N/A
2/12/2009	4:15 PM	1439		Otto	Blvd	Sewer B/U	Rain
2/12/2009	8:38 AM	1036		Schilling	Sewer B/U	Rain	Flushed Line
2/12/2009	7:07 AM	1232		Sunnyside	Sewer B/U	Rain	N/A
2/12/2009	7:57 AM	1638		Thorn	Sewer B/U	Rain	Flushed Line
2/12/2009	3:30 PM	738		Willow	Catch Basin	Rain	OK
2/13/2009	9:17 PM	625		Halsted	Sewer B/U	Rain	N/A
2/14/2009	11:20 AM	394	W	14th	St	Sewer B/U	Dry
2/16/2009	11:40 AM	481		Hamilton Wood	Sewer B/U	Dry	Flushed Line
2/17/2009	8:44 AM	394	W	14th	St	Sewer B/U	Dry
2/17/2009	11:15 AM	611	W	16th	PI	Sewer B/U	Owners
2/17/2009	12:28 PM	615		Halsted	Sewer B/U	Dry	Flushed Line

Date	Time	Location	Cause	Weather	Disposition	Actions
2/18/2009	11:25 AM	515	Concord	Sewer B/U	Dry	City
2/18/2009	7:13 AM	155	Dawn	Inquiry	Dry	N/A
2/18/2009	12:23 PM	625	Halsted	Sewer B/U	Dry	City
2/18/2009	12:22 PM	1445	Otto	Blvd	Sewer B/U	Dry
2/18/2009	4:30 PM	1445	Otto	Blvd	Sewer B/U	Dry
2/18/2009	12:15 PM	1609	Thorn	Sewer B/U	Dry	Owners
2/20/2009	2:40 PM	421	Winston	Sewer B/U	Dry	Owners
2/24/2009	12:26 PM	231	Fredrick	Sewer B/U	Dry	Owners
2/25/2009	1:10 PM	430 W	16th	Pl	Odor	Dry
2/26/2009	8:59 AM	425 W	16th	Pl	Odor	Dry
2/26/2009	10:00 AM	156	Dawn	Pump Out	Rain	City
2/26/2009	9:26 PM	1512	Euclid	Sewer B/U	Rain	City
2/26/2009	2:10 PM		Greenbriar & Mayfair	Water in Street	Rain	City
2/26/2009	N/A	403	Grovesnor	Sewer B/U	Rain	Owners
2/26/2009	12:25 PM	322 S	Mayfair	Pl	Catch Basin	Rain
2/26/2009	9:30 PM	1335	Otto	Blvd	Sewer B/U	Rain
2/26/2009	9:20 AM		Ranger Ashland & Normandy	Catch Basins	Rain	City
2/26/2009	1:55 PM	185	Serena	Check Sewer	Rain	Owners
2/26/2009	12:00 PM		Serena & Eddy	Water in Street	Rain	City
2/26/2009	6:30 PM	1226	West End	Ave	Sewer B/U	Rain
2/27/2009	9:26 AM	1232	Otto	Blvd	Sewer B/U	Rain
2/28/2009	10:25 AM	1608	Hanover	Sewer B/U	Dry	City
3/2/2009	9:39 AM	544	Andover	Sewer B/U	Dry	Owners
3/2/2009	11:29 AM	210	Pleasant	Sewer B/U	Dry	City
3/5/2009	2:38 PM	620 W	16th	St	Sewer B/U	Dry
3/6/2009	1:52 PM	105 E	24th	St	Catch Basins	Dry
3/6/2009	2:43 PM	105 E	24th	St	Sewer B/U	Dry
3/7/2009	4:05 PM	414 W	15th	Pl	Sewer B/U	Dry
3/7/2009	8:40 AM	337	Boston	Sewer B/U	Dry	City
3/7/2009	1:30 PM	1945	Bunker	Sewer B/U	Dry	Flushed Line
3/8/2009	5:30 AM		10th & West End	Catch Basins	Rain	City
3/8/2009	6:35 AM	560 W	15th	Pl	Sewer B/U	Rain
3/8/2009	8:30 AM	414 W	15th	Pl	Sewer B/U	Rain

Date	Time	Location	Cause	Weather	Disposition	Actions
3/8/2009	2:05 PM	414 W 15th	Pl Sewer B/U	Rain	Owner	Need plumber
3/8/2009	5:45 AM	521 W 16th	St Sewer B/U	Rain	City	Flushed line
3/8/2009	1:20 PM	521 W 16th	St Sewer B/U	Rain	City	Overload
3/8/2009	7:35 AM	2417 Ash	Sewer B/U	Rain	City	Flushed line
3/8/2009	6:50 AM	2421 Ash	Sewer B/U	Rain	City	Flushed line
3/8/2009	9:25 AM	337 Boston	Sewer B/U	Rain	Owner	Flushed line
3/8/2009	7:30 AM	544 Coolidge	Sewer B/U	Rain	Owner	N/A
3/8/2009	3:35 AM	156 Dawn	Sewer B/U	Rain	City	Overload
3/8/2009	9:35 AM	186 Dawn	Sewer B/U	Rain	City	Overload
3/8/2009	4:30 AM	Eddy & Charles	Water in Street	Rain	City	Overload
3/8/2009	8:45 AM	Frances Ln	Sewer B/U	Rain	City	Overload
3/8/2009	5:25 AM	529 Gregory	Sewer B/U	Rain	City	Overload
3/8/2009	9:20 AM	1608 Hanover	Sewer B/U	Rain	City	Overload
3/8/2009	8:20 AM	279 W Hickory	Sewer B/U	Rain	Owner	Flushed line
3/8/2009	6:30 AM	215 Hillcrest	Sewer B/U	Rain	Owner	N/A
3/8/2009	10:00 AM	269 E Joe Orr	Sewer B/U	Rain	City	Overload
3/8/2009	7:48 PM	131 W Main	St Water in Basement	Rain	City	Flushed line
3/8/2009	6:57 PM	139 W Main	St Water in Basement	Rain	City	Flushed line
3/8/2009	3:35 PM	Minette	Water in Basement	Rain	Owner	N/A
3/8/2009	4:20 AM	288 W Normandy	Sewer B/U	Rain	City	Overload
3/8/2009	9:30 N/A	1621 Oak	St Sewer B/U	Rain	Owner	Flushed line
3/8/2009	10:05 AM	411 Parnell	Sewer B/U	Rain	Owner	N/A
3/8/2009	3:40 PM	185 Serena	Sewer B/U	Rain	City	Overload
3/8/2009	11:45 AM	166 Sherry Lane	Sewer B/U	Rain	City	Overload
3/8/2009	1:30 PM	645 Union	Sewer B/U	Rain	City	Overload
3/8/2009	8:25 AM	738 Willow	Catch Basins	Rain	City	Cleaned
3/9/2009	7:51 AM	414 W 15th	Pl Sewer B/U	Rain	City	Flushed Line
3/9/2009	9:18 AM	556 Minette	Sewer B/U	Rain	Owners	N/A
3/9/2009	10:56 AM	1138 Park	Ave Check Sewer	Rain	Owners	OK
3/10/2009	7:05 N/A	13th & Schilling	Manhole Cover Off	Rain	City	Replaced
3/10/2009	9:47 PM	72 W 15th	St Sewer B/U	Rain	Owner	N/A
3/10/2009	7:25 AM	358 W 16th	Pl Sewer B/U	Rain	Owner	N/A
3/10/2009	8:23 AM	16th & State	Water in Street	Rain	City	Cleaned

Date	Time	Location	Cause	Weather	Disposition	Actions
3/10/2009	8:30 AM	223 E 22nd	Sewer B/U	Rain	City	Overload
3/10/2009	7:55 AM	32 W 24th	St Alley Flooded	Rain	City	Overload
3/10/2009	3:25 PM	1542 Aberdeen	Sewer B/U	Rain	Owner	N/A
3/10/2009	5:15 AM	306 Ashland Ave	Sewer B/U	Rain	City	Overload
3/10/2009	7:53 AM	19504 Chicago Heights-Glenwood Rd	Ditch Full	Rain	Township	Overload
3/10/2009	11:05 AM	326 Concord	Sewer B/U	Rain	Owner	Overload
3/10/2009	9:45 AM	334 N Coolidge	Sewer B/U	Rain	City	Overload
3/10/2009	7:36 AM	148 W Elmwood	Sewer B/U	Rain	Owner	Overload
3/10/2009	1:32 PM	1125 Emerald	Sewer B/U	Rain	Owner	N/A
3/10/2009	2:57 PM	1144 Emerald	Sewer B/U	Rain	Owner	N/A
3/10/2009	10:44 AM	1912 Euclid	Sewer B/U	Rain	Owner	N/A
3/10/2009	7:44 AM	529 Gregory	Sewer B/U	Rain	Owner	N/A
3/10/2009	7:50 AM	48 W Hickory	Catch Basin Broken	Rain	City	Repaired
3/10/2009	1:05 PM	815 N Highland	Sewer B/U	Rain	Owner	N/A
3/10/2009	9:10 AM	909 Highland	Sewer B/U	Rain	Owner	N/A
3/10/2009	8:50 AM	144 Mildred	Sewer B/U	Rain	City	Overload
3/10/2009	7:01 AM	288 W Normandy	Sewer B/U	Rain	City	Overload
3/10/2009	7:20 AM	1138 Park	Ave	Sewer B/U	Rain	Overload
3/10/2009	1:20 PM	1418 Portland	Sewer B/U	Rain	Owner	N/A
3/10/2009	10:36 AM	416 Sandra	Sewer B/U	Rain	Owner	N/A
3/10/2009	7:43 AM	185 Serena	Sewer B/U	Rain	Owner	Overload
3/10/2009	12:22 PM	320 Sherry	Lane	Check Line	Rain	Owner
3/10/2009	8:13 AM	707 Travers	Sewer B/U	Rain	Owner	N/A
3/11/2009	8:40 AM	16 W 15th	St	Sewer B/U	Rain	Owners
3/11/2009	3:30 PM	532 Andover	Sewer B/U	Rain	Owner	Flushed line
3/11/2009	12:35 PM	1950 Beacon	Blvd	Sewer B/U	Rain	Owners
3/11/2009	1:31 PM	138 W Normandy	Sewer B/U	Rain	Owners	Flushed Linie
3/12/2009	5:29 PM	701 W 14th	St	Sewer B/U	Rain	City
3/12/2009	10:45 AM	16 W 15th	St	Sewer B/U	Rain	Owners
3/12/2009	10:25 AM	645 Union	Sewer B/U	Rain	Owners	N/A
3/13/2009	4:53 PM	620 W 16th	St	Sewer B/U	Dry	City
3/18/2009	9:17 AM	186 Dawn	Pump Running	Dry	City	Flushed line
3/25/2009	11:00 AM	437 W 16th	St	Sewer B/U	Dry	Owners

Date	Time	Location	Cause	Weather	Disposition	Actions
3/29/2009	4:30 PM	181 Hillcrest	Sewer B/U	Dry	City	Flushed line
3/30/2009	9:02 AM	626 DeAngelis	Court	Pump Running	Dry	Owners N/A
3/30/2009	2:40 PM	1949 Lawrence	Sewer B/U	Dry	City	Flushed Linie
3/30/2009	12:58 PM	631 Ranger	Pump Running	Dry	Owners	N/A
3/31/2009	6:55 PM	529 Gregory	Sewer B/U	Dry	Owner	N/A
3/31/2009	4:45 PM	645 Union	Sewer B/U	Dry	Owner	Flushed line
4/1/2009	2:09 PM	532 W 15th	PI	Water in Yard	Dry	Owners N/A
4/5/2009	3:40 PM	360 Iris	Sewer B/U	Dry	City	Flush Line
4/5/2009	10:35 AM	146 Kathleen	Sewer B/U	Dry	City	Flush Line
4/5/2009	9:48 PM	54 W Main	St	Sewer B/U	Dry	City
4/6/2009	3:40 PM	289 W 16th	PI	Sewer B/U	Dry	City
4/6/2009	11:06 AM	223 E 22nd	St	Sewer B/U	Dry	City
4/6/2009	4:00 PM	1221 Lincoln Ave	Sewer B/U	Dry	City	Flush Line
4/8/2009	10:33 AM	1428 Edgewood	Sewer B/U	Dry	Owners	Flush Line
4/15/2009	3:00 PM	258 Boston	Sewer B/U	Dry	Owners	N/A
4/16/2009	1:38 PM	145 Serena	Sewer B/U	Dry	Owners	N/A
4/20/2009	4:42 PM	1714 Campbell	Sewer B/U	Dry	City	Flush Line
4/20/2009	6:40 PM	305 Concord	Water in Street	Dry	City	Flush Line
4/22/2009	8:25 AM	1949 Lawrence	Sewer B/U	Dry	City	Flush Line
4/24/2009	9:00 AM	1153 Parkview	Ave	Sewer B/U	Dry	Owners N/A
4/26/2009	2:25 PM	1221 Lincoln	Ave	Sewer B/U	Rain	City
4/27/2009	7:42 AM	430 E 22nd	St	Check Sewer Line	Rain	Owners OK
4/27/2009	9:30 PM	Concord	Water in Street	Rain	City	Overload
4/27/2009	10:25 PM	186 Dawn	Request Pump	Rain	Owner	Water Dogn
4/27/2009	11:35 PM	587 W Hickory	Sewer B/U	Rain	Owner	N/A
4/28/2009	8:30 AM	243 W 15th	PI	Sewer B/U	Dry	Owners N/A
4/28/2009	11:19 AM	1223 Emerald	Sewer B/U	Dry	N/A	N/A
4/28/2009	8:30 AM	645 Union	Check Sewer Line	Dry	Owners	OK
4/28/2009	9:52 AM	727 Union	Odor	Dry	Owners	N/A
4/28/2009	8:38 AM	645 Union	Inquiry	Dry	N/A	N/A
4/30/2009	1:34 PM	289 W 16th	PI	Sewer B/U	Dry	Owners N/A
5/1/2009	1:18 PM	1949 E Lawrence	Sewer B/U	Dry	City	Flushed Line
5/5/2009	12:00 PM	331 Sandra	Water in Yard	Dry	Owner	N/A

Date	Time	Location	Cause	Weather	Disposition	Actions
5/5/2009	8:14 AM	1945	Yale	Sewer B/U	Dry	Owner
5/11/2009	4:30 PM	367	Standish	Sewer B/U	Dry	City
5/13/2009	9:05 PM	67	Broadway	Sewer B/U	Dry	Flushed Line
5/13/2009	12:31 PM	1664	Buena Vista	Ave	Sewer B/U	Dry
5/13/2009	11:46 AM	221	Fredrick	Catch Basins	Dry	City
5/14/2009	9:33 AM	1242	Franklin	Sewer B/U	Dry	Owner
5/14/2009	12:17 PM	1949	Lawrence	Sewer B/U	Rain	Owner
5/15/2009	3:04 PM	306	Ashland	Ave	Sewer B/U	Rain
5/15/2009	3:20 PM	185	Peyton & Pamela	Catch Basins	Rain	City
5/15/2009	3:45 PM	330	Serena	Check Sewer Line	Rain	City
5/15/2009	3:45 PM	330	Standish	Water in Street	Rain	City
5/20/2009	10:45 AM	820	McArthur	Pump Running	Dry	Owner
5/26/2009	1:28 PM	1624	Thorn	Sewer B/U	Dry	Owner
5/27/2009	10:00 AM	1135	Grant	Sewer B/U	Dry	Owner
5/27/2009	12:04 PM	1340	Vincennes	Sewer B/U	Dry	City
6/1/2009	9:14 AM	1037	D'Amico	Catch Basins	Dry	City
6/1/2009	8:48 AM	1540	Thorn	Sewer B/U	Dry	City
6/2/2009	12:53 AM	201	W	15th	PI	Sewer B/U
6/2/2009	8:23 AM	358	W	16th	PI	Check Line
6/2/2009	8:55 AM	1223	Emerald	Sewer B/U	Dry	City
6/3/2009	12:52 PM	158	W	Elmwood	Pump running	Dry
6/4/2009	6:10 PM	146	Kathleen	Sewer B/U	Dry	City
6/5/2009	9:22 AM	330	W	16th	St	Pump running
6/5/2009	12:27 PM	305	Concord	Sewer B/U	Dry	Owner
6/5/2009	2:18 PM	1144	Emerald	Catch Basins	Dry	City
6/8/2009	6:52 AM	571	Shelly	Lane	Sewer B/U	Dry
6/9/2009	4:45 PM	295	E	Joe Orr	Sewer B/U	Dry
6/11/2009	2:05 PM	430	W	16th	PI	Sewer B/U
6/11/2009	10:26 AM	1608	Hanover	Sewer B/U	Dry	City
6/15/2009	3:10 PM	1036	Schilling	Sewer B/U	Dry	Owner
6/16/2009	7:50 PM	1021	Union	Sewer B/U	Dry	City
6/17/2009	3:25 PM	590	Ranger	Water in Yard	Dry	City
6/19/2009	6:00 PM		Joe Orr Lift Station	Power out	Dry	Com Ed

Date	Time	Location	Cause	Weather	Disposition	Actions
6/22/2009	1:20 PM	590 Ranger	Water in Yard	Dry	City	TOT Water Dept
6/23/2009	8:57 AM	615 W 16th	Sewer B/U	Dry	Owner	N/A
6/24/2009	7:00 AM	176 E 23rd	Sewer B/U	Dry	City	Flushed line
6/25/2009	3:30 PM	701 W 14th	Sewer B/U	Dry	City	Flushed line
6/26/2009	1:00 PM	1631 Buena Vista	Sewer B/U	Dry	City	Flushed line
6/26/2009	11:36 AM	1641 Buena Vista	Sewer B/U	Dry	City	Flushed line
6/26/2009	10:05 AM	156 Serena	Sewer B/U	Dry	Owner	N/A
6/29/2009	8:20 AM	439 Emerald	Water in Curb	Dry	City	TOT Water Dept
7/2/2009	4:05 PM	350 Concord	Sewer B/U	Dry	City	Flushed Line
7/2/2009	10:30 AM	1949 E Lawrence	Sewer B/U	Dry	City	Flushed Line
7/2/2009	11:07 AM	165 W Normandy	Odor	Dry	Owner	N/A
7/3/2009	1:20 PM	738 Willow	Sewer B/U	Dry	City	Flushed Line
7/6/2009	4:25 PM	305 Concord	Sewer B/U	Dry	Owner	N/A
7/6/2009	12:10 PM	350 Iris	Sewer B/U	Dry	City	TOT Water Dept
7/10/2009	1:45 PM	1242 Franklin	Sewer B/U	Dry	City	Flushed Line
7/10/2009	4:30 PM	1242 Franklin	Sewer B/U	Dry	City	Flushed Line
7/11/2009	6:50 PM	261 Maple	Sewer B/U	Dry	City	Flushed Line
7/11/2009	8:10 AM	1332 Piacenti	Sewer B/U	Dry	City	Flushed Line
7/13/2009	10:50 AM	261 W Maple	Sewer B/U	Dry	Owner	N/A
7/13/2009	3:30 PM	320 Patricia	Sewer B/U	Dry	City	Flushed Line
7/14/2009	9:35 AM	334 Homewood	Ct	Sewer B/U	Dry	Owner
7/16/2009	1:35 PM	2416 Chicago Rd	Water in Basement	Dry	Owner	N/A
7/17/2009	4:20 PM	1954 Beacon Blvd	Sewer B/U	Dry	Owner	N/A
7/20/2009	6:12 PM	146 Constance	Sewer B/U	Dry	City	Flushed Line
7/20/2009	N/A N/A	1146 Piacenti	Sewer B/U	Dry	City	Cleaned
7/21/2009	9:45 AM	194 W 16th	St	Water in Basement	Dry	Flushed Line
7/22/2009	5:10 PM	2416 Chicago Rd	Sewer B/U	Dry	City	Flushed Line
7/23/2009	N/A N/A	909 Thomas	Sewer B/U	Dry	Owner	N/A
7/25/2009	4:30 PM	2416 Chicago Rd	Sewer B/U	Dry	City	Flushed Line
7/25/2009	12:10 PM	1329 Wentworth	Sewer B/U	Dry	CCHA	N/A
7/27/2009	10:00 AM	598 Andover	Sewer B/U	Dry	Owner	N/A
7/27/2009	9:50 AM	481 Hamilton Wood	Sewer B/U	Rain	Owner	N/A
7/28/2009	10:30 PM	381 W 16th	Pl	Sewer B/U	Rain	Flushed Line

Date	Time	Location	Cause	Weather	Disposition	Actions
7/28/2009	7:00 PM	1225	D'Amico	Sewer B/U	Rain	City
7/28/2009	6:55 PM	1901	East End	Ave	Water in Street	Rain
7/28/2009	8:45 PM	180	Thelma		Sewer B/U	City
7/29/2009	10:57 AM	289 W	16th	Pl	Sewer B/U	Rain
7/29/2009	11:24 AM	1225	D'Amico	Sewer B/U	Rain	City
7/29/2009	2:11 PM	371	Sherry	Lane	Sewer B/U	Rain
7/30/2009	9:25 AM	701 W	14th	St	Sewer B/U	Dry
7/30/2009	9:08 AM	21	Forest	Sewer B/U	Dry	City
7/31/2009	10:42 AM	148 W	Normandy	Sewer B/U	Dry	Owner
8/6/2009	5:30 AM	598	Andover	Sewer B/U	Dry	N/A
8/10/2009	9:16 AM	375 W	Hickory	Pump Running	Dry	Owner
8/10/2009	9:01 AM	1949	Lawrence	Sewer B/U	Dry	City
8/17/2009	7:46 AM	54 W	Main	St	Sewer B/U	Dry
8/17/2009	2:40 AM	153	Strieff	Sewer B/U	Dry	Owner
8/18/2009	1:03 PM	279 W	Hickory	Water in Basement	Dry	City
8/19/2009	6:30 PM	1901	East End	Ave	Sewer B/U	Dry
8/20/2009	9:32 AM	223 E	22nd	St	Water in Basement	Dry
8/21/2009	10:15 PM	853	Willow	Sewer B/U	Dry	City
8/24/2009	8:30 AM	1639	Buena Vista	Ave	Sewer B/U	Dry
8/27/2009	7:46 AM	322 S	Mayfair	Pl	Sewer B/U	Dry
8/27/2009	9:12 AM	637	Union	Sewer B/U	Dry	Owner
8/28/2009	2:27 PM	1908	Campbell	Sewer B/U	Rain	Owner
8/28/2009	12:50 AM	1710	Chicago Rd	Sewer B/U	Rain	Owner
8/28/2009	12:55 AM	156	Dawn	Sewer B/U	Rain	City
8/28/2009	11:28 AM	853	Memorial	Sewer B/U	Rain	Owner
8/30/2009	4:45 PM	331	Standish	Sewer B/U	Rain	Owner
8/31/2009	4:25 PM	331	Standish	Sewer B/U	Dry	Owner
9/1/2009	10:26 AM	615 W	16th	Pl	Sewer B/U	Dry
9/3/2009	9:22 AM	358 W	16th	Pl	Check Line	Dry
9/3/2009	7:05 AM	1950	Beacon	Blvd	Sewer B/U	Dry
9/3/2009	6:30 AM	1950	Beacon	Blvd	Pump running	Dry
9/3/2009	2:15 PM	481	Hamilton Wood	Sewer B/U	Dry	Owner
9/4/2009	8:46 AM	337	Boston	Sewer B/U	Dry	Flushed Line

Date	Time	Location	Cause	Weather	Disposition	Actions
			Sewer B/U	Dry City		Flushed Line
9/7/2009	11:45 AM	183 Thelma	Owner Pumping Sewer	Dry	Owner	TOT Code
9/8/2009	4:49 PM	1237 Otto	Blvd Inquiry	Dry	Owner	N/A
9/10/2009	10:55 AM	1237 Otto	Blvd	Dry	Owner	N/A
9/11/2009	2:07 PM	1237 Otto	Blvd	Dry	Owner	Flushed Line
9/12/2009	5:55 PM	589 W 16th	Pi	Dry	Owner	Flushed Line
9/14/2009	9:40 AM	69 W 25th	St	Water in Basement	Dry	Flushed Line
9/15/2009	2:10 PM	139 S Mayfair	Pi	Sewer B/U	Dry	Flushed Line
9/17/2009	12:35 PM	2416 Chicago Rd	Sewer B/U	Dry	Owner	TOT Water Dept
9/17/2009	3:44 PM	1429 Schilling	Sewer B/U	Dry	Owner	N/A
9/21/2009	1:23 PM	214 Coolidge	Tree Roots	Dry	Owner	Flushed Line
9/22/2009	11:59 PM	598 Andover	Sewer B/U	Dry	Owner	N/A
9/23/2009	9:05 AM	631 Ranger	Sewer B/U	Dry	Owner	Flushed Line
9/24/2009	10:25 AM	481 Hamilton Wood	Sewer B/U	Dry	City	N/A
9/25/2009	9:40 AM	1237 Otto	Blvd	Inspection	Dry	Code
9/29/2009	9:30 AM	258 Plymouth	Sewer B/U	Dry	Owner	N/A
10/1/2009	9:47 AM	527 Normal	Odor	Dry	Thorn Creek	N/A
10/1/2009	8:45 PM	1445 Otto	Blvd	Sewer B/U	Dry	Owner
10/3/2009	4:26 PM	598 Andover	Sewer B/U	Dry	Owner	N/A
10/5/2009	2:16 PM	598 Andover	Sewer B/U	Dry	Owner	Flushed Line
10/5/2009	8:34 AM	31 Parkside	Ave	Water in Basement	Dry	Owner
10/9/2009	11:49 AM	60 W 25th	St	Sewer B/U	Dry	Flushed Line
10/9/2009	4:45 PM	319 E Joe Orr	Sewer B/U	Dry	Owner	N/A
10/13/2009	4:05 PM	319 E Joe Orr	Sewer B/U	Dry	Owner	Flushed Line
10/16/2009	N/A N/A	161 N Normandy	Sewer B/U	Dry	Owner	N/A
10/18/2009	6:10 PM	146 Kathleen	Sewer B/U	Dry	City	Flushed Line
10/19/2009	9:04 AM	1312 Park	Ave	Sewer B/U	Dry	Owner
10/22/2009	8:41 PM	1950 Beacon	Blvd	Sewer B/U	Rain	Flushed Line
10/22/2009	11:43 AM	319 E Joe Orr	Sewer B/U	Rain	Owner	N/A
10/22/2009	8:40 PM	1221 Lincoln	Ave	Sewer B/U	Rain	Flushed Line
10/23/2009	8:30 AM	10th & Travers	Water in Street	Rain	City	Overload
10/23/2009	1:18 PM	12th & Wilson	Water in Street	Rain	City	Cleaned
10/23/2009	6:54 AM	13th & East End	Water in Street	Rain	City	Overload
10/23/2009	2:24 PM	320 W 14th	Pi	Sewer B/U	Rain	Overload

Date	Time	Location	Cause	Weather	Disposition	Actions
10/23/2009	6:26 AM	14th & Park	Water in Street	Rain	City	Overload
10/23/2009	12:42 PM	14th & Sunnyside	Water in Street	Rain	City	TOT Water Dept
10/23/2009	11:45 AM	213 W	15th	Pl	Sewer B/U	Rain
10/23/2009	7:15 AM	238 W	15th	Pl	Sewer B/U	Rain
10/23/2009	7:42 AM	255 W	15th	Pl	Sewer B/U	Rain
10/23/2009	10:05 N/A	396 W	15th	St	Sewer B/U	Rain
10/23/2009	8:49 AM	414 W	15th	Pl	Sewer B/U	Rain
10/23/2009	9:19 AM	40 W	15th	St	Sewer B/U	Rain
10/23/2009	7:14 AM	255 W	15th	Pl	Sewer B/U	Rain
10/23/2009	7:27 AM	311 W	15th	Pl	Sewer B/U	Rain
10/23/2009	1:48 PM	414 W	15th	Pl	Sewer B/U	Rain
10/23/2009	7:08 AM	521 W	16th	St	Sewer B/U	Rain
10/23/2009	1:05 PM	521 W	16th	St	Sewer B/U	Rain
10/23/2009	12:45 PM	305 W	16th	St	Sewer B/U	Rain
10/23/2009	2:11 PM	486 W	17th	St	Sewer B/U	Rain
10/23/2009	11:28 AM	296 E	22nd	St	Odor	Owner
10/23/2009	2:58 AM	187 E	24th	St	Sewer B/U	Rain
10/23/2009	3:58 AM	189 E	24th	St	Sewer B/U	Rain
10/23/2009	7:10 AM	32 W	24th	St	Sewer B/U	Rain
10/23/2009	7:10 AM	Arquilla & Amy	Water in Street	Rain	City	Overload
10/23/2009	2:50 AM	306	Ashland Ave	Sewer B/U	Rain	Overload
10/23/2009	7:25 AM	Bradley	Sewer B/U	Rain	City	Overload
10/23/2009	9:44 AM	1212 Center	Water in Street	Rain	City	Overload
10/23/2009	12:35 PM	2416 Chicago Rd	Sewer B/U	Rain	Owner	Overload
10/23/2009	7:03 AM	305 Concord	Sewer B/U	Rain	City	Overload
10/23/2009	6:56 AM	322 Concord	Sewer B/U	Rain	City	Overload
10/23/2009	3:08 PM	408 Concord	Sewer B/U	Rain	Owner	Flushed Line
10/23/2009	9:58 AM	229 Country Club	Sewer B/U	Rain	Owner	N/A
10/23/2009	8:52 AM	229 Country Club	Sewer B/U	Rain	Owner	N/A
10/23/2009	8:00 AM	Craig	Dr	Water in Street	Rain	Overload
10/23/2009	8:43 AM	Craig & Pamela	Water in Street	Rain	City	Overload
10/23/2009	9:02 AM	135 W Elmwood	Sewer B/U	Rain	City	Flushed Line
10/23/2009	N/A N/A	148 W Elmwood	Sewer B/U	Rain	City	Flushed Line

Date	Time	Location		Cause	Weather	Disposition	Actions
10/23/2009	7:58 AM	158 W	Elmwood	Sewer B/U	Rain	Owner	Overload
10/23/2009	7:57 AM	483	Fitch	Water in Street	Rain	City	Overload
10/23/2009	11:30 AM	21	Forest	Sewer B/U	Rain	Owner	Overload
10/23/2009	8:46 AM	1140	Grant	Sewer B/U	Rain	Owner	Overload
10/23/2009	11:53 AM	16 E	Greenbriar	Sewer B/U	Rain	City	Overload
10/23/2009	3:19 PM	23 E	Greenbriar	Catch Basins	Rain	City	Cleaned
10/23/2009	7:25 AM	50 E	Greenbriar	Water in Street	Rain	City	Overload
10/23/2009	7:41 AM		Greenbriar & Mayfair	Sewer B/U	Rain	City	Overload
10/23/2009	8:21 AM	1651	Halsted	Sewer B/U	Rain	Owner	Overload
10/23/2009	6:22 AM	194	Hawthorne	Water in Street	Rain	City	Overload
10/23/2009	9:43 AM	636	Hickory	Water in Street	Rain	City	Overload
10/23/2009	10:10 AM	1633	Hilltop	Sewer B/U	Rain	City	Overload
10/23/2009	6:51 AM	360	Iris	Water in Street	Rain	City	Overload
10/23/2009	2:45 AM	125	Kathleen	Sewer B/U	Rain	City	Flushed Line
10/23/2009	8:11 AM	125	Kathleen	Sewer B/U	Rain	Owner	Overload
10/23/2009	7:32 AM	146	Kathleen	Sewer B/U	Rain	Owner	Overload
10/23/2009	9:34 AM	1942 E	Lawrence	Sewer B/U	Rain	City	Overload
10/23/2009	8:36 AM		Longwood & Deer Trail	Water in Street	Rain	City	Overload
10/23/2009	10:09 AM	21 W	Main	St	Sewer B/U	Owner	Overload
10/23/2009	10:09 AM	27 W	Main	St	Sewer B/U	Owner	Overload
10/23/2009	7:09 AM	322 S	Mayfair	P1	Sewer B/U	City	Overload
10/23/2009	7:00 AM		N. Floyd & Normandy	Water in Street	Rain	City	Overload
10/23/2009	4:27 AM	582	Ranger	Sewer B/U	Rain	City	Overload
10/23/2009	6:58 AM	190 W	Raye	Dr	Catch Basin	Rain	Cleaned
10/23/2009	N/A N/A	190 W	Raye	Dr	Water in Street	Rain	Overload
10/23/2009	8:47 AM		Roberta & Greenbriar	Water in Street	Rain	City	Cleaned
10/23/2009	5:30 AM	185	Serenia	Sewer B/U	Rain	City	Overload
10/23/2009	7:30 N/A	380	Sherry	Lane	Water in Street	Rain	Overload
10/23/2009	7:32 AM	113	Strieff	Sewer B/U	Rain	City	Flushed Line
10/23/2009	6:55 AM	113	Strieff	Sewer B/U	Rain	City	Flushed Line
10/23/2009	5:15 AM	117	Strieff	Sewer B/U	Rain	City	Flushed Line
10/23/2009	7:18 AM	123	Strieff	Sewer B/U	Rain	City	Flushed Line
10/23/2009	5:45 AM	123	Strieff	Sewer B/U	Rain	City	Flushed Line

Date	Time	Location	Cause	Weather	Disposition	Actions
10/23/2009	7:13 AM	127'	Strieff	Water in Street	Rain	City Overload
10/23/2009	8:41 AM	153	Strieff	Sewer B/U	Rain	City Flushed Line
10/23/2009	8:05 AM	163	Strieff	Sewer B/U	Rain	Owner Flushed Line
10/23/2009	8:41 N/A	632	Travers	Sewer B/U	Rain	City Overload
10/23/2009	7:26 N/A	1530	Wilson	Sewer B/U	Rain	City Overload
10/23/2009	7:15 AM	Winchester	Rd	Water in Street	Rain	City Overload
10/23/2009	7:06 AM	Winston & Fitch		Water in Street	Rain	City Overload
10/23/2009	7:17 AM	1945	Yale	Sewer B/U	Rain	City Overload
10/26/2009	10:41 AM	221	Fredrick	Sewer B/U	Rain	Owner Overload
10/27/2009	8:45 AM	344	Sherry	Lane	Sewer B/U	Rain Owner N/A
10/28/2009	1:20 PM	130	Mildred	Sewer B/U	Rain	Owner N/A
10/29/2009	9:06 N/A	411	Parnell	Sewer B/U	Rain	Owner N/A
10/30/2009	5:30 PM	187	E 7th	Pl	Sewer B/U	Rain City Overload
10/30/2009	2:45 PM	187	E 7th	Pl	Sewer B/U	Rain City Flushed Line
10/30/2009	9:47 AM	187	E 7th	Pl	Sewer B/U	Rain City N/A
10/30/2009	11:57 AM	13th & Campbell		Sewer B/U	Rain	City Overload
10/30/2009	7:58 AM	13th & Campbell		Water in Street	Rain	City Overload
10/30/2009	8:53 AM		13th & Piacenti	Catch Basins	Rain	City Cleaned
10/30/2009	12:28 PM		13th & Washington	Water in Street	Rain	City Overload
10/30/2009	12:29 N/A	170	W 14th	Pl	Sewer B/U	Rain City Overload
10/30/2009	N/A N/A	277	W 14th	Pl	Water in Street	Rain City Overload
10/30/2009	7:19 AM	126	W 15th	St	Water in Street	Rain City Overload
10/30/2009	7:19 AM	128	W 15th	St	Water in Street	Rain City Overload
10/30/2009	10:41 AM	214	W 15th	St	Sewer B/U	Rain City Overload
10/30/2009	5:30 PM	255	W 15th	Pl	Sewer B/U	Rain City Overload
10/30/2009	7:15 AM	255	W 15th	Pl	Sewer B/U	Rain City Overload
10/30/2009	2:45 PM	267	W 15th	Pl	Sewer B/U	Rain City Overload
10/30/2009	1:08 PM	311	W 15th	Pl	Sewer B/U	Rain City Overload
10/30/2009	8:26 AM	429	W 15th	St	Water in Street	Rain City Overload
10/30/2009	5:50 PM	521	W 15th	Pl	Sewer B/U	Rain City Flushed Line
10/30/2009	3:40 PM	580	W 15th	Pl	Broken Sewer	Rain City Repaired
10/30/2009	9:18 AM	580	W 15th	Pl	Sewer B/U	Rain City Overload
10/30/2009	4:55 PM	580	W 15th	Pl	Water in Basement	Rain City Overload

Date	Time	Location	Cause	Weather	Disposition	Actions
10/30/2009	3:40 PM	580 W 15th	Pt	Broken Sewer-Stage P	Rain City	Repaired
10/30/2009	4:15 PM	305 W 16th	St	Sewer B/U	Rain City	Overload
10/30/2009	10:32 AM	315 W 16th	St	Sewer B/U	Rain City	Overload
10/30/2009	7:33 AM	521 W 16th	St	Sewer B/U	Rain City	Overload
10/30/2009	8:41 N/A	56 W 19th	St	Sewer B/U	Rain City	Flushed Line
10/30/2009	12:25 PM	24th & Portland	Catch Basins		Rain City	Cleaned
10/30/2009	6:55 PM	194 E 26th	St	Sewer B/U	Rain City	Overload
10/30/2009	2:24 N/A	301 Abbott	Sewer B/U		Rain Owner	N/A
10/30/2009	2:53 PM	1934 Beacon Blvd	Sewer B/U		Rain Owner	N/A
10/30/2009	11:55 N/A	258 Boston	Sewer B/U		Rain Owner	N/A
10/30/2009	9:36 N/A	627 W Brookline	Sewer B/U		Rain City	Overload
10/30/2009	1:40 PM	627 Brookline	Sewer B/U		Rain City	Overload
10/30/2009	4:50 PM	627 Brookline	Water in Basement		Rain City	Overload
10/30/2009	9:02 AM	1529 Chicago Rd	Sewer B/U		Rain City	Overload
10/30/2009	3:50 PM	305 Concord	Sewer B/U		Rain City	Overload
10/30/2009	8:28 AM	516 Concord	Sewer B/U		Rain City	Overload
10/30/2009	1:32 PM	516 Concord	Water in Street		Rain City	Overload
10/30/2009	8:28 AM	520 Concord	Sewer B/U		Rain City	Overload
10/30/2009	1:41 PM	222 Dixie Hwy	Sewer B/U		Rain City	Overload
10/30/2009	7:41 AM	1410 Edgewood	Water in Street		Rain City	Overload
10/30/2009	7:33 AM	148 W Elmwood	Sewer B/U		Rain City	Overload
10/30/2009	2:35 PM	221 Fredrick	Sewer B/U		Rain City	Overload
10/30/2009	12:13 PM	Glengate & Coolidge	Catch Basins		Rain City	Cleaned
10/30/2009	5:15 N/A	1114 Grant	Sewer B/U		Rain City	Overload
10/30/2009	1:07 PM	1140 Grant	Sewer B/U		Rain City	Overload
10/30/2009	4:25 PM	20 E Greenbriar	Sewer B/U		Rain City	Overload
10/30/2009	1:03 PM	70 E Greenbriar	Water in Street		Rain City	Overload
10/30/2009	5:52 PM	156 W Greenbriar	Sewer B/U		Rain City	Overload
10/30/2009	2:09 PM	Greenbriar	Catch Basins		Rain City	Cleaned
10/30/2009	2:09 PM	Hamilton Wood	Catch Basins		Rain City	Cleaned
10/30/2009	12:31 PM	102 W Hickory	Sewer B/U		Rain City	Overload
10/30/2009	1:31 PM	815 N Highland	Man Hole Cover		Rain City	Overload
10/30/2009	9:01 AM	Hillcrest & Union	Water in Basement		Rain City	Overload

Date	Time	Location	Cause	Weather	Disposition	Actions
10/30/2009	8:11 N/A	Holbrook & Patricia	Water in Street	Rain	City	Overload
10/30/2009	1:55 PM	269 E	Joe Orr	Sewer B/U	Rain	Flushed Line
10/30/2009	9:22 AM	450	Longwood	Sewer B/U	Rain	Overload
10/30/2009	8:52 AM	46 W	Main	St	Sewer B/U	Flushed Line
10/30/2009	8:14 AM	Maple & Cedar	Water in Street	Rain	City	Overload
10/30/2009	12:50 PM	208 N	Normandy	Blvd	Sewer B/U	Overload
10/30/2009	11:03 AM	1445	Otto	Ave	Sewer B/U	Overload
10/30/2009	7:54 N/A	173	Pamela	Lane	Catch Basins	Rain
10/30/2009	12:05 PM	1329	Park	Ave	Sewer B/U	Rain
10/30/2009	1:29 PM	1230	Peggy	Lane	Catch Basins	Rain
10/30/2009	3:18 PM	89	Peyton	Catch Basins	Rain	City
10/30/2009	1:35 PM	1313	Piacenti	Sewer B/U	Rain	Overload
10/30/2009	8:17 AM	1313	Piacenti	Water in Street	Rain	City
10/30/2009	12:40 AM	1432	Portland	Sewer B/U	Rain	Owner
10/30/2009	2:09 PM	Robert	Roberta	Catch Basins	Rain	N/A
10/30/2009	2:01 PM	344	Sandra	Sewer B/U	Rain	Cleaned
10/30/2009	9:08 AM	400	Sandra	Water in Basement	Rain	City
10/30/2009	4:10 PM	185	Serena	Sewer B/U	Rain	Overload
10/30/2009	8:04 AM	185	Serena	Water in Basement	Rain	Overload
10/30/2009	8:00 PM	11:48 AM	Serena & Eddy	Water in Street	Rain	Overload
10/30/2009	8:00 PM	320	Sherry	Lane	Sewer B/U	Rain
10/30/2009	11:30 PM	145	Thelma	Sewer B/U	Rain	City
10/30/2009	5:20 PM	145	Thelma	Water in Basement	Rain	Overload
10/30/2009	8:55 AM	632	Travers	Water in Basement	Rain	Overload
10/30/2009	8:42 AM	517	Wallace	Water in Street	Rain	City
10/30/2009	5:10 PM	250	Westgate	Sewer B/U	Rain	Overload
10/30/2009	4:10 PM	1530	Wilson	Sewer B/U	Rain	Overload
10/31/2009	10:39 AM	37 W	14th	Pl	Sewer B/U	Rain
10/31/2009	9:35 AM	241 E	15th	St	Water in Basement	Rain
10/31/2009	4:00 PM	90	Judith	Broken Sewer	Rain	City
10/31/2009	10:15 AM	1535	Shields	Water in Basement	Rain	Owner
11/3/2009	1:08 N/A	331	Standish	Sewer B/U	Dry	Owner
11/4/2009	9:47 N/A	156 W	Greenbriar	Sewer B/U	Dry	N/A

Date	Time	Location	Cause	Weather	Disposition	Actions
11/6/2009	9:15 AM	508 Fitch	Inquiry	Dry	Owner	N/A
11/9/2009	8:48 N/A	1339 Prairie	Water in Grass	Dry	City	TOT Water Dept
11/11/2009	5:00 PM	330 Standish	Sewer B/U	Dry	Owner	N/A
11/14/2009	10:45 AM	1950 Beacon	Blvd	Dry	City	Flushed Line
11/17/2009	9:02 AM	1631 Buena Vista	Ave	Dry	City	Flushed Line
11/17/2009	N/A N/A	341 W Hickory	Sewer B/U	Dry	Owner	Flushed Line
11/18/2009	12:30 PM	1422 Edgewood	Sewer B/U	Dry	City	Flushed Line
11/18/2009	8:50 PM	1044 Lowe	Sewer B/U	Dry	Owner	Flushed Line
11/18/2009	2:19 PM	556 Minette	Sewer B/U	Dry	Owner	N/A
11/20/2009	7:05 PM	1641 Buena Vista	Ave	Sewer B/U	Dry	City
11/20/2009	7:00 PM	1645 Buena Vista	Ave	Sewer B/U	Dry	City
11/20/2009	4:20 PM	632 Travers	Sewer B/U	Dry	Owner	N/A
11/22/2009	1:58 PM	140 Mildred	Sewer B/U	Dry	City	Flushed Line
11/23/2009	11:43 AM	632 Travers	Sewer B/U	Dry	Owner	N/A
11/24/2009	N/A N/A	525 Dixie	Hwy	Sewer B/U	Dry	Owner
11/24/2009	N/A N/A	341 W Hickory	Sewer B/U	Dry	Owner	Flushed Line
11/28/2009	4:20 PM	567 Shelly	Lane	Sewer B/U	Dry	City
11/30/2009	11:10 AM	1639 Buena Vista	Ave	Sewer B/U	Dry	Owner
12/9/2009	N/A N/A	143 Elder	Sewer B/U	Dry	City	Flushed Line
12/9/2009	3:35 PM	181 Hillcrest	Sewer B/U	Dry	City	Flushed Line
12/9/2009	6:36 AM	1133 Schilling	Sewer B/U	Dry	City	Flushed Line
12/9/2009	10:13 AM	1530 Thorn	Sewer B/U	Dry	Owner	N/A
12/9/2009	12:46 PM	1222 Washington	Sewer B/U	Dry	Owner	N/A
12/9/2009	4:30 PM	1230 West End	Ave	Sewer B/U	Dry	City
12/10/2009	9:05 AM	334 Abbott	Sewer B/U	Dry	City	Flushed Line
12/10/2009	11:16 AM	1923 Cambridge	Sewer B/U	Dry	City	Flushed Line
12/14/2009	N/A N/A	560 W 14th	St	Sewer B/U	Dry	City
12/14/2009	N/A N/A	313 S Mayfair	Pl	Sewer B/U	Dry	City
12/14/2009	5:35 PM	355 Standish	Sewer B/U	Dry	City	Flushed Line
12/15/2009	5:35 PM	193 Emelia	Sewer B/U	Dry	City	Flushed Line
12/17/2009	12:55 PM	330 W 16th	St	Sewer B/U	Dry	Owner
12/17/2009	8:40 PM	334 Homewood	Ct	Sewer B/U	Dry	City
12/18/2009	6:45 PM	529 Gregory	Sewer B/U	Dry	City	Flushed Line

Date	Time	Location	Cause	Weather	Disposition	Actions
12/22/2009	8:00 AM	158 W Elmwood	Sewer B/U	Dry	City	Flushed Line
12/23/2009	5:40 PM	305 Concord	Sewer B/U	Dry	City	Flushed Line
12/24/2009	1:45 PM	306 Ashland	Ave Inquiry	Rain	Owner	N/A
12/24/2009	5:25 PM	1230 West End	Ave	Sewer B/U	Rain	City
12/25/2009	7:36 AM	340 W 17th	St	Sewer B/U	Rain	Owner
12/25/2009	4:15 AM	306 Brookline	Ave	Sewer B/U	Rain	City
12/25/2009	5:30 AM	627 Ashland	Ave	Sewer B/U	Rain	City
12/25/2009	12:00 PM	221 Fredrick	Sewer B/U	Rain	City	Overload
12/25/2009	10:22 AM	1310 Garden	Sewer B/U	Rain	City	Overload
12/25/2009	2:48 PM	264 Holbrook	Sewer B/U	Rain	City	Overload
12/25/2009	4:10 AM	582 Ranger	Sewer B/U	Rain	City	Overload
12/25/2009	9:40 AM	1324 Schilling	Sewer B/U	Rain	City	Overload
12/25/2009	8:16 AM	567 Shelly	Lane	Sewer B/U	Rain	City
12/25/2009	9:55 AM	738 Willow	Sewer B/U	Rain	City	Overload
12/27/2009	1:00 PM	145 Serena	Sewer B/U	Rain	City	Overload
12/28/2009	6:35 PM	625 Halsted	Sewer B/U	Dry	City	Flushed Line
1/1/2010	12:45 PM	40 W 15th	St	Sewer B/U	Dry	City
1/4/2010	7:33 AM	1618 Scott	Sewer B/U	Dry	Owner	N/A
1/5/2010	9:05 PM	350 Concord	Sewer B/U	Dry	City	Flushed Line
1/6/2010	12:50 PM	525 Dixie	Hwy	Sewer B/U	Dry	City
1/7/2010	12:49 AM	1908 Campbell	Sewer B/U	Dry	City	Flushed Line
1/11/2010	7:49 AM	234 Sherry	Lane	Sewer B/U	Dry	City
1/16/2010	11:30 AM	1508 Otto	Bld	Sewer B/U	Dry	Owner
1/18/2010	8:10 AM	125 Serena	Sewer B/U	Dry	Owner	N/A
1/18/2010	3:08 PM	1540 Thorn	Sewer B/U	Dry	City	Flushed Line
1/19/2010	12:51 PM	375 Sherry	Lane	Sewer B/U	Dry	City
1/19/2010	9:45 PM	1332 Vincennes	Sewer B/U	Dry	City	Flushed Line
1/21/2010	2:45 PM	569 Saratoga	Sewer B/U	Dry	Owner	N/A
1/22/2010	8:55	337 Boston	Sewer B/U	Dry	Owner	N/A
1/22/2010	11:35 AM	525 Dixie	Hwy	Sewer B/U	Dry	City
1/22/2010	4:50 PM	209 Lynn	Ln	Sewer B/U	Dry	City
1/23/2010	7:25 PM	306 Ashland	Ave	Sewer B/U	Dry	City
1/23/2010	6:15 PM	366 W Hickory	Sewer B/U	Dry	City	Flushed Line

Date	Time	Location	Cause	Weather	Disposition	Actions
1/24/2010	1:20 PM	15 W McEldowney	Sewer B/U	Dry	City	Flushed Line
1/24/2010	12:05 PM	129 S Pamela	Sewer B/U	Dry	City	Flushed Line
1/24/2010	5:15 AM	136 N Pamela	Sewer B/U	Dry	City	Flushed Line
1/25/2010	12:15 PM	1629 Oak	St	Dry	City	Flushed Line
1/25/2010	11:47 AM	1285 Pamela	Sewer B/U	Dry	City	Down
1/25/2010	2:39 PM	1234 Park	Ave	Sewer B/U	Dry	Owner
1/25/2010	N/A	751 Willow	Sewer B/U	Dry	Owner	N/A
1/26/2010	12:20 PM	440 W 16th	St	Sewer B/U	Dry	Owner
1/27/2010	2:15 PM	440 W 16th	St	Sewer B/U	Dry	Owner
1/29/2010	10:15 N/A	149 S Pamela	Water in Basement	Dry	Owner	N/A
1/30/2010	4:31 PM	14 W 24th	St	Sewer B/U	Dry	Owner
2/11/2010	2:55 PM	226 Westgate	Sewer B/U	Dry	Owner	Flushed Line
2/11/2010	N/A N/A	230 Westgate	Sewer B/U	Dry	Owner	Flushed Line
2/17/2010	9:30 AM	1221 Lincoln	Ave	Sewer B/U	Dry	Owner
2/18/2010	12:26 N/A	1203 West End	Ave	Sewer B/U	Dry	City
2/20/2010	4:00 PM	140 Kathleen	Sewer B/U	Dry	City	Flushed Line
2/21/2010	4:45 PM	508 W 17th	St	Sewer B/U	Dry	City
2/23/2010	6:15 PM	508 W 17th	St	Sewer B/U	Dry	Owner
2/23/2010	12:58 PM	1132 Park	Ave	Sewer B/U	Dry	Owner
3/1/2010	10:10 PM	1949 Yale	Sewer B/U	Dry	Owner	N/A
3/3/2010	10:58 AM	175 W Normandy	Sewer B/U	Dry	Owner	N/A
3/4/2010	7:12 AM	596 W 16th	St	Sewer B/U	Dry	City
3/4/2010	6:00 PM	625 Halsted	Sewer B/U	Dry	City	Flushed Line
3/4/2010	11:55 AM	316 Westgate	Sewer B/U	Dry	Owner	N/A
3/5/2010	11:38 AM	556 Minette	Sewer B/U	Dry	Owner	Flushed Line
3/8/2010	5:45 PM	1232 Piacenti	Sewer B/U	Dry	City	Flushed Line
3/10/2010	9:24 AM	1142 Grant	Odor	Dry	City	Flushed Line
3/11/2010	8:17 AM	263 Plymouth	Sewer B/U	Dry	Owner	N/A
3/11/2010	8:56 AM	582 Ranger Stage Pump	Request Pump	Dry	City	Will turn on if need
3/12/2010	N/A N/A	14 W 24th	St	Sewer B/U	Dry	Owner
3/13/2010	12:00 PM	60 W 25th	St	Line Break	Dry	Owner
3/13/2010	8:30 AM	60 W 25th	St	Sewer B/U	Dry	Owners
3/13/2010	12:00 PM	60 W 25th	St	Sewer B/U	Dry	Owners

Date	Time	Location	Cause	Weather	Disposition	Actions
3/13/2010	8:30 AM	60 W	25th	St	Sewer B/U	Dry Owners Flushed Line
3/13/2010	7:30 AM	185 W	Elmwood	Sewer B/U	Dry	City
3/13/2010	7:30 AM	185 W	Elmwood	N/A	Dry	N/A
3/13/2010	12:00 PM	117	Emerald	Sewer B/U	Dry	City
3/13/2010	12:00 PM	117	Emerald	Sewer B/U	Dry	City
3/13/2010	3:45 PM	568	Minette	Sewer B/U	Dry	City
3/13/2010	N/A	N/A	Minette	Sewer B/U	Dry	City
3/13/2010	4:00 AM	400 S	Parnell	Sewer B/U	Dry	City
3/13/2010	4:00 PM	400 S	Parnell	Sewer B/U	Dry	City
3/13/2010	9:05 PM	125	Sherry	Lane	Sewer B/U	Dry
3/14/2010	2:30 PM	56 W	19th	St	Sewer B/U	Dry City
3/14/2010	N/A	N/A	56 W	19th	St	Sewer B/U Dry City
3/14/2010	12:30 PM	107 E	23rd	St	Sewer B/U	Dry City
3/14/2010	11:25 AM	107 E	23rd	St	Sewer B/U	Dry City
3/14/2010	11:25 AM	1329	Prairie	Sewer B/U	Dry	City
3/14/2010	12:00 PM	1329	Prairie	Sewer B/U	Dry	City
3/14/2010	1:20 PM	507	Shelly	Lane	Sewer B/U	Dry Owners Flushed Line
3/14/2010	N/A	N/A	567	Shelly	Lane	Sewer B/U Dry Owners Flushed Line
3/15/2010	9:10 AM	60 W	25th	St	Sewer B/U	Dry Owner N/A
3/15/2010	4:03 PM	180	Thelma	Sewer B/U	Dry	City Flushed Line
3/18/2010	4:05 PM	66 W	Main	St	Sewer B/U	Dry Owners Flushed Line
3/22/2010	11:30 PM	97 W	21st	St	Sewer B/U	Dry City Flushed Line
3/22/2010	4:00 PM	97 W	21st	St	Sewer B/U	Dry Owner N/A
3/23/2010	9:03 AM	214	Coolidge	Roots in Sewer	Dry	City Flushed Line
3/26/2010	10:53 AM	345	Sherry	Lane Water in Street	Dry	City TOT Water Dept
3/30/2010	8:52 AM	1641	Buena Vista	Ave	Sewer B/U	Dry City Flushed Line
3/30/2010	8:52 AM	1645	Buena Vista	Ave	Sewer B/U	Dry City Flushed Line
3/30/2010	11:43 AM	520	Concord	Odor	Dry	City Flushed Line
3/30/2010	N/A N/A	394	Saratoga	Sewer B/U	Dry	Owner N/A
4/2/2010	6:35 PM	568	Minette	Sewer B/U	Dry	Owners Flushed Line
4/3/2010	1:15 PM	627	Brookline	Sewer B/U	Dry	Owners Flushed Line
4/5/2010	10:45 AM	191 W	Maple	Sewer B/U	Dry	Owners N/A
4/5/2010	11:38 AM	1218	Peggy	Lane	Sewer B/U	Dry City Flushed Line

Date	Time	Location	Cause	Weather	Disposition	Actions
4/6/2010	10:43 AM	375 Sherry	Sewer B/U	Rain	Owners	N/A
4/7/2010	12:35 PM	870 Maple	Catch Basins	Rain	City	Cleaned
4/7/2010	11:20 AM	246 Meadow	Sewer B/U	Rain	City	Flushed Line
4/7/2010	12:55 PM	1235 Orchard	Sewer B/U	Rain	City	Flushed Line
4/7/2010	3:15 PM	582 Ranger	Sewer B/U	Rain	City	Flushed Line
4/7/2010	7:45 AM	125 Sherry	Water in Basement	Rain	Owners	N/A
4/7/2010	12:35 PM	125 Willow	Catch Basins	Rain	City	Cleaned
4/7/2010	12:45 PM	1530 Wilson	Sewer B/U	Rain	City	Flushed Line
4/8/2010	2:20 PM	379 W Hickory	Sewer B/U	Dry	Owners	N/A
4/12/2010	1:31 PM	1950 Beacon	Blvd	Sewer B/U	Dry	Owners
4/12/2010	12:22 PM	1422 Edgewood	Sewer B/U	Dry	City	Flushed Line
4/15/2010	12:11 PM	1235 Otto	Blvd	Odor	Dry	Owners
4/16/2010	2:16 PM	82 Broadway	Odor	Dry	Owners	N/A
4/16/2010	10:03 AM	1605 Thorn	Sewer B/U	Dry	Owners	N/A
4/19/2010	N/A	1040 Lowe	Sewer B/U	Dry	Owners	N/A
4/19/2010	2:57 PM	331 Westgate	Sewer B/U	Dry	Owners	N/A
4/27/2010	3:12 PM	1422 Edgewood	Sewer B/U	Dry	City	Flushed Line
5/2/2010	10:20 AM	135 W Elmwood	Sewer B/U	Dry	City	Flushed Line
5/3/2010	10:20 AM	176 E 23rd	St	Water In Basement	Rain	Owner
5/3/2010	N/A	717 Peoria	Water in Street	Rain	City	TOT Water Dept
5/4/2010	10:01 AM	415 Parnell	Sewer B/U	Rain	City	Flushed Line
5/4/2010	3:30 PM	438 Wallace	Sewer B/U	Rain	Owner	N/A
5/7/2010	9:13 AM	152 W 14th	St	Inquiry	Rain	Owner
5/7/2010	1:40 PM	414 W 15th	PI	Water In Basement	Rain	Owner
5/7/2010	11:46 AM	334 Standish	Catch Basins	Rain	City	Cleaned
5/8/2010	2:10 PM	1011 Union	Sewer B/U	Rain	Owner	N/A
5/10/2010	N/A	221 W	Water In Basement	Rain	Owner	Flushed Line
5/11/2010	7:18 AM	221 W 15th	St	Water In Basement	Rain	Owner
5/10/2010	2:07 PM	82 Broadway	Sewer B/U	Rain	Owner	N/A
5/10/2010	N/A	362 Standish	Sewer B/U	Rain	Owner	Flushed Line
5/11/2010	12:00 PM	406 W 16th	St	Water In Basement	Rain	Owner
5/11/2010	7:35 AM	1900 Andover	Sewer B/U	Rain	City	Flushed Line
5/11/2010	6:40 AM	1924 Dartmouth	Sewer B/U	Rain	City	Flushed Line

Date	Time	Location	Cause	Weather	Disposition	Actions
5/12/2010	12:45 PM	203 W 14th	Pl	Sewer B/U	Rain	City
5/12/2010	8:05 AM	154 W Elmwood	Sewer B/U	Rain	Owner	N/A
5/13/2010	11:43 AM	411 Parnell	Sewer B/U	Rain	City	Flushed Line
5/14/2010	4:45 PM	1249 Lincoln	Ave	Sewer B/U	Rain	City
5/15/2010	N/A N/A	1232 Piacenti	Sewer B/U	Rain	Owner	N/A
5/15/2010	N/A N/A	583 Yorktown	Water In Basement	Rain	City	Flushed Line
5/16/2010	2:25 PM	147 W 10th	St	Sewer B/U	Dry	City
5/16/2010	7:45 PM	23rd 107 E	St	Sewer B/U	Dry	City
5/17/2010	8:14 N/A	61 Rosewood	Lane	Sewer B/U	Dry	City
5/18/2010	12:32 PM	334 Homewood	Ct	Sewer B/U	Dry	Owner
5/19/2010	7:15 PM	490 W 16th	Pl	Sewer B/U	Dry	Owner
5/19/2010	10:37 AM	82 Broadway	Odor	Dry	Owner	Owner Clean-out
5/20/2010	11:16 AM	520 Concord	Odor	Dry	City	Flushed Line
5/21/2010	6:15 PM	324 E 25th	St	Water in Basement	Rain	City
5/21/2010	3:30 PM	306 Ashland	Ave	Sewer B/U	Rain	City
5/24/2010	10:23 AM	598 Saratoga	Sewer B/U	Rain	Owner	N/A
5/27/2010	6:55 AM	117 Strieff	Pump running	Dry	City	Flushed Line
5/28/2010	N/A N/A	591 Yorktown	Sewer B/U	Dry	Owner	N/A
5/31/2010	3:15 PM	426 E 22nd	St	Sewer B/U	Dry	City
6/1/2010	9:12 AM	187 E 7th	Pl	Check Sewer Line	Dry	Owner
6/1/2010	8:19 AM	738 Willow	Sewer B/U	Dry	City	Flushed Line
6/2/2010	N/A N/A	525 Dixie	Hwy	Sewer B/U	Rain	Owner
6/2/2010	8:50 AM	Sherry	Lane	Catch Basins	Rain	City
6/2/2010	8:50 AM	Tahoe	Catch Basins	Rain	City	Cleaned
6/3/2010	1:52 PM	1136 Union	Odor	Rain	Owner	N/A
6/5/2010	11:40 AM	598 Andover	Sewer B/U	Rain	Owner	N/A
6/7/2010	8:54 AM	1136 Franklin	Catch Basins	Dry	City	Flushed Line
6/9/2010	2:20	591 Yorktown	Sewer B/U	Dry	Owner	N/A
6/9/2010	2:20 PM	595 Yorktown	Sewer B/U	Dry	Owner	N/A
6/10/2010	1:28 PM	591 Yorktown	Sewer B/U	Dry	Owner	N/A
6/14/2010	8:45 AM	520 Concord	Odor	Dry	Owner	N/A
6/15/2010	8:44 AM	96 Frances	Ln	Sewer B/U	Dry	Owner
6/16/2010	2:10 PM	306 Westgate	Sewer B/U	Dry	Owner	N/A

Date	Time	Location	Cause	Weather	Disposition	Actions
6/17/2010	1:56 PM	297 W 16th	Pl Sewer B/U	Dry	City	Flushed Line
6/18/2010	11:17 AM	297 W 16th	Pl Sewer B/U	Dry	Owner	Flushed Line
6/23/2010	10:12 AM	32 W 24th	St Water in Street	Rain	City	Overload
6/23/2010	11:58 AM	525 Andover	Sewer B/U	Rain	Owner	N/A
6/23/2010	10:02 AM	306 Ashland	Ave Water in Street	Rain	City	Overload
6/23/2010	10:24 AM	364 W Hickory	Sewer B/U	Rain	Owners	N/A
6/23/2010	8:52 AM	146 Kathleen	Sewer B/U	Rain	Owners	N/A
6/23/2010	9:45 AM	1134 Park	Ave Water in Street	Rain	City	Overload
6/23/2010	9:53 AM	1313 Piacenti	Water in Street	Rain	City	Overload
6/23/2010	N/A N/A	700 Saratoga	Water in Street	Rain	City	Overload
6/23/2010	N/A N/A	Saratoga	Water in Street	Rain	City	Overload
6/23/2010	10:20 AM	125 Sherry Lane	Sewer B/U	Rain	Owner	N/A
6/23/2010	10:07 AM	Theresa	Water in Street	Rain	City	Overload
6/23/2010	11:03 AM	1540 Thorn	Sewer B/U	Rain	City	Flushed Line
6/23/2010	11:42 AM	1230 West End	Ave Sewer B/U	Rain	Owner	Flushed Line
6/23/2010	N/A N/A	1530 Wilson	Sewer B/U	Rain	Owners	N/A
6/23/2010	1:23 PM	535 Winston	Sewer B/U	Rain	City	Overload
6/24/2010	12:30 AM	1950 Beacon Blvd	Sewer B/U	Rain	Owners	N/A
6/24/2010	11:38 AM	598 Saratoga	Sewer B/U	Rain	City	Overload
6/25/2010	16:56 AM	358 W 16th	Pl Check Sewer Line	Rain	City	OK
6/29/2010	N/A N/A	1116 Parkview Ave	Sewer B/U	Dry	Owner	N/A
6/30/2010	7:40 AM	288 W 16th	Pl Sewer B/U	Dry	Owner	Flushed Line
7/2/2010	0:00 AM	1144 Emerald	Catch Basins	Dry	City	Cleaned
7/2/2010	8:55 AM	121 N Floyd	Sewer B/U	Dry	Owners	N/A
7/4/2010	8:35 PM	430 E 22nd St	Sewer B/U	Dry	Owners	Flushed line
7/8/2010	N/A N/A	1654 Thorn	Sewer B/U	Dry	Owners	Flushed line
7/10/2010	4:37 PM	501 E Grovesnor	Sewer B/U	Dry	City	Flushed line
7/10/2010	12:40 PM	Main & Birmingham Man Hole Cover		Dry	City	Replaced
7/14/2010	10:00 PM	1950 Beacon Blvd	Sewer B/U	Dry	Owners	Flushed line
7/15/2010	2:10 PM	598 Saratoga	Sewer B/U	Dry	Owners	N/A
7/16/2010	7:25 PM	822 Maple	Sewer B/U	Dry	City	Flushed line
7/24/2010	9:09 AM	187 E 7th	Pl Sewer B/U	Rain	Owners	N/A
7/24/2010	9:49 AM	1641 Buena Vista Ave	Sewer B/U	Rain	City	Flushed line

Date	Time	Location	Cause	Weather	Disposition	Actions
7/24/2010	9:49 AM	1645 Buena Vista Ave	Sewer B/U	Rain	City	Flushed line
7/24/2010	7:30 PM	77 E Normandy	Sewer B/U	Rain	Owners	N/A
7/24/2010	11:10 PM	582 Ranger	Requesting Pump	Rain	Owners	N/A
7/24/2010	9:44 AM	1540 Thorn	Sewer B/U	Rain	City	Flushed line
7/24/2010	9:09 AM	1543 Thorn	Sewer B/U	Rain	City	Flushed line
7/25/2010	10:52 AM	326 Westgate	Sewer B/U	Rain	City	Flushed line
7/26/2010	4:30 PM	1540 Thorn	Sewer B/U	Rain	City	Flushed line
7/28/2010	N/A N/A	820 McArthur	Water in Basement	Rain	City	Flushed line
7/31/2010	11:15 AM	243 W 15th	Pl	Sewer B/U	Rain	Owners
7/31/2010	6:55 AM	246 E 21st	St	Water in Basement	Rain	City
7/31/2010	6:30 AM	306 Ashland Ave	Sewer B/U	Rain	City	Overload
7/31/2010	7:35 AM	1950 Beacon Blvd	Water in Street	Rain	City	Overload
7/31/2010	7:10 AM	1923 Cambridge	Sewer B/U	Rain	City	Overload
7/31/2010	7:00 AM	322 Concord	Water in Street	Rain	City	Overload
7/31/2010	2:24 PM	53 E Elmwood	Sewer B/U	Rain	Owners	N/A
7/31/2010	8:47 AM	20 E Greenbriar	Sewer B/U	Rain	City	Flushed Lined
7/31/2010	9:12 AM	350 Iris	Sewer B/U	Rain	City	Overload
7/31/2010	6:42 AM	450 Longwood	Water in Street	Rain	City	Overload
7/31/2010	8:04 AM	191 W Maple	Sewer B/U	Rain	City	Overload
7/31/2010	8:56 AM	172 N Pamela	Sewer B/U	Rain	City	Overload
7/31/2010	7:10 AM	175 N Pamela	Check Sewer	Rain	City	Overload
7/31/2010	8:07 AM	400 S Parnell	Sewer B/U	Rain	City	Flushed Lined
7/31/2010	7:50 AM	411 Parnell	Sewer B/U	Rain	City	Flushed Lined
7/31/2010	N/A N/A	415 Parnell	Water in Basement	Rain	City	Flushed Lined
7/31/2010	8:19 AM	185 Serena	Sewer B/U	Rain	City	Overload
7/31/2010	8:55 AM	738 Willow	Sewer B/U	Rain	City	Overload
7/31/2010	7:30 AM	1530 Wilson	Water in Basement	Rain	City	Overload
8/2/2010	8:08 AM	201 W 15th	Pl Inquiry	Rain	N/A	N/A
8/2/2010	12:42 PM	354 E 24th	St Water in Basement	Rain	Owners	Flushed line
8/2/2010	10:30 AM	800 Thomas	Sewer B/U	Rain	Owners	N/A
8/3/2010	5:05 PM	197 E 7th	Pl Sewer B/U	Rain	Owners	Flushed Line
8/3/2010	3:13 PM	238 W 15th	Pl Sewer B/U	Rain	City	Overload
8/3/2010	2:13 PM	319 W 15th	Pl Sewer B/U	Rain	City	Overload

Date	Time	Location	Cause	Weather	Disposition	Actions
8/3/2010	9:36 AM	330 W 15th	P/I	Sewer B/U	Rain City	Overload
8/3/2010	9:23 AM	474 W 15th	St	Sewer B/U	Rain City	Overload
8/3/2010	12:10 AM	315 W 16th	St	Sewer B/U	Rain City	Flushed Line
8/3/2010	6:25 AM	521 W 16th	St	Sewer B/U	Rain City	Overload
8/3/2010	N/A N/A	398 W 17th	St	Sewer B/U	Rain Owners	Overload
8/3/2010	7:56 AM	246 E 21st	St	Water in Basement	Rain City	Overload
8/3/2010	2:10 PM	14 W 24th.	St	Sewer B/U	Rain City	Overload
8/3/2010	4:55 PM	437 W 8th	St	Sewer B/U	Rain Owners	N/A
8/3/2010	2:37 PM	434 Arquilla Ave	Sewer B/U	Rain City	Overload	
8/3/2010	6:55 AM	846 Ashland	Sewer B/U	Rain City	Overload	
8/3/2010	9:20 AM	71 Broadway	Sewer B/U	Rain City	Overload	
8/3/2010	1:50 PM	349 Caldwell	Sewer B/U	Rain City	Overload	
8/3/2010	6:40 AM	1923 Cambridge	Sewer B/U	Rain City	Overload	
8/3/2010	7:10 AM	1333 Campbell	Water in Basement	Rain City	Overload	
8/3/2010	9:55	1526 Chicago Rd	Sewer B/U	Rain City	Overload	
8/3/2010	6:52 AM	305 Concord	Sewer B/U	Rain City	Overload	
8/3/2010	6:48 AM	Concord	Water in Street	Rain City	Overload	
8/3/2010	12:25 PM	117 Emelia	Sewer B/U	Rain City	Overload	
8/3/2010	1:26 PM	533 Emerald	Sewer B/U	Rain City	Overload	
8/3/2010	6:45 AM	131 N Floyd	Sewer B/U	Rain City	Overload	
8/3/2010	6:20 AM	132 W Glengate	Water in Basement	Rain Owners	Overload	
8/3/2010	8:47 AM	1114 Grant	Sewer B/U	Rain City	Overload	
8/3/2010	10:46 AM	1508 Hanover	Sewer B/U	Rain City	Flushed Line	
8/3/2010	6:16 AM	364 W Hickory	Sewer B/U	Rain City	Overload	
8/3/2010	2:15 PM	181 Hillcrest	Sewer B/U	Rain Owners	Flushed Line	
8/3/2010	7:05 AM	Iris	Sewer B/U	Rain City	Overload	
8/3/2010	11:04 AM	1221 Lincoln Ave	Sewer B/U	Rain Owners	Overload	
8/3/2010	12:40 PM	269 Lynn Ln	Sewer B/U	Rain Owners	N/A	
8/3/2010	7:20 AM	54 W Main St	Sewer B/U	Rain City	Flushed Line	
8/3/2010	4:10 PM	822 Maple	Sewer B/U	Rain City	Flushed Line	
8/3/2010	5:10 AM	114 Mildred	Water in Street	Rain City	Overload	
8/3/2010	11:20 AM	171 N Pamela	Water in Street	Rain City	Overload	
8/3/2010	11:25 AM	175 N Pamela	Sewer B/U	Rain City	Overload	

Date	Time	Location	Cause	Weather	Disposition	Actions
8/3/2010	7:08 AM	1319 Park Ave	Sewer B/J	Rain	City	Overload
8/3/2010	6:45 AM	400 S Parnell	Sewer B/J	Rain	City	Overload
8/3/2010	10:01 AM	1218 Peggy Lane	Sewer B/J	Rain	City	Overload
8/3/2010	8:21 AM	582 Ranger	Sewer B/J	Rain	City	Overload
8/3/2010	3:55 PM	569 Saratoga	Sewer B/J	Rain	City	Overload
8/3/2010	6:00 AM	185 Serena	Water in Basement	Rain	City	Overload
8/3/2010	6:32 AM	375 Sherry Lane	Water in Street	Rain	City	Overload
8/3/2010	3:00 PM	163 Strieff	Sewer B/J	Rain	City	Overload
8/3/2010	8:35 AM	738 Willow	Sewer B/J	Rain	City	Overload
8/3/2010	9:14 AM	809 Willow	Sewer B/J	Rain	City	Overload
8/3/2010	6:10 AM	1530 Wilson	Water in Basement	Rain	City	Overload
8/3/2010	6:27 AM	583 Yorktown	Sewer B/J	Rain	City	Overload
8/4/2010	9:16 AM	1217 Scott	Sewer B/J	Rain	Owners	N/A
8/4/2010	12:58 PM	140 Serena	Sewer B/J	Rain	City	Unfouded
8/4/2010	5:40 PM	145 Theresa	Sewer B/J	Rain	City	Flushed Line
8/5/2010	1:51 PM	1132 Park	Ave	Sewer B/J	Rain	Owners
8/5/2010	7:25 PM	1429 Schilling	Odor	Rain	City	Lift Station Problem
8/9/2010	11:01 AM	1648 Buena Vista	Ave Odor	Dry	Owners	N/A
8/9/2010	8:50 AM	481 Hamilton Wood	Sewer B/J	Dry	City	TOT Water Dept
8/13/2010	9:13 AM	479 Deer Trail	Water around CB	Dry	City	N/A
8/13/2010	10:30 AM	96 Frances Ln	Odor	Dry	Owners	Repaired
8/15/2010	7:25 PM	546 Emerald	Sewer B/J	Dry	Owners	N/A
8/23/2010	9:53 AM	619 Willow	Water in Yard	Dry	Owners	N/A
8/25/2010	10:40 AM	67 Rosewood	Lane Sewer B/J	Dry	Instituform	Flushed line
8/26/2010	8:20 AM	199 E 23rd	St Sewer B/J	Dry	Owners	N/A
8/26/2010	8:21 AM	500 Grovesnor	Water in Yard	Dry	Owners	Flushed line
8/27/2010	5:54 PM	516 Concord	Sewer B/J	Dry	Owners	N/A
9/1/2010	11:30 AM	328 Serena	Sewer B/J	Dry	Owners	N/A
9/6/2010	6:30 PM	311 W 15th	Pl Sewer B/J	Dry	City	Flushed Line
9/13/2010	2:55 PM	587 Andover	Sewer B/J	Dry	Owners	Flushed Line
9/15/2010	7:00 AM	311 W 15th	Pl Sewer B/J	Dry	City	Flushed Line
9/16/2010	N/A N/A	525 Deer Trail	Sewer B/J	Dry	City	Flushed Line
9/18/2010	12:00 PM	270 W 15th	Pl Sewer B/J	Dry	Owners	N/A

Date	Time	Location	Cause	Weather	Disposition	Actions
9/20/2010	5:00 PM	430 W 16th	Sewer B/U	Dry	Owners	N/A
9/21/2010	9:05 AM	430 W 16th	P  Sewer B/U	Dry	Owners	Flushed Line
9/23/2010	11:54 AM	1945 Yale	Sewer B/U	Dry	Owners	Flushed Line
9/24/2010	N/A N/A	735 Enterprise	Sewer B/U	Dry	Owners	N/A
9/24/2010	1:35 PM	181 Hillcrest	Water in Basement	Dry	City	Flushed Line
9/24/2010	5:40 PM	146 Kathleen	Sewer B/U	Dry	City	Flushed Line
9/24/2010	N/A N/A	263 Plymouth	Sewer B/U	Dry	Owners	N/A
9/25/2010	11:50 AM	432 Sandra	Sewer B/U	Dry	City	Flushed Line
9/28/2010	6:45 PM	625 Halsted	Sewer B/U	Dry	City	Flushed Line
10/2/2010	1:00 PM	Joe Orr Lift Station	Power Outage	Dry	Com Ed	N/A
10/4/2010	11:03 AM	511 Winchester	Water in Parkway	Dry	City	TOT Water Dept
10/6/2010	11:46 AM	214 Coolidge	Check line	Dry	City	Flushed Line
10/8/2010	6:00 PM	1661 Buena Vista Ave	Sewer B/U	Dry	City	Flushed Line
10/12/2010	8:26 AM	184 Elder	Sewer B/U	Dry	Owners	N/A
10/13/2010	N/A AM	396 W 15th St	Sewer B/U	Dry	City	Flushed Line
10/14/2010	N/A N/A	863 Willow	Check line	Dry	Owners	OK
10/15/2010	12:50 PM	88 Isa	Sewer B/U	Dry	City	Flushed Line
10/19/2010	11:30 PM	N/A Joe Orr Lift Station	Power Outage	Dry	Com Ed	N/A
10/20/2010	7:15 PM	1641 Buena Vista Ave	Sewer B/U	Dry	City	Flushed Line
10/20/2010	7:15 PM	1645 Buena Vista Ave	Sewer B/U	Dry	City	Flushed Line
10/25/2010	9:00 PM	158 W Elmwood	Water in Yard	Dry	Owners	N/A
10/25/2010	12:22 AM	146 Kathleen	Sewer B/U	Dry	City	Flushed Line
10/26/2010	8:30 AM	158 W Elmwood	Sewer B/U	Dry	Owners	N/A
10/26/2010	11:21 AM	1001 Washington	Sewer B/U	Dry	Owners	N/A
10/27/2010	11:01 AM	735 Enterprise	Sewer B/U	Dry	Owners	N/A
10/30/2010	10:16 AM	132 W Glengate	Sewer B/U	Dry	City	Flushed Line
11/1/2010	3:25 PM	822 Maple	Sewer B/U	Dry	City	Flushed Line
11/3/2010	3:25 PM	1227 Emerald	Sewer B/U	Dry	City	Flushed Line
11/3/2010	9:40 AM	1500 Shields	Sewer B/U	Dry	Owners	N/A
11/5/2010	9:00 AM	354 E 24th	St	Sewer B/U	Dry	City
11/6/2010	12:25 PM	157 S Mayfair	P  Sewer B/U	Dry	Owners	Flushed Line
11/10/2010	10:00 AM	525 Dixie	Sewer B/U Hwy	Dry	City	Flushed Line
11/12/2010	6:30 PM	360 Iris	Sewer B/U	Dry	City	Flushed Line

Date	Time	Location	Cause	Weather	Disposition	Actions
11/12/2010	10:32 AM	214 W	Maple	Dry	Owners	N/A
11/13/2010	12:30 PM	1720	Campbell	Sewer B/U	Dry	Flushed Line
11/16/2010	10:33 AM	1617	Oak	St	Odor	Flushed Line
11/17/2010	11:25 AM	97 W	21st	St	Sewer B/U	Dry
11/17/2010	2:15 AM	1617	Thorn	Sewer B/U	Dry	City
11/18/2010	5:49 AM	549	Winchester	Sewer B/U	Dry	Owners
11/21/2010	12:53 PM	38 E	Normandy	Sewer B/U	Dry	N/A
11/22/2010	7:39 PM	291	Boston	Sewer B/U	Rain	City
11/22/2010	10:18 AM	132 W	Glen gate	Water in Basement	Rain	City
11/22/2010	10:05 AM	279 W	Hickory	Water in Basement	Rain	City
11/22/2010	3:45 PM	364 W	Hickory	Water in Basement	Rain	City
11/22/2010	9:10 AM	365 W	Hickory	Water in Street	Rain	City
11/22/2010	1:27 PM	1642	Ingrid	Sewer B/U	Rain	City
11/22/2010	8:55 AM	631	Ranger	Request Pump	Rain	Owners
11/24/2010	7:45 PM	67	Broadway	Sewer B/U	Dry	Flushed Line
11/24/2010	3:50 PM	1135	Grant	Sewer B/U	Rain	City
11/25/2010	10:00 AM	1230	West End	Ave	Sewer B/U	Dry
11/26/2010	3:55 PM	198 E	23rd	St	Sewer B/U	Dry
11/26/2010	11:30 AM	193	Emelia	Sewer B/U	Dry	City
12/1/2010	7:05 AM	180	Thelma	Check line	Dry	City
12/2/2010	7:25 AM	554	Shelly	Lane	Sewer B/U	Dry
12/2/2010	11:27 AM	1947	Yale	Sewer B/U	Dry	Owners
12/3/2010	7:56 PM	360	Iris	Sewer B/U	Dry	City
12/11/2010	1:56 PM	546	Emerald	Sewer B/U	Dry	Owners
12/11/2010	9:12 PM	334	Homewood	Ct	Sewer B/U	Dry
12/12/2010	8:13 N/A	197 E	7th	Pl	Sewer B/U	Dry
12/14/2010	10:20 AM	197 E	7th	Pl	Sewer B/U	Dry
12/15/2010	10:50 AM	570	Saratoga	Station Down	Dry	City
12/16/2010	3:20 PM	1639	Buena Vista	Ave	Sewer B/U	Dry
12/17/2010	10:27 AM	1954	Beacon	Ct	Sewer B/U	Dry
12/22/2010	1:55 PM	147 W	10th	St	Sewer B/U	Dry
12/22/2010	9:55 AM	39 W	24th	St	Pump Running	Dry
12/23/2010	4:10 PM	525	Andover	Sewer B/U	Dry	City

Date	Time	Location			Cause	Weather	Disposition	Actions
12/25/2010	8:08 PM	185 W	Elmwood		Sewer B/U	Dry	City	Flushed Line
12/27/2010	8:07 PM	294 W	14th	St	Sewer B/U	Dry	City	Flushed Line
12/29/2010	3:00 PM	306	Ashland	Ave	Sewer B/U	Dry	City	Flushed Line
12/30/2010	11:55 AM	16 E	Greenbriar		Sewer B/U	Dry	City	Flushed Line
12/31/2010	9:53 N/A	187 E	7th	PI	Sewer B/U	Rain	Owner	N/A
12/31/2010	10:09 N/A	222 W	14th	St	Sewer B/U	Rain	City	Flushed Line
12/31/2010	3:35 PM	222 W	14th	St	Sewer B/U	Rain	City	Flushed Line
12/31/2010	7:44 AM	222 W	14th	St	Water in Basement	Rain	City	Flushed Line
12/31/2010	7:44 AM	222 W	14th	St	Water in Basement	Rain	City	Flushed Line
12/31/2010	11:44 N/A	170 W	14th	PI	Sewer B/U	Rain	Owner	N/A
12/31/2010	4:32 N/A	170 W	14th	St	Water in Basement	Rain	Owner	Overload
12/31/2010	N/A PM	170 W	14th	PI	Sewer B/U	Rain	Owner	Overload
12/31/2010	N/A PM	170 W	14th	PI	Sewer B/U	Rain	Owner	Overload
12/31/2010	3:14 PM	175 W	15th	St	Sewer B/U	Rain	City	Flushed Line
12/31/2010	8:45 N/A	243 W	15th	PI	Sewer B/U	Rain	City	Flushed Line
12/31/2010	8:41 N/A	414 W	15th	PI	Sewer B/U	Rain	City	Overload
12/31/2010	1:27 N/A	212 E	16th	St	Sewer B/U	Rain	City	Overload
12/31/2010	9:35 N/A	521 W	16th	St	Sewer B/U	Rain	City	Flushed Line
12/31/2010	10:01 N/A	198 E	23rd	St	Sewer B/U	Rain	City	Overload
12/31/2010	1:03 N/A	198 E	23rd	St	Sewer B/U	Rain	City	Flushed Line
12/31/2010	8:33 N/A	19 E	23rd	St	Sewer B/U	Rain	Owner	N/A
12/31/2010	9:55 N/A	19 E	23rd	St	Sewer B/U	Rain	Owner	N/A
12/31/2010	9:58 N/A	173 E	25th	St	Sewer B/U	Rain	City	Overload
12/31/2010	8:01 N/A	191	7th	PI	Sewer B/U	Rain	Owner	N/A
12/31/2010	9:10 N/A	155	Amy		Sewer B/U	Rain	City	Overload
12/31/2010	7:30 N/A	1900	Andover		Sewer B/U	Rain	City	Flushed Line
12/31/2010	8:37 N/A	434	Arquilla		Sewer B/U	Rain	City	Overload
12/31/2010	9:21 N/A	330	Ashland	Ave	Sewer B/U	Rain	City	Overload
12/31/2010	8:05 N/A	1114	Ashland	Ave	Sewer B/U	Rain	City	Overload
12/31/2010	7:57 PM	251	Beacon		Sewer B/U	Rain	City	Overload
12/31/2010	8:04 N/A	1720	Campbell		Sewer B/U	Rain	City	Flushed Line
12/31/2010	9:43 N/A	1720	Campbell		Sewer B/U	Rain	City	Flushed Line
12/31/2010	7:35 N/A	1720	Campbell		Sewer B/U	Rain	City	Flushed Line

Date	Time	Location	Cause	Weather	Disposition	Actions
12/31/2010	10:19	N/A	405 Carey Ct	Sewer B/U Rain	City Rain	Overload
12/31/2010	N/A PM	322 Concord	Sewer B/U	Rain	City	Overload
12/31/2010	12:34	432 Coolidge	Sewer B/U	Rain	Owners	N/A
12/31/2010	1:35 PM	432 Coolidge	Sewer B/U	Rain	Owners	N/A
12/31/2010	8:27 N/A	1924 Dartmouth	Sewer B/U	Rain	Owners	N/A
12/31/2010	2:37 N/A	156 Dawn	Sewer B/U	Rain	Owners	N/A
12/31/2010	5:51 PM	184 Elder	Sewer B/U	Rain	Owners	N/A
12/31/2010	10:16 N/A	148 W Elmwood	Sewer B/U	Rain	City	Flushed Line
12/31/2010	11:04 N/A	117 E Emelia	Sewer B/U	Rain	City	Overload
12/31/2010	7:45 N/A	546 Emerald	Sewer B/U	Rain	City	Overload
12/31/2010	8:18 N/A	1227 Emerald	Sewer B/U	Rain	City	Overload
12/31/2010	10:03 N/A	20 E Greenbriar	Sewer B/U	Rain	City	Flushed Line
12/31/2010	8:35 N/A	360 Iris	Sewer B/U	Rain	City	Overload
12/31/2010	N/A PM	146 Kathleen	Sewer B/U	Rain	City	Flushed Line
12/31/2010	10:54 N/A	175 Kathleen	Sewer B/U	Rain	City	Flushed Line
12/31/2010	6:01 PM	175 Kathleen	Sewer B/U	Rain	City	Flushed Line
12/31/2010	8:44 N/A	61 W Main	St Sewer B/U	Rain Owners	Owners	Flushed Line
12/31/2010	3:01 N/A	61 W Main	St Sewer B/U	Rain Owners	Owners	Flushed Line
12/31/2010	12:32 N/A	191 W Maple	Sewer B/U	Rain	City	Overload
12/31/2010	1:34 PM	191 W Maple	Sewer B/U	Rain	City	Overload
12/31/2010	9:06 N/A	552 Minette	Sewer B/U	Rain	City	Flushed Line
12/31/2010	10:40 N/A	118 Pamela	Sewer B/U	Rain	City	Flushed Line
12/31/2010	9:17 N/A	129 S Pamela	Sewer B/U	Rain	City	Flushed Line
12/31/2010	8:14 N/A	136 N Pamela	Sewer B/U	Rain	City	Overload
12/31/2010	8:50 N/A	400 S Parnell	Sewer B/U	Rain	City	Flushed Line
12/31/2010	1:00 PM	400 S Parnell	Sewer B/U	Rain	City	Flushed Line
12/31/2010	8:12 N/A	65 Peyton	Sewer B/U	Rain	City	Overload
12/31/2010	8:26 PM	84 Peyton	Sewer B/U	Rain	City	Overload
12/31/2010	8:03 N/A	644 Ranger	Sewer B/U	Rain	City	Overload
12/31/2010	8:00 N/A	185 Serena	Sewer B/U	Rain	City	Overload
12/31/2010	8:17 N/A	818 Theresa	Sewer B/U	Rain	City	Overload
12/31/2010	3:38 PM	853 Theresa	Water in Street	Rain	City	Overload
12/31/2010	9:39 N/A	1540 Thorn	Sewer B/U	Rain	City	Flushed Line

Date	Time	Location	Cause	Weather	Disposition	Actions
12/31/2010	9:05 PM	1609 Thorn	Water in Basement	Rain	Owner	Flushed Line
12/31/2010	9:56 N/A	320 Westgate	Sewer B/U	Rain	City	Overload
12/31/2010	9:49 N/A	326 Westgate	Sewer B/U	Rain	City	Overload
12/31/2010	9:30 N/A	1530 Wilson	Sewer B/U	Rain	City	Flushed Line
12/31/2010	7:00 AM	1530 Wilson	Sewer B/U	Rain	City	Flushed Line
12/31/2010	2:25 N/A	1530 Wilson	Sewer B/U	Rain	City	Flushed Line
1/1/2011	1:30 PM	198 E 23rd St	Sewer B/U	Rain	Owner	Flushed Line
1/1/2011	8:15 AM	105 E 24th St	Sewer B/U	Rain	City	Flushed Line
1/2/2011	8:40 AM	1221 Lincoln Ave	Sewer B/U	Dry	City	Flushed Line
1/3/2011	9:49 AM	130 Sherry Lane	Sewer B/U	Dry	Owner	N/A
1/5/2011	1:16 PM	1321 Prairie	Sewer B/U	Dry	Owner	Flushed Line
1/5/2011	11:28 AM	130 Sherry Lane	Sewer B/U	Dry	Owner	Flushed Line
1/6/2011	10:02 AM	1138 Scott	Sewer B/U	Dry	Owner	N/A
1/6/2011	9:01 AM	738 Willow	Sewer B/U	Dry	City	Flushed Line
1/10/2011	9:29 PM	54 W Main St	Sewer B/U	Dry	City	Flushed Line
1/12/2011	8:19 PM	125 Kathleen	Sewer B/U	Dry	Owner	N/A
1/14/2011	3:15 PM	148 W Elmwood	Sewer B/U	Dry	City	Flushed Line
1/15/2011	3:30 PM	40 W 15th St	Sewer B/U	Dry	City	Flushed Line
1/16/2011	12:05 PM	200 Westgate	Sewer B/U	Dry	Owner	N/A
1/17/2011	8:45 AM	114 S Pamela	Sewer B/U	Dry	City	Flushed Line
1/17/2011	12:25 PM	326 Westgate	Sewer B/U	Dry	City	Flushed Line
1/18/2011	2:41 PM	863 Willow	Sewer B/U	Dry	Owner	N/A
1/19/2011	12:30 PM	39 W 24th St	Sewer B/U	Dry	City	Flushed Line
1/19/2011	5:15 PM	847 Theresa	Water in Street	Dry	City	Flushed Line
1/19/2011	5:44 PM	847 Theresa	Water Main Break	Dry	City	Flushed Line
1/22/2011	10:28 PM	243 W 15th Pj	Sewer B/U	Dry	City	Flushed Line
1/22/2011	8:19 AM	633 Travers	Sewer B/U	Dry	Owner	N/A
1/24/2011	12:30 PM	598 Andover	Sewer B/U	Dry	Owner	Flushed Line
1/24/2011	3:30 PM	822 Maple	Sewer B/U	Dry	Owner	Flushed Line
1/25/2011	9:20 AM	355 Standish	Sewer B/U	Dry	City	Flushed Line
1/25/2011	12:41 PM	815 Thomas	Sewer B/U	Dry	Owner	Flushed Line
1/27/2011	9:20 AM	701 W 14th St	Sewer B/U	Dry	City	Flushed Line
1/27/2011	10:50 AM	591 Brookline	Sewer B/U	Dry	Owner	N/A

Date	Time	Location	Cause	Weather	Disposition	Actions
1/27/2011	6:53 AM	156 W Elmwood	Odor	Dry	Owner	N/A
1/28/2011	7:09 AM	1225 D'Amico	Sewer B/U	Dry	City	Flushed Line
1/31/2011	11:36 AM	185 Serena	Sewer B/U	Dry	City	Flushed Line
1/31/2011	3:27 PM	1540 Thorn	Sewer B/U	Dry	City	Flushed Line
1/31/2011	4:35 PM	1540 Thorn	Sewer B/U	Dry	Owner	N/A
1/31/2011	1:46 PM	1239 Vincennes	Odor	Dry	Owner	N/A
2/1/2011	12:27 PM	430 Westgate	Sewer B/U	Dry	Owner	Flushed Line
2/4/2011	3:26 PM	738 Willow	Sewer B/U	Dry	City	Flushed Line
2/5/2011	1:00 PM	358 Iris	Sewer B/U	Dry	Owner	N/A
2/6/2011	9:42 AM	181 Hillcrest	Sewer B/U	Dry	City	Flushed Line
2/7/2011	8:36 AM	1639 Buena Vista	Ave	Sewer B/U	Dry	Owner
2/7/2011	7:34 AM	1325 Orchard	Sewer B/U	Dry	Owner	N/A
2/7/2011	12:27 PM	1316 Otto	Bldv	Sewer B/U	Dry	City
2/8/2011	5:06 AM	313 S Mayfair	Pl	Sewer B/U	Dry	City
2/8/2011	10:35 AM	123 Stieff	Odor	Dry	Owner	Flushed Line
2/9/2011	7:15 PM	190 W Raye	Dr	Sewer B/U	Dry	Owner
2/9/2011	10:03 PM	190 W Raye	Dr	Sewer B/U	Dry	Owner
2/10/2011	10:57 AM	1245 S Vincennes	Sewer B/U	Dry	Owner	Flushed Line
2/11/2011	4:01 PM	107 E 23rd	St	Sewer B/U	Dry	City
2/11/2011	4:01 PM	105 E 24th	St	Sewer B/U	Dry	City
2/11/2011	12:12 PM	501 Grovesnor	Sewer B/U	Dry	City	Flushed Line
2/14/2011	6:35 PM	320 W 14th	Pl	Sewer B/U	Dry	City
2/14/2011	12:10 PM	305 Concord	Sewer B/U	Dry	City	Flushed Line
2/14/2011	11:40 AM	556 Minette	Sewer B/U	Dry	Owner	N/A
2/15/2011	12:46 PM	39 W 24th	St	Sewer B/U	Dry	City
2/17/2011	4:18 AM	170 W 14th	Pl	Sewer B/U	Rain	City
2/17/2011	10:04 AM	222 W 14th	St	Sewer B/U	Rain	City
2/17/2011	6:28 AM	170 N 14th	Pl	Sewer B/U	Rain	Owner
2/17/2011	10:05 PM	430 E 22nd	St	Sewer B/U	Rain	City
2/17/2011	4:40 AM	1950 Beacon	Bldv	Ejector Pump Running	Rain	Inquiry
2/17/2011	10:23 AM	1221 Lincoln	Ave	Sewer B/U	Rain	City
2/17/2011	7:25 AM	400 S Parnell	Sewer B/U	Rain	City	Flushed Line
2/17/2011	9:10 AM	411 Parnell	Sewer B/U	Rain	City	Flushed Line

Date	Time	Location		Cause	Weather	Disposition	Actions
2/17/2011	5:06 PM	329	Sherry	Lane	Sewer B/U	Rain	Owner N/A
2/17/2011	5:56 PM	116	Strieff	Sewer B/U	Rain	City	Flushed Line
2/17/2011	12:00 AM	1530	Wilson	Sewer B/U	Rain	City	Flushed Line
2/17/2011	7:10 AM	450	Winston	Sewer B/U	Rain	City	Flushed Line
2/18/2011	10:09 PM	258	Boston	Sewer B/U	Rain	City	Flushed Line
2/18/2011	9:17 AM	1642	Ingrid	Sewer B/U	Rain	Owner N/A	
2/18/2011	4:00 N/A	144 S	Pamela	Sewer B/U	Rain	Owner N/A	
2/18/2011	8:30 AM	1133	Parkview	Ave	Sewer B/U	Rain	Owner N/A
2/18/2011	5:00 PM	1245	Vincennes	Sewer B/U	Rain	Owner N/A	
2/18/2011	7:15 AM	540 W	Winchester	Sewer B/U	Rain	City	Flushed Line
2/19/2011	4:04 PM	250	Westgate	Pl	Sewer B/U	Rain	Owner N/A
2/20/2011	5:25 PM	187 E	7th	Sewer B/U	Rain	City	Flushed Line
2/20/2011	8:00 PM	141	Amy	Sewer B/U	Rain	City	Flushed Line
2/20/2011	5:01 PM	1924	Dartmouth	Sewer B/U	Rain	Owner N/A	
2/20/2011	3:50 PM	144 W	Hickory	Sewer B/U	Rain	City	Flushed Line
2/20/2011	1:23 PM	N/A	Ranger	Catch Basin	Rain	City	Cleaned
2/21/2011	7:30 N/A	243 W	15th	Pl	Sewer B/U	Rain	City
2/21/2011	8:30 AM	1221	Lincoln	Ave	Sewer B/U	Rain	City
2/21/2011	12:00 PM	1209	Scott	St	Sewer B/U	Rain	City
2/22/2011	11:01 AM	40 W	24th	Sewer B/U	Rain	City	Flushed Line
2/22/2011	7:00 AM	1114	Grant	Sewer B/U	Rain	City	Flushed Line
2/23/2011	8:42 AM	1641	Buena Vista	Ave	Sewer B/U	Rain	City
2/23/2011	8:42 AM	1645	Buena Vista	Ave	Sewer B/U	Rain	City
2/24/2011	2:54 PM	258	Boston	Sewer B/U	Rain	Owner N/A	
2/24/2011	8:23 PM	334	Homewood	Ct	Sewer B/U	Rain	Owner N/A
2/24/2011	10:35 AM	1133	Schilling	Sewer B/U	Rain	City	Flushed Line
2/25/2011	7:35 AM	222 W	16th	Pl	Sewer B/U	Rain	Owner N/A
2/25/2011	10:26 AM	14 E	23rd	St	Sewer B/U	Rain	Owner N/A
2/25/2011	3:50 PM	1227	Emerald	Sewer B/U	Rain	City	Flushed Line
2/25/2011	11:25 AM	19	Forest	Sewer B/U	Rain	Owner N/A	
2/27/2011	10:36 PM	337	Boston	Sewer B/U	Rain	City	Flushed Line
2/27/2011	10:25 PM	1924	Dartmouth	Sewer B/U	Rain	City	Flushed Line
2/27/2011	10:31 PM	1540	Thorn	Sewer B/U	Rain	City	Flushed Line

Date	Time	Location	Cause	Weather	Disposition	Actions
2/28/2011	12:14 AM	306	Ashland Ave	Sewer B/U	Rain	City Overload
2/28/2011	8:52 AM	1136 Franklin	Catch Basins	Rain	City	Cleaned
2/28/2011	10:20 AM	132 W Glengate	Sewer B/U	Rain	Owner	N/A
2/28/2011	8:40 AM	139 S Pamela	Sewer B/U	Rain	City	Flushed Line
2/28/2011	10:28 AM	155 Thelma	Sewer B/U	Dry	Owner	N/A
3/1/2011	10:41 AM	772 W 16th	St Sewer B/U	Dry	Owner	N/A
3/1/2011	10:01 AM	394 W 17th	St Sewer B/U	Dry	Owner	N/A
3/1/2011	10:27 AM	1945 Bunker	Sewer B/U	Dry	City	Flushed Line
3/1/2011	4:35 PM	182 Strieff	Sewer B/U	Dry	Owner	Flushed Line
3/3/2011	11:13 AM	434 Arquilla	Check line	Dry	City	OK
3/4/2011	11:04 PM	772 W 16th	St Sewer B/U	Dry	Owner	Flushed Line
3/4/2011	9:51 PM	1506 Edgewood	Sewer B/U	Dry	Owner	Flushed Line
3/5/2011	3:40 PM	406 W 16th	St Sewer B/U	Dry	City	Flushed Line
3/6/2011	3:45 PM	147 W 10th	St Sewer B/U	Dry	City	Flushed Line
3/7/2011	12:56 PM	340 Homewood Ct	Sewer B/U	Dry	City	Flushed Line
3/7/2011	9:55 AM	846 Willow	Sewer B/U	Dry	Owner	Flushed Line
3/9/2011	7:23 AM	23 W Main	St Sewer B/U	Dry	Owner	Flushed Line
3/10/2011	12:04 PM	109 Mildred	Sewer B/U	Dry	Owner	N/A
3/10/2011	12:55 PM	1243 Park	Ave Sewer B/U	Dry	Owner	Flushed Line
3/10/2011	11:45 AM	1316 Schilling	Sewer B/U	Dry	Owner	N/A
3/11/2011	10:28 AM	544 Andover	Sewer B/U	Dry	City	Flushed Line
3/15/2011	1:51 PM	1232 Washington	Odor	Dry	Owner	N/A
3/16/2011	1:13 PM	N/A Longwood Dr & Longwood Ct	Catch Basins	Dry	City	Repaired
3/17/2011	8:48 AM	358 W 16th	Pt Check line	Dry	City	OK
3/21/2011	8:35 AM	1911 Adams	Sewer B/U	Rain	City	Flushed Line
3/21/2011	10:30 AM	258 Boston	Sewer B/U	Rain	Owner	N/A
3/21/2011	7:45 AM	501 Grovesnor	Sewer B/U	Rain	Owner	N/A
3/22/2011	2:30 AM	320 W 14th	Pt Sewer B/U	Rain	City	Flushed Line
3/22/2011	1:58 PM	430 W 16th	Pt Sewer B/U	Rain	City	Flushed Line
3/22/2011	8:25 AM	772 W 16th	Pt Sewer B/U	Rain	Owner	N/A
3/22/2011	11:06 AM	772 W 16th	St Sewer B/U	Rain	Owner	Flushed Line
3/22/2011	11:32 AM	132 E 22nd	Sewer B/U	Rain	City	Flushed Line
3/22/2011	3:50 AM	258 N Boston	Sewer B/U	Rain	Owner	Flushed Line

Date	Time	Location	Cause	Weather	Disposition	Actions
3/22/2011	3:30 AM	305 Concord	Sewer B/U	Rain	Owner	Flushed Line
3/22/2011	2:10 AM	322 Concord	Sewer B/U	Rain	Owner	Flushed Line
3/22/2011	11:59 AM	61 W Main	St	Sewer B/U	Rain	N/A
3/22/2011	4:38 AM	582 Ranger	Pump Rquest	Rain	Owner	N/A
3/22/2011	10:20 AM	1520 Schilling	Sewer B/U	Rain	City	Flushed Line
3/22/2011	10:25 AM	1945 Yale	Sewer B/U	Rain	Owner	Flushed Line
3/23/2011	8:10 AM	23 W Main	St	Sewer B/U	Rain	Flushed Line
3/23/2011	10:25 AM	185 Serena	Sewer B/U	Rain	City	Flushed Lines
4/2/2011	8:05 N/A	97 W 21st	St	Sewer B/U	Dry	N/A
4/5/2011	1:03 PM	1651 Halsted	Sewer B/U	Dry	Owner	N/A
4/8/2011	12:25 PM	772 W 16th	St	Sewer B/U	Dry	Owner
4/8/2011	7:10 AM	162 Glengate	Sewer B/U	Dry	City	Flushed Line
4/9/2011	2:42 PM	625 Halsted	Sewer B/U	Dry	City	Flushed Lines
4/9/2011	10:16 AM	400 S Parnell	Sewer B/U	Dry	City	Flushed Lines
4/11/2011	12:40 PM	184 W Elmwood	Sewer B/U	Dry	Owner	Flushed Line
4/11/2011	8:21 AM	263 Plymouth	Sewer B/U	Dry	Owner	Flushed Line
4/12/2011	0:00 PM	145 Mildred	Sewer B/U	Dry	City	Flushed Line
4/18/2011	4:40 PM	21 Forest	Sewer B/U	Dry	City	Flushed Lines
4/19/2011	2:20 PM	14th & Aberdeen	Sewer B/U	Rain	Owner	N/A
4/19/2011	11:31 PM	311 W 15th	Pl	Sewer B/U	Rain	City
4/19/2011	5:15 PM	377 W 16th	Pl	Sewer B/U	Rain	Flushed Lines
4/19/2011	9:01 AM	1333 Campbell	Sewer B/U	Rain	Owner	Flushed Line
4/20/2011	6:00 PM	212 W 14th	St	Sewer B/U	Rain	Owner
4/20/2011	12:25 AM	267 W 15th	Pl	Water in Basement	Rain	City
4/20/2011	11:50 AM	185 Serena	Water in Basement	Rain	City	Overload
4/20/2011	8:56 AM	1949 Yale	Sewer B/U	Rain	Owner	Flushed Line
4/22/2011	2:10 PM	264 W 16th	St	Sewer B/U	Rain	Overload
4/22/2011	4:23 PM	315 W 16th	St	Sewer B/U	Rain	Flushed Lines
4/22/2011	3:05 PM	1604 Aberdeen	Sewer B/U	Rain	City	N/A
4/22/2011	3:34 PM	1339 Campbell	Sewer B/U	Rain	City	Flushed Lines
4/22/2011	1:50 PM	1047 Campbell	Sewer B/U	Rain	Owners	N/A
4/22/2011	2:29 PM	1333 Campbell	Sewer B/U	Rain	Owners	N/A
4/22/2011	3:14 PM	478 Gregory	Sewer B/U	Rain	Owners	N/A

Date	Time	Location	Cause	Weather	Disposition	Actions
4/22/2011	12:28 PM	450	Grovesnor	Sewer B/J	Rain	City
4/22/2011	11:39 AM	501	Grovesnor	Sewer B/J	Rain	Flushed Lines
4/22/2011	4:12 PM	625	Halsted	Sewer B/J	Rain	Flushed Lines
4/22/2011	3:13 PM	544	Minette	Sewer B/J	Rain	Flushed Lines
4/22/2011	1:53 PM	185	Serena	Sewer B/J	Rain	Overload
4/25/2011	8:47 AM	152 W	14th	Sewer B/J	Rain	Owner
4/25/2011	11:00 AM	1329	Scott	Sewer B/J	Rain	N/A
4/25/2011	10:35 AM	200	Sherry	Lane	Sewer B/J	Rain
4/26/2011	5:40 PM	238 W	15th	Pl	Sewer B/J	Rain
4/26/2011	10:50 AM	264 W	16th	St	Sewer B/J	Rain
4/26/2011	10:40 AM	56 W	19th	St	Water Meter Stolen	Rain
4/26/2011	10:47 AM	306	Ashland	Ave	Sewer B/J	Rain
4/26/2011	3:30 PM	1339	Campbell	Sewer B/J	Rain	City
4/26/2011	2:30 PM	1010	Dixie	Hwy	Sewer B/J	Rain
4/26/2011	3:29 PM	155 W	Elmwood	Sewer B/J	Rain	City
4/26/2011	9:00 AM	280 W	Highland	Sewer B/J	Rain	Overload
4/26/2011	4:36 PM	504 N	Manchester	Sewer B/J	Rain	Owner
4/26/2011	3:45 PM	404 N	Manchester	Sewer B/J	Rain	N/A
4/26/2011	2:15 PM	1201	Orchard	Sewer B/J	Rain	Owner
4/26/2011	2:55 PM	145	Serena	Sewer B/J	Rain	Overload
4/26/2011	3:50 PM	145	Serena	Sewer B/J	Rain	Flushed Lines
4/26/2011	2:48 PM	1332	Vincennes	Sewer B/J	Rain	N/A
4/26/2011	2:56 PM	738	Willow	Sewer B/J	Rain	Overload
4/27/2011	6:00 PM	315 W	16th	St	Sewer B/J	Rain
4/27/2011	11:27 AM	234	Constance	Sewer B/J	Rain	City
4/27/2011	N/A	N/A	Forrest	Sewer B/J	Rain	Flushed Lines
4/27/2011	5:35 AM	156 W	Glengate	Sewer B/J	Rain	N/A
4/27/2011	10:00 AM	1316	McKinley	Sewer B/J	Rain	Overload
4/27/2011	11:28 AM	1445	Otto	Blvd	Sewer B/J	Rain
4/27/2011	5:38 PM	86	Rosewood	Lane	Sewer B/J	Rain
4/29/2011	10:15 AM	815	Thomas	Sewer B/J	Rain	Owner
4/29/2011	7:05 PM	1004	Scott	Sewer B/J	Dry	Owners
5/9/2011	9:30 AM	602	Union	Sewer B/J	Dry	Flushed line

Date	Time	Location		Cause	Weather	Disposition	Actions
		21	Forest	Sewer B/U	Dry	City	Flushed line
5/10/2011	12:12 PM	525	Andover	Sewer B/U	Dry	Owners	N/A
5/11/2011	10:40 AM	358 W	16th	Pt	Sewer B/U	Dry	City
5/12/2011	9:31 PM	146	Kathleen	Sewer B/U	Dry	City	Flushed line
5/12/2011	6:21 PM	1524	Schilling	Sewer B/U	Dry	Owners	Flushed line
5/13/2011	9:14 AM	1209	Orchard	Sewer B/U	Dry	Owners	N/A
5/15/2011	6:03 PM	1209	Wilson	Sewer B/U	Dry	Owners	Flushed line
5/18/2011	8:35 AM	135 S	Pamela	Sewer B/U	Dry	Owners	Flushed line
5/20/2011	10:39 AM	294 W	14th	St	Sewer B/U	Dry	City
5/21/2011	1:49 PM	121 S	Floyd	Sewer B/U	Dry	City	Flushed line
5/22/2011	4:01 PM	1339	Campbell	Sewer B/U	Dry	City	Flushed line
5/25/2011	2:30 PM	187 E	7th	Pt	Sewer B/U	Rain	Owners
5/25/2011	10:00 PM	358 W	16th	Pt	Sewer B/U	Dry	City
5/25/2011	3:30 PM	289 W	Elmwood	Sewer B/U	Rain	Owner	Flushed Line
5/25/2011	10:27 N/A	533	Emerald	Sewer B/U	Rain	Owners	N/A
5/25/2011	3:05 PM	1942 E	Lawrence	Sewer B/U	Rain	Owner	N/A
5/26/2011	2:05 PM	264 W	16th	St	Sewer B/U	Rain	City
5/26/2011	10:12 AM	315 W	16th	Pt	Sewer B/U	Rain	Overload
5/26/2011	8:16 AM	246 E	21st	St	Sewer B/U	Rain	City
5/26/2011	11:16 AM	245 E	24th	St	Sewer B/U	Rain	Flushed Line
5/26/2011	6:10 AM	306	Ashland	Ave	Water in Basement	Rain	Overload
5/26/2011	6:55 AM	305	Concord	Water in Basement	Rain	City	Flushed line
5/26/2011	8:50 AM	159	Mildred	Sewer B/U	Rain	City	Flushed Line
5/26/2011	12:45 AM	404	Westgate	Water in Basement	Rain	Owner	Flushed Line
5/26/2011	6:20 AM	1530	Wilson	Sewer B/U	Rain	City	Flushed Line
5/28/2011	N/A PM	305	Concord	Sewer B/U	Rain	City	Flushed Line
5/28/2011	7:15 PM	1136	Franklin	Water in Street	Rain	City	Flushed Line
5/28/2011	N/A N/A	598	Yorktown	Water in Street	Rain	City	Overload
6/1/2011	12:16 PM	176 N	Floyd	Sewer B/U	Rain	Owner	Flushed Line
6/2/2011	11:25 AM	176 N	Floyd	Sewer B/U	Rain	Owner	N/A
6/4/2011	8:47 PM	34 W	23rd	St	Sewer B/U	Rain	City
6/8/2011	8:46 PM	1428	Edgewood	Sewer B/U	Rain	City	Flushed Line
6/9/2011	1:32 PM	187 E	7th	Pt	Sewer B/U	Rain	Overload

Date	Time	Location	Cause	Weather	Disposition	Actions
6/9/2011	11:08 AM	160 W	10th	St	Water in Street	Rain City Overload
6/9/2011	12:45 PM	317 E	11th	St	Sewer B/U	Rain City Overload
6/9/2011	7:46 PM	424 W	12th	St	Water in Street	Rain City Overload
6/9/2011	10:05 AM	N/A	12th & Wentworth		Water in Street	Rain City Overload
6/9/2011	9:39 AM	N/A	1300 Block of Edgewood	Water in Street	Rain	City Overload
6/9/2011	11:16 AM	148 E	14th	St	Sewer B/U	Rain Owner Overload
6/9/2011	11:02 AM	216 W	14th	PI	Sewer B/U	Rain Owner Overload
6/9/2011	9:36 AM	320 W	14th	PI	Sewer B/U	Rain Owner Overload
6/9/2011	10:50 AM	420 W	14th	PI	Sewer B/U	Rain Owner Overload
6/9/2011	9:14 AM	414 W	15th	PI	Sewer B/U	Rain Owner Overload
6/9/2011	11:21 AM	474 W	15th	PI	Sewer B/U	Rain Owner Overload
6/9/2011	9:52 AM	529 W	15th	PI	Sewer B/U	Rain Owner Overload
6/9/2011	7:20 AM	521 W	16th	St	Sewer B/U	Rain City Overload
6/9/2011	11:28 AM	227 W	16th	St	Sewer B/U	Rain Owner Overload
6/9/2011	9:15 AM	235 W	16th	St	Sewer B/U	Rain Owner Overload
6/9/2011	9:48 AM	358 W	16th	PI	Sewer B/U	Rain Owner Flushed Line
6/9/2011	9:54 AM	430 E	22nd	St	Water in Basement	Rain Owner Overload
6/9/2011	11:13 AM	235 E	23rd	St	Sewer B/U	Rain City Flushed Line
6/9/2011	1:45 PM	168 E	24th	St	Sewer B/U	Rain City Overload
6/9/2011	9:56 AM	200 E	24th	St	Sewer B/U	Rain City Overload
6/9/2011	10:24 AM	427 E	26th	St	Sewer B/U	Rain Owner Overload
6/9/2011	9:20 AM	606 Andover		Water in Street	Rain	City Unfounded
6/9/2011	N/A AM	1101 Arnold		Water in Street	Rain	City Overload
6/9/2011	9:19 AM	1954 Beacon	Blvd	Water in Street	Rain	City Unfounded
6/9/2011	N/A N/A	67 Broadway	Sewer B/U	Rain	City Flushed Line	
6/9/2011	11:34 AM	1339 Campbell	Sewer B/U	Rain	Owner Overload	
6/9/2011	11:26 AM	401 Carey	Ct	Sewer B/U	Rain City Overload	
6/9/2011	9:43 AM	405 Carey	Ct	Sewer B/U	Rain City Overload	
6/9/2011	6:50 AM	305 Concord	Sewer B/U	Rain	City Flushed Line	
6/9/2011	6:00 AM	322 Concord	Sewer B/U	Rain	City Flushed Line	
6/9/2011	6:55 AM	322 Concord	Water in Basement	Rain	City Overload	
6/9/2011	9:17 AM	516 Concord	Water in Street	Rain	City Unfounded	
6/9/2011	9:04 AM	517 Concord	Water in Street	Rain	City Overload	

Date	Time	Location	Cause	Weather	Disposition	Actions
6/9/2011	9:29 AM	1037 D'Amico	Water in Street	Rain City		Overload
6/9/2011	10:26 AM	509 Deer Trail	Sewer B/U	Rain City		Overload
6/9/2011	9:05 AM	135 W Elmwood	Sewer B/U	Rain City		Overload
6/9/2011	8:26 AM	148 W Elmwood	Water in Crawl	Rain City		Overload
6/9/2011	1:50 PM	117 Emelia	Sewer B/U	Rain City		Overload
6/9/2011	10:50 AM	436 Emerald	Sewer B/U	Rain City		Overload
6/9/2011	10:06 PM	522 Emerald	Sewer B/U	Rain City		Overload
6/9/2011	2:55 PM	546 Emerald	Sewer B/U	Rain City		Overload
6/9/2011	10:30 AM	1125 Emerald	Sewer B/U	Rain City		Overload
6/9/2011	10:40 AM	1227 Emerald	Sewer B/U	Rain City		Overload
6/9/2011	9:00 AM	640 Enterprise	Water in Street	Rain City		Overload
6/9/2011	11:11 AM	144 S Floyd	Sewer B/U	Rain City		Overload
6/9/2011	9:06 AM	182 Fredrick	Water in Street	Rain City		Overload
6/9/2011	9:32 AM	1140 Grant	Sewer B/U	Rain City		Flushed Line
6/9/2011	10:11 AM	26 E Greenbriar	Sewer B/U	Rain City		Flushed Line
6/9/2011	N/A AM	46 E Greenbriar	Sewer B/U	Rain City		Flushed Line
6/9/2011	14:40 AM	364 W Hickory	Sewer B/U	Rain City		Flushed Line
6/9/2011	10:38 AM	366 W Hickory	Sewer B/U	Rain City		Flushed Line
6/9/2011	10:13 AM	279 W Hickory	Sewer B/U	Rain City		Flushed Line
6/9/2011	9:49 AM	Hickory & Division	Water in Street	Rain City		Overload
6/9/2011	9:13 AM	181 Hillcrest	Sewer B/U	Rain City		Overload
6/9/2011	10:03 AM	209 Hillcrest	Sewer B/U	Rain City		Overload
6/9/2011	11:06 AM	358 Iris	Sewer B/U	Rain City		Overload
6/9/2011	11:08 AM	360 Iris	Sewer B/U	Rain City		Overload
6/9/2011	9:11 AM	302 Irving	Catch Basins	Rain City		Cleaned
6/9/2011	1:19 PM	85 Isa	Sewer B/U	Rain City		Overload
6/9/2011	10:10 AM	241 E Joe Orr	Sewer B/U	Rain City		Overload
6/9/2011	10:51 AM	243 E Joe Orr	Sewer B/U	Rain City		Overload
6/9/2011	N/A N/A	249 E Joe Orr	Sewer B/U	Rain City		Overload
6/9/2011	10:46 AM	249 E Joe Orr	Sewer B/U	Rain City		Overload
6/9/2011	7:46 AM	269 E Judith	Sewer B/U	Rain City		Overload
6/9/2011	9:53 AM	79 Lincoln	Pump Running	Rain Owner	N/A	
6/9/2011	11:29 AM	1221 Ave	Sewer B/U	Rain City		Overload

Date	Time	Location	Cause	Weather	Disposition	Actions
6/9/2011	11:35 AM	1231	Lincoln Ave	Sewer B/U	Rain	City Overload
6/9/2011	1:25 PM	1322	Lincoln Ave	Sewer B/U	Rain	City Overload
6/9/2011	4:36 PM	1221	Lincoln Ave	Sewer B/U	Rain	Owner Overload
6/9/2011	3:05 PM	1249	Lincoln Ave	Sewer B/U	Rain	Owner Overload
6/9/2011	3:25 PM	614	Lowe	Sewer B/U	Rain	City Overload
6/9/2011	9:44 AM	624	Lowe	Sewer B/U	Rain	City Overload
6/9/2011	8:54 AM	1428	Lowe	Sewer B/U	Rain	City Overload
6/9/2011	N/A AM	Luther & Ashland	Water in Street	Rain	City Overload	
6/9/2011	9:35 AM	54 W Main	Sewer B/U	Rain	City Flushed Line	
6/9/2011	10:58 AM	61 W Main	Sewer B/U	Rain	City Flushed Line	
6/9/2011	10:32 AM	434 Manchester	Sewer B/U	Rain	City Flushed Line	
6/9/2011	7:50 AM	438 N Manchester	Sewer B/U	Rain	Owner Flushed Line	
6/9/2011	12:12 PM	843 N Maple	Sewer B/U	Rain	City Overload	
6/9/2011	1:15 PM	199 Martin	Sewer B/U	Rain	City Overload	
6/9/2011	1:45 PM	202 Martin	Sewer B/U	Rain	City Flushed Line	
6/9/2011	10:04 N/A	121 N Mayfair	Pl Sewer B/U	Rain	City Overload	
6/9/2011	6:25 AM	544 Minette	Water in Street	Rain	City Overload	
6/9/2011	6:25 AM	554 Minette	Water in Street	Rain	City Overload	
6/9/2011	9:14 AM	106 S Pamela	Sewer B/U	Rain	City Overload	
6/9/2011	10:18 AM	114 S Pamela	Sewer B/U	Rain	City Overload	
6/9/2011	9:40 AM	125 N Pamela	Sewer B/U	Rain	City Overload	
6/9/2011	12:35 AM	145 N Pamela	Sewer B/U	Rain	City Overload	
6/9/2011	9:03 AM	145 N Pamela	Check Sewer Line	Rain	Owner OK	
6/9/2011	10:31 AM	1019 Parkview	Ave Water in Street	Rain	City Overload	
6/9/2011	10:04 AM	1030 Parkview	Ave Water in Street	Rain	City Overload	
6/9/2011	1:03 PM	1235 Peggy	Lane Water in Street	Rain	City Overload	
6/9/2011	9:04 AM	89 Peyton	Sewer B/U	Rain	City Overload	
6/9/2011	9:03 AM	581 Ranger	Water in Basement	Rain	Owner Overload	
6/9/2011	10:53 AM	1029 Schilling	Water in Street	Rain	City Overload	
6/9/2011	9:46 AM	1133 Schilling	Sewer B/U	Rain	Owner Overload	
6/9/2011	11:05 AM	1304 Schilling	Sewer B/U	Rain	Owner N/A	
6/9/2011	5:55 AM	185 Serena	Sewer B/U	Rain	City Overload	
6/9/2011	5:55 AM	185 Serena	Water in Basement	Rain	City Overload	

Date	Time	Location	Cause	Weather	Disposition	Actions
6/9/2011	12:25 PM	230 Sherry	Lane Sewer B/U	Rain City		Flushed Line
6/9/2011	9:02 AM	275 State	St Water in Street	Rain City		Overload
6/9/2011	9:08 AM	153 Strieff	Sewer B/U	Rain City		Overload
6/9/2011	10:02 AM	163 Strieff	Sewer B/U	Rain City		Overload
6/9/2011	5:52 PM	605 Union	Sewer B/U	Rain City		Overload
6/9/2011	9:29 AM	237 Westgate	Sewer B/U	Rain City		Overload
6/9/2011	10:38 AM	430 Westgate	Sewer B/U	Rain City		Overload
6/9/2011	10:28 AM	738 Willow	Sewer B/U	Rain City		Overload
6/9/2011	6:15 AM	1530 Wilson	Sewer B/U	Rain City		Overload
6/9/2011	6:00 AM	1530 Wilson	Sewer B/U	Rain City		Overload
6/9/2011	9:01 N/A	1530 Wilson	Water in Street	Rain City		Overload
6/9/2011	10:13 N/A	499 Winchester	Sewer B/U	Rain City		Overload
6/9/2011	7:17 AM	Winston & Fitch	Water in Street	Rain City		Overload
6/9/2011	9:05 AM	Winston & Fitch	Water in Street	Rain City		Overload
6/10/2011	7:42 AM	279 W Hickory	Sewer B/U	Rain	Owner	Flushed Line
6/10/2011	10:41 AM	269 E Joe Orr	Sewer B/U	Rain	City	Flushed Line
6/10/2011	8:43 AM	1304 Schilling	Sewer B/U	Rain	Owner	Flushed Line
6/11/2011	2:45 AM	1218 Otto Blvd	Sewer B/U	Rain	Owner	Blockage
6/13/2011	9:50 AM	1642 Ingrid	Sewer B/U	Rain	City	Overload
6/15/2011	9:15 AM	1124 Union	Sewer B/U	Dry	Owner	N/A
6/17/2011	8:40 AM	735 Enterprise	Check Sewer Line	Dry	Owner	N/A
6/17/2011	2:20 PM	145 Grace Lane	Sewer B/U	Dry	City	Flushed Line
6/20/2011	5:54 PM	146 Constance	Sewer B/U	Dry	City	Flushed Line
6/20/2011	2:13 PM	213 Lynn Ln	Sewer B/U	Dry	Owner	N/A
6/27/2011	9:02 AM	293 W Elmwood	Sewer B/U	Dry	Owner	Flushed Line
7/2/2011	11:00 AM	358 W 16th St	Sewer B/U	Dry	City	Flushed Line
7/5/2011	10:25 AM	201 W 15th Pl	Sewer B/U	Dry	Owner	N/A
7/9/2011	9:31 AM	560 W 14th St	Sewer B/U	Dry	City	Flushed Line
7/11/2011	1:13 PM	1929 East End Ave	Catch Basins	Dry	City	Cleaned
7/16/2011	9:04 PM	146 Kathleen Ave	Sewer B/U Odor	Dry	City	Flushed Line
7/19/2011	8:25 AM	1630 Ashland				N/A
7/24/2011	10:55 AM	426 E 22nd St	Water in Basement	Rain	City	Flushed Line
7/24/2011	10:50 AM	430 E 22nd St	Water in Basement	Rain	City	Flushed Line

Date	Time	Location		Cause	Weather	Disposition	Actions
7/24/2011	9:30 AM	34 W	23rd St	Sewer B/J	Rain	Owners	N/A
7/24/2011	11:45 AM	1132 Division		Sewer B/J	Rain	City	Flushed Line
7/24/2011	10:00 AM	43 E Elmwood		Sewer B/J	Rain	City	N/A
7/24/2011	N/A AM	1530 Wilson		Sewer B/J	Rain	Owners	N/A
N/A	12:57 PM	311 W 15th		PJ Sewer B/J	Dry	Owners	N/A
N/A	6:30 PM	297 W 16th		PJ Sewer B/J	Dry	Owner	N/A
N/A	N/A	305 W 16th		St Sewer B/J	Dry	Owner	N/A
N/A	10:21 AM	14 W 24th		St Check Sewer	Dry	City	OK
N/A	3:00 PM	820 McArthur		Water in Basement	Dry	Owner	N/A

Note:  
 N/A - Information not provided  
 Wet Weather Property Backups = 1597  
 Dry Weather Property Backups = 527

# Attachment I

## Table of Contents

I.	General Information - Collection System Description . . . . .	3-4
II.	Continuing Sewer Assessment Plan . . . . .	3-5
III.	Collection System Management . . . . .	3-6
	A. Organizational Structure . . . . .	3-6
	B. Training . . . . .	3-7
	C. Communication and Customer Service . . . . .	3-8
	D. Management Information Systems . . . . .	3-10
	E. SSO Notification Program . . . . .	3-11
	F. Legal Authority . . . . .	3-12
IV.	Collection System Operation . . . . .	3-14
	A. Budgeting . . . . .	3-14
	B. Compliance . . . . .	3-16
	C. Water Quality Monitoring . . . . .	3-17
	D. Hydrogen Sulfide Monitoring and Control . . . . .	3-18
	E. Safety . . . . .	3-19
	F. Emergency Preparedness and Response . . . . .	3-21
	G. Modeling . . . . .	3-23
	H. Engineering - System Mapping and As-built Plans (Record Drawings) . . . . .	3-24
	I. Engineering - Design . . . . .	3-25
	J. Engineering - Capacity . . . . .	3-26
	K. Engineering - Construction . . . . .	3-27
	L. Pump Station Operation . . . . .	3-28
	1. Pump Stations - Inspection . . . . .	3-29
	2. Pump Stations - Emergencies . . . . .	3-30
	3. Pump Stations - Emergency Response and Monitoring . . . . .	3-31
	4. Pump Stations - Recordkeeping . . . . .	3-32
	5. Pump Stations - Force Mains and Air/Vacuum Valves . . . . .	3-33
V.	Collection System Maintenance . . . . .	3-34
	A. Maintenance Budgeting . . . . .	3-34
	B. Planned Maintenance . . . . .	3-35
	C. Maintenance Scheduling . . . . .	3-36
	D. Maintenance Right-of-Way . . . . .	3-37
	E. Sewer Cleaning . . . . .	3-38
	1. Sewer Cleaning - Cleaning Equipment . . . . .	3-39
	2. Sewer Cleaning - Chemical Cleaning and Root Removal . . . . .	3-40
	F. Parts Inventory . . . . .	3-41
	G. Equipment and Tools Management . . . . .	3-42
VI.	Management Information Systems: Performance Indicators . . . . .	3-43
VII.	Sewer System Capacity Evaluation (SSES) . . . . .	3-45
	A. Internal TV Inspection . . . . .	3-45
	B. Survey and Rehabilitation (general) . . . . .	3-46
	C. Sewer Cleaning Related to I/I Reduction . . . . .	3-47
	D. Flow Monitoring . . . . .	3-48
	E. Smoke Testing and Dyed Water Flooding . . . . .	3-49

F. Manhole Inspection .....	3-50
VIII. Rehabilitation .....	3-52
A. Manhole Repairs .....	3-52
B. Mainline Sewers .....	3-53

Attachment

AUTHORITY AND CONFIDENTIALITY PROVISIONS

Authority

Information requests are made under authority provided by Section 308 of the Clean Water Act, 33 U.S.C. 1318. Section 308 provides that: "Whenever required to carry out the objective of this Act, ...the Administrator shall require the owner or operator of any point sources to (i) establish and maintain such records, (ii) make such reports, (iii) install, use and maintain such monitoring equipment and methods (including where appropriate, biological monitoring methods), (iv) sample such effluent... and (v) provide such other information as he may reasonably require; and the Administrator or his authorized representative, upon presentation of his credentials, shall have a right of entry to...any premises in which an effluent source is located or in which any records...are located, and may at reasonable times have access to and copy any records...and sample any effluents..."

Please be advised that the submission of false statements is subject to federal prosecution under 18 U.S.C. § 1001 and that this or any other failure to comply with the requirements of Section 308 as requested by U.S. EPA may result in enforcement action under the authority of Section 309 of the Clean Water Act, which provides for specified civil and/or criminal penalties.

Confidentiality

U.S. EPA regulations concerning confidentiality and treatment of business information are contained in 40 CFR Part 2, Subpart B. Information may not be withheld from the Administrator or his authorized representative because it is viewed as confidential. However, when requested to do so, the Administrator is required to consider information to be confidential and to treat it accordingly, if disclosure would divulge methods or processes entitled to protection as trade secrets (33 U.S.C. § 1318(b) and 18 U.S.C. § 1905), except that effluent data (as defined in 40 CFR § 2.302(a)(2)) may not be considered by U.S. EPA as confidential.

The regulations provide that one may assert a business confidentiality claim covering part or all of any trade secret information furnished to U.S. EPA at the time such information is provided to the Agency. The manner of asserting such claims is specified in 40 CFR § 2.203(b). In the event that a request is made for release of information covered by such claim of confidentiality or the Agency otherwise decides to make determination as to whether or not such information is entitled to such confidential treatment, notice will be provided to the claimant prior to any release of the information. However, if no claim of confidentiality is made when information is furnished to U.S. EPA, any information submitted to the Agency may be made available to the public without prior notice.

Note: This information request is not subject to the approval requirements of the Paperwork Reduction Act of 1995, 44 U.S.C. § 3501 et seq.